



# White Knight

## Wheel Accessories





Since 1990, **White Knight Wheel Accessories** has proudly established a solid reputation of providing the automotive aftermarket industry with quality products, unparalleled customer service, and competitive pricing. Our valued customers, our reliable vendors and our dedicated staff continue to be the foundation for our ongoing success in this competitive and dynamic market.

**Quality Products** – To guarantee product quality and dependability, we source and procure only from ISO and QS approved vendors. Our products are manufactured in state-of-the-art facilities to meet and exceed aftermarket standards. Everything we offer from lug nuts to wheel locks to wheel adapters and everything in between has our stamp of approval and with that, our promise of quality products.

**Competitive Pricing** – We pride ourselves in consistently offering lower prices for quality products. White Knight is always committed to bringing a more valuable bottom line to your business by offering the best volume discounts available.

**Customer service** – Our staff is the backbone of our company. From our efficient and dependable warehouse personnel to our courteous and knowledgeable sales team, we work collectively to ensure complete customer satisfaction. Whether you are calling with a question or an order, you can always expect professionalism, attentiveness and excellent service.

**White Knight Wheel Accessories** understands that our success goes hand-in-hand with our customers' success. Our products, our pricing and our people are the reasons why we are your one-stop source for all of your wheel accessory needs.

|                                                                                     | TABLE OF CONTENTS               |       |
|-------------------------------------------------------------------------------------|---------------------------------|-------|
|    | About Our Lug Nuts              | 3     |
|    | Factory Lug Nuts                | 4-8   |
|    | Lug Nuts                        | 9-14  |
|    | Spline/Racing Lug Nuts          | 15-16 |
|    | Spike Lug Nuts                  | 17-18 |
|    | Tuner                           | 19    |
|    | Washers & Wheel Inserts         | 20    |
|    | Wheel Locks                     | 21-22 |
|    | Lug Bolts                       | 23-25 |
|    | Lug Bolts & Bolt Locks          | 26    |
|   | Wheel Weights                   | 27    |
|  | Valve Stems                     | 28-30 |
|  | Valve Stem Accessories & Tools  | 31    |
|  | TPMS Service Kits & Accessories | 32    |
|  | Center Caps                     | 33-34 |
|  | Knurl Studs                     | 35-38 |
|  | Hub Rings                       | 39    |
|  | Spacers                         | 40    |
|  | Hub Centric Spacers             | 41-42 |
|  | Wheel Adapters                  | 43-48 |
|  | Leveling Kits & Accessories     | 49    |
|  | Spinners & Hardware             | 50    |
|  | Lug Wrenches & Adapters         | 51-52 |
|  | Miscellaneous                   | 53    |
|  | Oil Drain Plugs                 | 54    |

# About Our Lug Nuts



- Constructed to enhance the luster of your wheels and provide maximum dependability and strength.
- Backed by our ISO and QS certified facilities, we manufacture each lug nut to exact fastener standards using the latest equipment available on the market.
- Cold forged for increased strength and uniformity, our lug nuts meet or exceed OEM and aftermarket application standards.
- Each lug nut is hand polished before plating, resulting in longer-lasting superior chrome finish.

## Quick Reference Guide for Lug Nut Selection

| Description | ACORN          | ACORN BULGE                                                    | OPEN-END                        | DUPLEX ACORN                                                                    | STANDARD MAG                                                  | TUNER                                       |
|-------------|----------------|----------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------|
| Application | • Steel Wheels | • Steel and Aluminum<br>• Bulge adds increased seating surface | • Wheels with cap covering lugs | • 8 Lug Wheels<br>• 7/8" and larger hex sizes<br>• Also available with dome top | • Aluminum wheels that are 9/16" and 7/8" thick at stud holes | • Small diameter wheels with deep lug holes |
| Seat        | 60° taper      | 60° taper                                                      | 60° taper                       | 60° taper                                                                       | No Taper                                                      | 60° taper                                   |

| Description | DUALIE                    | SPLINE                                                                 | ET CONICAL                                                                                                    | STAINLESS-STEEL CAPPED                                                                   | RADIUS SEAT          | ALUMINUM                                     |
|-------------|---------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------|----------------------------------------------|
| Application | • 1" and larger hex sizes | • Small diameter aftermarket wheels<br>• Ultra-thin design key adapter | • Additional shank for increased contact with lug<br>• 60° conical bulge seating for added contact with wheel | • Added resistance to rust and corrosion<br>• Ideal for increased exposure to salt water | • Radial seat wheels | • Ultra Light weight for maximum performance |
| Seat        | 90° taper                 | 60° taper                                                              | ET Conical                                                                                                    | 60° taper                                                                                | Radius               | 60° taper                                    |



## Retail Packages



### CLAMSHELL

The tamper-resistant clamshell is designed to save you space and enhance the appearance of your retail display.



### MINI-CLAM

The mini-clam is perfect for those who look to maximize the visibility of a small or compact showcase.



### BAG WITH HEADER

The durable plastic bag with a cardboard header card is an economic, yet effective option.



# Factory Lug Nuts

## Original Equipment Lug Nuts

We have expanded our lug nut selection to offer chrome and black direct replacement lugs for popular makes and models.



### STAINLESS STEEL CAPPED BULGE ACORN

| Make           | Thread Size | Bulk#    |
|----------------|-------------|----------|
| Cadillac/Buick | 12mm 1.50   | WN-263-B |
|                | Box Qty.    | 50/300   |



### FLANGE NUT

| Make                | Thread Size | Bulk#    |
|---------------------|-------------|----------|
| Chevrolet/GMC/Buick | 14mm 1.50   | WN-202-B |
|                     | Box Qty.    | 20/120   |



### STAINLESS STEEL CAPPED DUPLEX BULGE ACORN

| Make                | Thread Size | Bulk#    |
|---------------------|-------------|----------|
| Chevrolet/GMC/Buick | 14mm 1.50   | WN-236-B |
|                     | Box Qty.    | 30/180   |



### OPEN-END DUAL THREAD ACORN

| Make                   | Thread Size     | Bulk#      |
|------------------------|-----------------|------------|
| Chevrolet/Buick/Saturn | 12mm x 1.50     | WN-150-B   |
|                        | 3/4" Black Cap  | 2000SCP    |
|                        | 3/4" Chrome Cap | 2000SCP-CR |
|                        |                 |            |
|                        |                 |            |
|                        | Box Qty.        | 50/300     |




### OPEN-END DUAL THREAD ACORN

| Make          | Thread Size     | Bulk#     |
|---------------|-----------------|-----------|
| Chevrolet/GMC | 7/16            | 2002      |
|               | 1/2             | 2004      |
|               | 12mm 1.50       | 2007      |
|               | 14mm 1.50       | 2009      |
|               | 9/16            | 2010      |
|               | 7/8" Black Cap  | 2000CP    |
|               | 7/8" Chrome Cap | 2000CP-CR |
|               | Box Qty.        | 40/240    |




### OPEN-END DUAL THREAD ACORN

| Make      | Thread Size     | Bulk#      |
|-----------|-----------------|------------|
| Chevrolet | 7/16            | 2002S      |
|           | 1/2             | 2004S      |
|           | 12mm 1.50       | 2007S      |
|           | 14mm 1.50       | 2009S      |
|           | 9/16            | 2010S      |
|           | 3/4" Black Cap  | 2000SCP    |
|           | 3/4" Chrome Cap | 2000SCP-CR |
|           | Box Qty.        | 50/300     |



### OPEN-END BULGE

| Make                    | Thread Size | Bulk#   |
|-------------------------|-------------|---------|
| Chevrolet/GMC/Buick/Ram | 14mm 1.50   | 1309-1D |
|                         | 9/16        | 1310-1D |
|                         |             |         |
|                         |             |         |
|                         |             |         |
|                         | Box Qty.    | 50/300  |



### ET BULGE

| Make                  | Thread Size | Bulk#    |
|-----------------------|-------------|----------|
| Dodge/Chevrolet/Buick | 14mm 1.50   | WN-259-B |
|                       |             |          |
|                       |             |          |
|                       |             |          |
|                       | Box Qty.    | 25/150   |



### BULGE

| Make                | Thread Size | Bulk#    |
|---------------------|-------------|----------|
| Dodge/Chrysler/Jeep | 12mm 1.50   | WN-074-B |
|                     |             |          |
|                     |             |          |
|                     |             |          |
|                     | Box Qty.    | 50/300   |



### DUPLEX BULGE ACORN LONG

| Make                           | Thread Size       | Bulk#    |
|--------------------------------|-------------------|----------|
| Dodge/Chevrolet/Buick/Ram/Jeep | 14mm 1.50         | 1709DL   |
|                                | 14mm 1.50 (Black) | 1709DLBK |
| Dodge                          | 9/16              | 1710DL   |
|                                | 9/16 (Black)      | 1710DLBK |
|                                | Box Qty.          | 20/120   |



### DUPLEX BULGE ACORN

| Make                           | Thread Size       | Bulk#   |
|--------------------------------|-------------------|---------|
| Dodge/Chevrolet/Buick/Ram/Jeep | 14mm 1.50         | 1709D   |
|                                | 14mm 1.50 (Black) | 1709DBK |
| Dodge                          | 9/16              | 1710D   |
|                                | 9/16 (Black)      | 1710DBK |
| Ford                           | 14mm 2.00         | 1750D   |
|                                | 14mm 2.00 (Black) | 1750DBK |
|                                | Box Qty.          | 25/150  |



### BULGE ACORN

| Make           | Thread Size | Bulk#   |
|----------------|-------------|---------|
| Dodge/Chrysler | 14mm 1.50   | WN25809 |
|                |             |         |
|                | Box Qty.    | 30/180  |



### STAINLESS STEEL CAPPED ET BULGE

| Make           | Thread Size | Bulk#    |
|----------------|-------------|----------|
| Dodge/Chrysler | 12mm 1.50   | WN-181-B |
|                |             |          |
|                | Box Qty.    | 30/300   |



### ET BULGE

| Make           | Thread Size | Bulk#     |
|----------------|-------------|-----------|
| Dodge/Chrysler | 12mm 1.50   | WN-181-BC |
|                |             |           |
|                | Box Qty.    | 30/180    |



### SHORT BULGE ACORN STAINLESS STEEL CAPPED

| Make      | Thread Size | Bulk#    |
|-----------|-------------|----------|
| Ford      | 12mm 1.50   | 18300    |
| Chevrolet | 7/16"       | WN-070-B |
|           | Box Qty.    | 50/300   |



# Factory Lug Nuts

**NEW**



| FLANGE NUT BLACK |             |         |
|------------------|-------------|---------|
| Make             | Thread Size | Bulk#   |
| Ford             | 12mm 1.75   | WN17212 |
|                  |             |         |
|                  |             |         |
|                  | Box Qty.    | 50/300  |



| SWIVEL FLANGE FLAT |             |          |
|--------------------|-------------|----------|
| Make               | Thread Size | Bulk#    |
| Ford               | 1/2"        | 9604     |
|                    | 9/16"       | 9610     |
|                    | 14MM 2.0    | WN-196-B |
|                    | 14MM 1.50   | WN-246-B |
|                    | Box Qty.    | 50/300   |

**NEW**



| BULGE ACORN |             |         |
|-------------|-------------|---------|
| Make        | Thread Size | Bulk#   |
| Ford        | 1/2"        | WN58404 |
|             |             |         |
|             |             |         |
|             | Box Qty.    | 30/180  |

**NEW**



| BULGE ACORN |                   |           |
|-------------|-------------------|-----------|
| Make        | Thread Size       | Bulk#     |
| Ford        | 12mm 1.50         | WN58307   |
|             | 12mm 1.50 (Black) | WN58307BK |
|             |                   |           |
|             | Box Qty.          | 30/180    |



| OPEN-END BULGE ACORN |             |          |
|----------------------|-------------|----------|
| Make                 | Thread Size | Bulk#    |
| Ford                 | 14mm 2.0    | WN-223-B |
|                      | 14mm 1.5    | WN98209  |
|                      | Box Qty.    | 30/180   |



| BULGE ACORN |                  |           |
|-------------|------------------|-----------|
| Make        | Thread Size      | Bulk#     |
| Ford        | 14mm 1.50        | WN-008-B  |
|             | 14mm 1.50(Black) | WN-008-BK |
|             | Box Qty.         | 30/180    |



| BULGE ACORN |                  |           |
|-------------|------------------|-----------|
| Make        | Thread Size      | Bulk#     |
| Ford        | 14mm 2.0         | WN-288-B  |
|             | 14mm 2.00(Black) | WN-288-BK |
|             | Box Qty.         | 25/150    |




| BULGE ACORN |                  |           |
|-------------|------------------|-----------|
| Make        | Thread Size      | Bulk#     |
| Ford        | 12mm 1.50        | WN-303-B  |
|             | 12mm 1.50(Black) | WN-303-BK |
|             | Box Qty.         | 50/300    |


**NEW**




| BULGE ACORN |             |           |
|-------------|-------------|-----------|
| Make        | Thread Size | Bulk#     |
| Ford        | 12mm 1.50   | WN-303L-B |
|             | Box Qty.    | 50/300    |



| BULGE ACORN |             |         |
|-------------|-------------|---------|
| Make        | Thread Size | Bulk#   |
| Ford        | 1/2         | WN-94-B |
|             | Box Qty.    | 40/240  |



| BULGE ACORN |             |         |
|-------------|-------------|---------|
| Make        | Thread Size | Bulk#   |
| Ford        | 1/2         | WN-71-B |
|             | Box Qty.    | 50/300  |



| BULGE ACORN  |             |        |
|--------------|-------------|--------|
| Make         | Thread Size | Bulk#  |
| Ford Mustang | 1/2         | 1004M  |
|              | Box Qty.    | 50/300 |



| STAINLESS STEEL CAPPED BULGE ACORN |             |           |
|------------------------------------|-------------|-----------|
| Make                               | Thread Size | Bulk#     |
| Ford Mustang                       | 1/2         | WN-292-B  |
|                                    | 14mm 1.50   | WN00709ST |
|                                    | Box Qty.    | 50/300    |



| OPEN-END ACORN |             |         |
|----------------|-------------|---------|
| Make           | Thread Size | Bulk#   |
| Ford Van       | 9/16        | WN-52-B |
|                |             |         |
|                | Box Qty.    | 50/300  |



| BULGE ACORN CHROME & BLACK |                   |           |
|----------------------------|-------------------|-----------|
| Make                       | Thread Size       | Bulk#     |
| Ford Mustang/ Lincoln      | 14mm 1.50         | WN-007-B  |
|                            | 14mm 1.50 (Black) | WN-007-BK |
|                            | Box Qty.          | 40/240    |



| OPEN-END BULGE ACORN |             |          |
|----------------------|-------------|----------|
| Make                 | Thread Size | Bulk#    |
| Ford/Mercury         | 1/2         | WN-199-B |
|                      |             |          |
|                      | Box Qty.    | 40/240   |

# Factory Lug Nuts




**OPEN-END BULGE ACORN**

| Make                  | Thread Size | Bulk#    |
|-----------------------|-------------|----------|
| Ford/Mercury/Lincoln  | 1/2         | WN-163-B |
| Ford/Chrysler/Lincoln | 12mm 1.50   | WN06307  |
|                       | Box Qty.    | 50/300   |



**SHORT SHANK MAG**

| Make              | Thread Size | Bulk#  |
|-------------------|-------------|--------|
| Chevrolet         | 7/16        | 5322   |
| GM OEM / Corvette | 12mm 1.50   | 5327   |
|                   | Box Qty.    | 50/300 |



**OPEN-END ACORN**

| Make                        | Thread Size | Bulk#   |
|-----------------------------|-------------|---------|
| GMC/Chevrolet Van and Truck | 9/16        | WN-53-B |
|                             | Box Qty.    | 50/300  |



**RADIUS SEAT  
CHROME & BLACK**

| Make        | Thread Size       | Bulk#    |
|-------------|-------------------|----------|
| Honda/Acura | 12mm 1.50         | 1907HR   |
|             | 12mm 1.50 (Black) | 1907HRBK |
|             | Box Qty.          | 40/240   |



**RADIUS SEAT SHORT**

| Make        | Thread Size              | Bulk#  |
|-------------|--------------------------|--------|
| Honda/Acura | 12mm 1.50 (radius: 12mm) | 1907SR |
|             | Box Qty.                 | 50/300 |



**RADIUS SEAT  
W/ WASHER**

| Make        | Thread Size       | Bulk#    |
|-------------|-------------------|----------|
| Honda/Acura | 12mm 1.50         | 1907WR   |
|             | 12mm 1.50 (Black) | 1907WRBK |
|             | Box Qty.          | 40/240   |




**OPEN END  
RADIUS SEAT**

| Make        | Thread Size | Bulk#    |
|-------------|-------------|----------|
| Honda/Acura | 12mm 1.50   | WN-144-B |
|             | Box Qty.    | 50/300   |



**RADIUS SEAT  
CHROME & BLACK**

| Make        | Thread Size       | Bulk#     |
|-------------|-------------------|-----------|
| Honda/Acura | 12mm 1.50         | WN-201-B  |
|             | 12mm 1.50 (Black) | WN-201-BK |
|             | Box Qty.          | 50/300    |



**OPEN-END RADIUS SEAT  
HEAT TREATED**

| Make        | Thread Size | Bulk#   |
|-------------|-------------|---------|
| Honda/Acura | 12mm 1.50   | 1307-1R |
|             | 14mm 1.50   | 1309-1R |
|             | Box Qty.    | 50/300  |



**DUPLUX RADIUS SEAT  
W/ ATTACHED WASHER**

| Make        | Thread Size | Bulk#    |
|-------------|-------------|----------|
| Honda/Acura | 14mm 1.50   | WN-314-B |
|             | Box Qty.    | 40/240   |




**DUPLUX RADIUS SEAT**

| Make        | Thread Size | Bulk#    |
|-------------|-------------|----------|
| Honda/Acura | 14mm 1.50   | WN-327-B |
|             | Box Qty.    | 50/300   |



**DUPLUX RADIUS SEAT  
CHROME & BLACK**

| Make        | Thread Size       | Bulk#    |
|-------------|-------------------|----------|
| Honda/Acura | 14mm 1.50         | 1909DR   |
|             | 14mm 1.50 (Black) | 1909DRBK |
|             | Box Qty.          | 20/120   |



**2-PC RADIUS SEAT  
3/4" HEX, HEAT TREATED**

| Make        | Thread Size              | Bulk#  |
|-------------|--------------------------|--------|
| Honda/Acura | 14mm 1.50                | 1909R  |
|             | 14mm 1.25 (radius: 14mm) | 1925R  |
|             | Box Qty.                 | 50/500 |




**ACORN WITH WASHER**

| Make        | Thread Size | Bulk#   |
|-------------|-------------|---------|
| Kia/Hyundai | 12mm 1.50   | WN23807 |
|             | Box Qty.    | 40/240  |



**BULGE ACORN**

| Make        | Thread Size | Bulk#    |
|-------------|-------------|----------|
| Hyundai/Kia | 12mm 1.50   | WN-315-B |
|             | Box Qty.    | 40/240   |



**ACORN**

| Make              | Thread Size | Bulk#    |
|-------------------|-------------|----------|
| Hyundai/Kia/Mazda | 12mm 1.50   | WN-141-B |
|                   | Box Qty.    | 50/300   |


# Factory Lug Nuts



| ACORN    |             |          |
|----------|-------------|----------|
| Make     | Thread Size | Bulk#    |
| Kia      | 12mm 1.50   | WN-253-B |
| Box Qty. | 50/300      |          |



| MAG W/ ATTACHED WASHER |             |          |
|------------------------|-------------|----------|
| Make                   | Thread Size | Bulk#    |
| Nissan                 | 12mm 1.25   | WN-210-B |
| Box Qty.               | 40/240      |          |



| BULGE ACORN SHORT |             |        |
|-------------------|-------------|--------|
| Make              | Thread Size | Bulk#  |
| Lexus             | 14mm 1.50   | 1709DT |
| Box Qty.          | 40/240      |        |



| OPEN-END BULGE  |             |         |
|-----------------|-------------|---------|
| Make            | Thread Size | Bulk#   |
| Nissan/Infiniti | 12mm 1.25   | WN26006 |
| Box Qty.        | 50/300      |         |




| DUPLEX MAG W/ ATTACHED WASHER, CHROME & BLACK |                   |          |
|-----------------------------------------------|-------------------|----------|
| Make                                          | Thread Size       | Bulk#    |
| Range Rover                                   | 14mm 1.50         | 5309RR   |
|                                               | 14mm 1.50 (Black) | 5309RRBK |
| Box Qty.                                      | 25/150            |          |



| DOME TOP ACORN |                  |           |
|----------------|------------------|-----------|
| Make           | Thread Size      | Bulk#     |
| Nissan         | 12mm 1.25        | WN-114-B  |
|                | 12mm 1.25(Black) | WN-114-BK |
| Toyota         | 12mm 1.50        | WN-133-B  |
|                | 12mm 1.50(Black) | WN-133-BK |
| Box Qty.       | 50/300           |           |




| BULGE ACORN STAINLESS STEEL CAPPED |             |        |
|------------------------------------|-------------|--------|
| Make                               | Thread Size | Bulk#  |
|                                    | 7/16        | 1902ST |
| Jeep                               | 1/2         | 1904ST |
|                                    | 12mm 1.25   | 1906ST |
|                                    | 12mm 1.50   | 1907ST |
|                                    | 14mm 1.50   | 1909ST |
|                                    | 12mm 1.75   | 1912ST |
| Box Qty.                           | 50/300      |        |



| MEDIUM MAG W/ ATTACHED WASHER |                             |        |
|-------------------------------|-----------------------------|--------|
| Make                          | Thread Size                 | Bulk#  |
|                               | 1/2                         | 5304   |
| Toyota                        | 12mm 1.50                   | 5307   |
|                               | 12mm 1.50 (Stainless Steel) | 5307ST |
|                               | 14mm 1.50                   | 5309   |
| Box Qty.                      | 30/180                      |        |



| MEDIUM MAG W/ ATTACHED WASHER BLACK |                  |        |
|-------------------------------------|------------------|--------|
| Make                                | Thread Size      | Bulk#  |
| Toyota                              | 12mm 1.50(Black) | 5307BK |
| Box Qty.                            | 30/180           |        |



| MEDIUM MAG W/ ATTACHED WASHER |             |        |
|-------------------------------|-------------|--------|
| Make                          | Thread Size | Bulk#  |
| Nissan/Infiniti               | 12mmx1.25   | 5306   |
|                               | 12mmx1.25   | 5306BK |
| Box Qty.                      | 30/180      |        |




| BLACK MEDIUM MAG W/ ATTACHED WASHER |                   |          |
|-------------------------------------|-------------------|----------|
| Make                                | Thread Size       | Bulk#    |
| Toyota/Lexus                        | 12mm 1.50         | 5307DL   |
| Lexus                               | 14mm 1.50         | 5309DL   |
|                                     | 14mm 1.50 (Black) | 5309DLBK |
| Box Qty.                            | 25/150            |          |



| LONG MAG DOME TOP W/ ATTACHED WASHER |                  |         |
|--------------------------------------|------------------|---------|
| Make                                 | Thread Size      | Bulk#   |
| Toyota                               | 12mm 1.50        | 5307D   |
|                                      | 12mm 1.50(Black) | 5307DBK |
| Box Qty.                             | 40/240           |         |




| LONG MAG W/ ATTACHED WASHER |                  |         |
|-----------------------------|------------------|---------|
| Make                        | Thread Size      | Bulk#   |
| Toyota                      | 12mm 1.50        | 5307L   |
|                             | 12mm 1.50(Black) | 5307LBK |
| Toyota/Lexus                | 14mm 1.50        | 5309L   |
|                             | 14mm 1.50(Black) | 5309LBK |
| Box Qty.                    | 30/180           |         |



| RADIUS SEAT LUG NUT HEAT TREATED, CHROME & BLACK |                  |         |
|--------------------------------------------------|------------------|---------|
| Make                                             | Thread Size      | Bulk#   |
| Porsche                                          | 14mm 1.50        | 1909P   |
|                                                  | 14MM 1.50(Black) | 1909PBK |
| Box Qty.                                         | 50/300           |         |



| OPEN-END ACORN |             |          |
|----------------|-------------|----------|
| Make           | Thread Size | Bulk#    |
| Suzuki/Subaru  | 12mm 1.25   | WN-64-BZ |
| Box Qty.       | 50/300      |          |



| BULGE ACORN SHORT |             |       |
|-------------------|-------------|-------|
| Make              | Thread Size | Bulk# |
| Toyota            | 12mm 1.50   | 1707T |
| Box Qty.          | 50/300      |       |



# Factory Lug Nuts


**NEW**



**NEW**



**NEW**



## OPEN-END ACORN HEAT TREATED

| Make     | Thread Size | Bulk#    |
|----------|-------------|----------|
| Tesla    | 14mm 1.50   | 1309-1TS |
|          |             |          |
|          |             |          |
| Box Qty. | 50/300      |          |

## LUG NUT COVER

| Make     | Thread Size      | Bulk#     |
|----------|------------------|-----------|
| Tesla    | 21mm Hex(Chrome) | 2000TS-CR |
|          | 21mm Hex(Black)  | 2000TS-BK |
|          | CAP REMOVER      | 1800PL    |
| Box Qty. | 50/500           |           |

## BULGE ACORN

| Make     | Thread Size | Bulk#  |
|----------|-------------|--------|
| Tesla    | 14mm 1.50   | 1709TS |
|          |             |        |
|          |             |        |
| Box Qty. | 25/150      |        |

## DOME TOP ACORN

| Make     | Thread Size | Bulk#    |
|----------|-------------|----------|
| Subaru   | 12mm 1.25   | WN-076-B |
|          |             |          |
|          |             |          |
| Box Qty. | 50/300      |          |

## Factory Lug Nut Assortment Kit

**NEW**



Contains 24 skus, 93 pcs of lug nuts, covering most popular vehicles on the road today.


## PART # WK-ASST-1A

| Bulk #   | Make                             | Bulk #    | Make           | Bulk #   | Make                     | Bulk #   | Make                | Bulk #   | Make           |
|----------|----------------------------------|-----------|----------------|----------|--------------------------|----------|---------------------|----------|----------------|
| 1327     | Dodge/Toyota/Chrysler/Mitsubishi | WN-133-B  | Toyota         | 5307     | Toyota                   | WN-259-B | Dodge/Chevrolet     | 1704S    | Jeep           |
| 1307-1S  | Ford/Dodge/Chrysler/Toyota       | WN-144-B  | Honda          | 2007S    | Chevrolet/GMC/Buick      | WN-196-B | Chevrolet/Buick     | WN-114-B | Nissan         |
| 1707S    | Chevrolet/Dodge/Chrysler/Jeep    | 1907WR    | Honda          | 1309-1D  | Chevrolet/GMC/Buick/Ram  | 2009     | Chevrolet/GMC       | 1710DL   | Dodge/Chrysler |
| WN-303-B | Ford                             | WN-201-B  | Honda          | 1709DL   | Jeep/Chevrolet/Dodge/Ram | 1324     | Ford/Jeep/Chevrolet | WN-288-B | Ford           |
| WN-141-B | Hyundai                          | WN-181-BC | Dodge/Chrysler | WN-008-B | Ford                     | 1304-1S  | Chevrolet           |          |                |

BULK# ADD "-4" FOR REFILL- PACK OF 4 PIECES

# Factory Lug Bolts

**NEW**




**NEW**




**NEW**



**NEW**



**NEW**



| Part #      | WB49807                 | WB31707    | WB31809          | WB51609       | WB54909                |
|-------------|-------------------------|------------|------------------|---------------|------------------------|
| Make        | Chrysler, Mercedes-Benz | Volkswagen | Audi, Volkswagen | Mercedes-Benz | Mercedes-Benz, Maybach |
| Thread Size | 12mmx1.5                | 12mmx1.5   | 14mmx1.5         | 14mmx1.5      | 14mmx1.5               |
| Hex         | 17mm                    | 17mm       | 17mm             | 17mm          | 17mm                   |
| Seat        | Ball                    | Ball       | Ball             | Ball          | Ball                   |
| Box Qty     | 30/180                  | 30/180     | 30/180           | 30/180        | 30/180                 |

**NEW**



**NEW**



**NEW**




**NEW**



**NEW**




**NEW**




**NEW**



| Part #      | WB53225   | WB57407  | WB52209  | WB00606         | WB36707        | WB49309  | WB45609  |
|-------------|-----------|----------|----------|-----------------|----------------|----------|----------|
| Make        | BMW, Mini | BMW      | BMW      | Chrysler, Dodge | General Motors | Volvo    | Volvo    |
| Thread Size | 14mmx1.25 | 12mmx1.5 | 14mmx1.5 | 12mmx1.25       | 12mmx1.5       | 14mmx1.5 | 14mmx1.5 |
| Hex         | 17mm      | 17mm     | 17mm     | 19mm            | 17mm           | 19mm     | 19mm     |
| Seat        | Cone      | Cone     | Cone     | Cone            | Cone           | Cone     | Cone     |
| Box Qty     | 30/180    | 30/180   | 30/180   | 20/120          | 30/180         | 30/180   | 30/180   |



| 1-PC ACORN  |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 3/8         | 1001   |
| 7/16        | 1002   |
| 1/2         | 1004   |
| 12mm 1.25   | 1006   |
| 12mm 1.50   | 1007   |
| 14mm 1.50   | 1009   |
| 12mm 1.75   | 1012   |
| Box Qty.    | 50/300 |



| 1-PC ACORN<br>HEAT-TREATED |        |
|----------------------------|--------|
| Thread Size                | Bulk#  |
| 7/16                       | 1002H  |
| 1/2                        | 1004H  |
| 12mm 1.25                  | 1006H  |
| 12mm 1.50                  | 1007H  |
| 14mm 1.50                  | 1009H  |
| 12mm 1.75                  | 1012H  |
| Box Qty.                   | 50/300 |




| 1-PC ACORN LONG |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 7/16            | 1002L  |
| 1/2             | 1004L  |
| 12mm 1.25       | 1006L  |
| 12mm 1.50       | 1007L  |
| 14mm 1.50       | 1009L  |
| 12mm 1.75       | 1012L  |
| 14mm 2.00       | 1050L  |
| Box Qty.        | 40/240 |



| 1-PC ACORN SHORT |        |
|------------------|--------|
| Thread Size      | Bulk#  |
| 7/16             | 1002S  |
| 1/2              | 1004S  |
| 12mm 1.25        | 1006S  |
| 12mm 1.50        | 1007S  |
| 10mm 1.25        | 1010S  |
| 12mm 1.75        | 1012S  |
| Box Qty.         | 50/300 |



| 1-PC ACORN BULGE<br>SHORT 3/4" HEX |        |
|------------------------------------|--------|
| Thread Size                        | Bulk#  |
| 1/2                                | 1104S  |
| 12mm 1.25                          | 1106S  |
| 12mm 1.50                          | 1107S  |
| 14mm 1.50                          | 1109S  |
| Box Qty.                           | 50/300 |



| XL ACORN    |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 14mm 1.50   | 1009XL |
| 14mm 2.00   | 1050XL |
| Box Qty.    | 30/180 |



| 2-PC ACORN  |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 7/16        | 1202   |
| 1/2         | 1204   |
| 1/2 L.H.    | 1205   |
| 12mm 1.25   | 1206   |
| 12mm 1.50   | 1207   |
| 14mm 1.50   | 1209   |
| 12mm 1.75   | 1212   |
| Box Qty.    | 50/300 |



| 2-PC ACORN<br>HEAT TREATED |        |
|----------------------------|--------|
| Thread Size                | Bulk#  |
| 7/16                       | 1402   |
| 1/2                        | 1404   |
| 12mm 1.25                  | 1406   |
| 12mm 1.50                  | 1407   |
| 14mm 1.50                  | 1409   |
| 12mm 1.75                  | 1412   |
| Box Qty.                   | 50/300 |



| BLACK ACORN |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 7/16        | 1202BK |
| 1/2         | 1204BK |
| 12mm 1.25   | 1206BK |
| 12mm 1.50   | 1207BK |
| 14mm 1.50   | 1209BK |
| 12mm 1.75   | 1212BK |
| Box Qty.    | 50/300 |



| 2-PC BULGE ACORN |        |
|------------------|--------|
| Thread Size      | Bulk#  |
| 7/16             | 1702   |
| 1/2              | 1704   |
| 12mm 1.25        | 1706   |
| 12mm 1.50        | 1707   |
| 14mm 1.50        | 1709   |
| 12mm 1.75        | 1712   |
| 14mm 2.0         | 1750   |
| 9/16             | 1710   |
| Box Qty.         | 50/300 |



| 2-PC BULGE ACORN<br>3/4" HEX |        |
|------------------------------|--------|
| Thread Size                  | Bulk#  |
| 7/16                         | 1702S  |
| 1/2                          | 1704S  |
| 10mm 1.50                    | 1711S  |
| 12mm 1.25                    | 1706S  |
| 12mm 1.50                    | 1707S  |
| 14mm 1.50                    | 1709S  |
| 9/16                         | 1710S  |
| 12mm 1.75                    | 1712S  |
| 14mm 2.00                    | 1750S  |
| Box Qty.                     | 50/300 |




| 2-PC BULGE ACORN<br>HEAT TREATED |        |
|----------------------------------|--------|
| Thread Size                      | Bulk#  |
| 7/16                             | 1702SH |
| 1/2                              | 1704SH |
| 12mm 1.25                        | 1706SH |
| 12mm 1.50                        | 1707SH |
| 14mm 1.50                        | 1709SH |
| 12mm 1.75                        | 1712SH |
| 14mm 2.00                        | 1750SH |
| Box Qty.                         | 50/300 |



| 2-PC BLACK<br>BULGE ACORN |        |
|---------------------------|--------|
| Thread Size               | Bulk#  |
| 7/16                      | 1702BK |
| 1/2                       | 1704BK |
| 12mm 1.25                 | 1706BK |
| 12mm 1.50                 | 1707BK |
| 14mm 1.50                 | 1709BK |
| (Add "S" for 3/4" Hex)    |        |
| Box Qty.                  | 50/300 |



| 2-PC RED/BLUE<br>BULGE ACORN                   |        |
|------------------------------------------------|--------|
| Thread Size                                    | Bulk#  |
| 7/16                                           | 1702   |
| 1/2                                            | 1704   |
| 12mm 1.25                                      | 1706   |
| 12mm 1.50                                      | 1707   |
| 14mm 1.50                                      | 1709   |
| 12mm 1.75                                      | 1712   |
| (Add "S" for 3/4" Hex)<br>(Add R=Red; BL=Blue) |        |
| Box Qty.                                       | 50/300 |



| BULGE ACORN LONG |        |
|------------------|--------|
| Thread Size      | Bulk#  |
| 7/16             | 1702L  |
| 1/2              | 1704L  |
| 12mm 1.25        | 1706L  |
| 12mm 1.50        | 1707L  |
| 5/8              | 1708L  |
| 9/16             | 1710L  |
| Box Qty.         | 40/240 |

# Lug Nuts



| XXL BULGE ACORN |         |
|-----------------|---------|
| Thread Size     | Bulk#   |
| 14mm 1.50       | 1709SXL |
| 12mm 1.75       | 1712SXL |
| 14mm 2.00       | 1750SXL |
| 9/16            | 1710SXL |
|                 |         |
|                 |         |
|                 |         |
| Box Qty.        | 30/180  |



| 1-PC BULGE ACORN |        |
|------------------|--------|
| Thread Size      | Bulk#  |
| 7/16             | 1902S  |
| 1/2              | 1904S  |
| 12mm 1.25        | 1906S  |
| 12mm 1.50        | 1907S  |
| 14mm 1.50        | 1909S  |
| 12mm 1.75        | 1912S  |
| 14mm 2.00        | 1950S  |
|                  |        |
| Box Qty.         | 50/300 |



| BULGE ACORN LONG 3/4 HEX |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 7/16                     | 1902SL |
| 1/2                      | 1904SL |
| 9/16                     | 1910SL |
| 12mm 1.25                | 1906SL |
| 12mm 1.50                | 1907SL |
| 14mm 1.50                | 1909SL |
| 12mm 1.75                | 1912SL |
| 14mm 2.0                 | 1950SL |
| Box Qty.                 | 40/240 |




| BULGE ACORN LONG 3/4 HEX BLACK |          |
|--------------------------------|----------|
| Thread Size                    | Bulk#    |
| 14mm 1.50                      | 1909SLBK |
| 9/16                           | 1910SLBK |
|                                |          |
|                                |          |
| Box Qty.                       | 30/180   |



| BULGE ACORN LONG 13/16 HEX |        |
|----------------------------|--------|
| Thread Size                | Bulk#  |
| 7/16                       | 1902L  |
| 1/2                        | 1904L  |
| 9/16                       | 1910L  |
| 12mm 1.25                  | 1906L  |
| 12mm 1.50                  | 1907L  |
| 14mm 1.50                  | 1909L  |
| 12mm 1.75                  | 1912L  |
| 14mm 2.0                   | 1950L  |
| Box Qty.                   | 30/180 |




| XL BULGE ACORN |        |
|----------------|--------|
| Thread Size    | Bulk#  |
| 7/16           | 1902XL |
| 1/2            | 1904XL |
| 9/16           | 1910XL |
| 12mm 1.25      | 1906XL |
| 12mm 1.50      | 1907XL |
| 14mm 1.50      | 1909XL |
| 12mm 1.75      | 1912XL |
| 14mm 2.00      | 1950XL |
| Box Qty.       | 30/180 |



| XL BULGE ACORN HEAT TREATED |         |
|-----------------------------|---------|
| Thread Size                 | Bulk#   |
| 14mm 1.50                   | 1909XLH |
| 9/16                        | 1910XLH |
| 14mm 2.00                   | 1950XLH |
|                             |         |
|                             |         |
| Box Qty.                    | 30/180  |



| BLACK XL BULGE ACORN |          |
|----------------------|----------|
| Thread Size          | Bulk#    |
| 1/2                  | 1904XLBK |
| 14mm 1.50            | 1909XLBK |
| 9/16                 | 1910XLBK |
| 14mm 2.00            | 1950XLBK |
|                      |          |
| Box Qty.             | 30/180   |



| OPEN-END ACORN |         |
|----------------|---------|
| Thread Size    | Bulk#   |
| 3/8            | 1301    |
| 7/16           | 1302    |
| 1/2            | 1304    |
| 12mm 1.25      | 1306    |
| 12mm 1.50      | 1307    |
| 12mm 1.75      | 1312    |
| Box Qty.       | 100/600 |



| OPEN-END ACORN |         |
|----------------|---------|
| Thread Size    | Bulk#   |
| 7/16           | 1322    |
| 1/2            | 1324    |
| 12mm 1.25      | 1326    |
| 12mm 1.50      | 1327    |
| 14mm 1.50      | 1309    |
| 9/16           | 1310    |
| Box Qty.       | 100/600 |



| OPEN-END BULGE ACORN 17MM HEIGHT |          |
|----------------------------------|----------|
| Thread Size                      | Bulk#    |
| 1/2                              | 1304-1SA |
| 12mm 1.25                        | 1306-1SA |
| 12mm 1.50                        | 1307-1SA |
| 14mm 1.50                        | 1309-1SA |
|                                  |          |
|                                  |          |
| Box Qty.                         | 100/600  |



| OPEN-END BULGE ACORN 14MM HEIGHT |         |
|----------------------------------|---------|
| Thread Size                      | Bulk#   |
| 7/16                             | 1302-1B |
| 1/2                              | 1304-1B |
| 12mm 1.25                        | 1306-1B |
| 12mm 1.50                        | 1307-1B |
| 14mm 1.50                        | 1309-1B |
| 9/16                             | 1310-1B |
| 14mm 2.00                        | 1350-1B |
| Box Qty.                         | 100/600 |



| OPEN-END BULGE ACORN |         |
|----------------------|---------|
| Thread Size          | Bulk#   |
| 1/2                  | 1304-11 |
| 12mm 1.25            | 1306-11 |
| 12mm 1.50            | 1307-11 |
|                      |         |
| Box Qty.             | 80/480  |




| OPEN-END BULGE |        |
|----------------|--------|
| Thread Size    | Bulk#  |
| 7/16           | 1302-1 |
| 1/2            | 1304-1 |
| 12mm 1.25      | 1306-1 |
| 12mm 1.50      | 1307-1 |
| 14mm 1.50      | 1309-1 |
| 9/16           | 1310-1 |
| 12mm 1.75      | 1312-1 |
| 14mm 2.00      | 1350-1 |
| Box Qty.       | 50/300 |



| OPEN-END BULGE |         |
|----------------|---------|
| Thread Size    | Bulk#   |
| 7/16           | 1302-1S |
| 1/2            | 1304-1S |
| 12mm 1.25      | 1306-1S |
| 12mm 1.50      | 1307-1S |
| 14mm 1.50      | 1309-1S |
| 9/16           | 1310-1S |
| 12mm 1.75      | 1312-1S |
| 14mm 2.00      | 1350-1S |
| Box Qty.       | 50/300  |





| OPEN-END BULGE HEAT-TREATED |          |
|-----------------------------|----------|
| Thread Size                 | Bulk#    |
| 7/16                        | 1302-1SH |
| 1/2                         | 1304-1SH |
| 12mm 1.25                   | 1306-1SH |
| 12mm 1.50                   | 1307-1SH |
| 14mm 1.50                   | 1309-1SH |
| 9/16                        | 1310-1SH |
| 12mm 1.75                   | 1312-1SH |
| 14mm 2.00                   | 1350-1SH |
| Box Qty.                    | 50/300   |



| DUPLEX ACORN |        |
|--------------|--------|
| Thread Size  | Bulk#  |
| 7/16         | 3002   |
| 1/2          | 3004   |
| 1/2 L.H.     | 3005   |
| 14mm 1.50    | 3009   |
| 9/16         | 3010   |
| 5/8          | 3030   |
| 5/8 L.H.     | 3040   |
| 14mm 2.00    | 3050   |
| Box Qty.     | 30/180 |



| DUPLEX ACORN HEAT-TREATED |        |
|---------------------------|--------|
| Thread Size               | Bulk#  |
| 1/2                       | 3004H  |
| 14mm 1.50                 | 3009H  |
| 9/16                      | 3010H  |
| 14mm 2.00                 | 3050H  |
| Box Qty.                  | 30/180 |



| BLACK DUPLEX ACORN |        |
|--------------------|--------|
| Thread Size        | Bulk#  |
| 14mm 1.50          | 3009BK |
| 9/16               | 3010BK |
| 14mm 2.00          | 3050BK |
| Box Qty.           | 30/180 |




| OPEN-END DUPLEX ACORN |        |
|-----------------------|--------|
| Thread Size           | Bulk#  |
| 7/16                  | 3032   |
| 1/2                   | 3034   |
| 14mm 1.50             | 3039   |
| 9/16                  | 3045   |
| 9/16 L.H.             | 3055   |
| 14mm 2.00             | 3060   |
| 5/8                   | 3065   |
| 5/8 L.H.              | 3075   |
| Box Qty.              | 30/180 |




| XL DUPLEX ACORN |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 1/2             | 3204   |
| 14mm 1.50       | 3209   |
| 9/16            | 3210   |
| 14mm 2.00       | 3250   |
| Box Qty.        | 20/120 |



| XXL DUPLEX ACORN |        |
|------------------|--------|
| Thread Size      | Bulk#  |
| 9/16             | 3310   |
| Box Qty.         | 20/120 |



| DUALIE ACORN |        |
|--------------|--------|
| Thread Size  | Bulk#  |
| 14mm 1.50    | 3109   |
| 9/16         | 3110   |
| 9/16 L.H.    | 3120   |
| 5/8          | 3130   |
| 5/8 L.H.     | 3140   |
| Box Qty.     | 20/120 |



| SHORT DUALIE ACORN |        |
|--------------------|--------|
| Thread Size        | Bulk#  |
| 14mm 1.50          | 3109A  |
| 9/16               | 3110A  |
| Box Qty.           | 20/120 |



| DUALIE ACORN W/ ATTACHED WASHER |        |
|---------------------------------|--------|
| Thread Size                     | Bulk#  |
| 14mm 1.50                       | 3109W  |
| 9/16                            | 3110W  |
| 9/16 L.H.                       | 3110LW |
| Box Qty.                        | 20/120 |



| BULGE ACORN HEAT TREATED |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 7/16                     | 1502   |
| 1/2                      | 1504   |
| 12mm 1.25                | 1506   |
| 12mm 1.50                | 1507   |
| 12mm 1.50(Black)         | 1507BK |
| 14mm 1.50                | 1509   |
| Box Qty.                 | 50/300 |



| OPEN-END BULGE ACORN |        |
|----------------------|--------|
| Thread Size          | Bulk#  |
| 7/16                 | 1532   |
| 1/2                  | 1534*  |
| 12mm 1.25            | 1536*  |
| 12mm 1.50            | 1537*  |
| 14mm 1.50            | 1539   |
| *Add "S" for 0.84" H |        |
| Box Qty.             | 50/300 |



| 1-PC STANDARD MAG                       |        |
|-----------------------------------------|--------|
| Thread Size                             | Bulk#  |
| 7/16                                    | 1740   |
| 1/2                                     | 1741   |
| 12mm 1.25                               | 1744   |
| 12mm 1.50                               | 1745   |
| 14mm 1.50                               | 1749*  |
| *1749 comes in a 0.75" Dia. & 7/8" Hex  |        |
| Uses 772 washer<br>14mm uses 773 washer |        |
| Box Qty.                                | 50/300 |



| OPEN-END STANDARD MAG                   |        |
|-----------------------------------------|--------|
| Thread Size                             | Bulk#  |
| 7/16                                    | 1730   |
| 1/2                                     | 1731   |
| 12mm 1.25                               | 1734   |
| 12mm 1.50                               | 1735   |
| 14mm 1.50                               | 1739*  |
| *1739 comes in a 0.75" Dia. & 7/8" Hex  |        |
| Uses 772 washer<br>14mm uses 773 washer |        |
| Box Qty.                                | 50/300 |



| 2-PCS STANDARD MAG |        |
|--------------------|--------|
| Thread Size        | Bulk#  |
| 7/16               | 8202   |
| 1/2                | 8204   |
| 12mm 1.25          | 8206   |
| 12mm 1.50          | 8207   |
| Uses 772 washer    |        |
| Box Qty.           | 50/300 |

# Lug Nuts



| BLACK 2-PC STANDARD MAG |        |
|-------------------------|--------|
| Thread Size             | Bulk#  |
| 7/16                    | 8202BK |
| 1/2                     | 8204BK |
| 12mm 1.25               | 8206BK |
| 12mm 1.50               | 8207BK |
| Uses 772BK washer       |        |
| Box Qty.                | 50/300 |




| DOME STANDARD MAG |        |
|-------------------|--------|
| Thread Size       | Bulk#  |
| 7/16              | 8102   |
| 1/2               | 8104   |
| 12mm 1.25         | 8106   |
| 12mm 1.50         | 8107   |
| Uses 772 washer   |        |
| Box Qty.          | 50/300 |



| 1-PC SHORT SHANK MAG |        |
|----------------------|--------|
| Thread Size          | Bulk#  |
| 7/16                 | 1640   |
| 1/2                  | 1641   |
| 12mm 1.25            | 1644   |
| 12mm 1.50            | 1645   |
| Uses 774 washer      |        |
| Box Qty.             | 50/300 |



| 2-PC SHORT SHANK MAG |        |
|----------------------|--------|
| Thread Size          | Bulk#  |
| 7/16                 | 5202   |
| 1/2                  | 5204   |
| 12mm 1.25            | 5206   |
| 12mm 1.50            | 5207   |
| Uses 774 washer      |        |
| Box Qty.             | 50/300 |



| OPEN-END SHORT SHANK MAG |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 7/16                     | 5102   |
| 1/2                      | 5104   |
| 12mm 1.25                | 5106   |
| 12mm 1.50                | 5107   |
| Uses 774 washer          |        |
| Box Qty.                 | 50/300 |




| DOME SHORT SHANK MAG |        |
|----------------------|--------|
| Thread Size          | Bulk#  |
| 7/16                 | 5002   |
| 1/2                  | 5004   |
| 12mm 1.25            | 5006   |
| 12mm 1.50            | 5007   |
| Uses 774 washer      |        |
| Box Qty.             | 50/300 |



| DOME MEDIUM MAG |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 7/16            | 4002   |
| 1/2             | 4004   |
| 12mm 1.25       | 4006   |
| 12mm 1.50       | 4007   |
| Uses 772 washer |        |
| Box Qty.        | 50/300 |



| OPEN-END MEDIUM MAG |        |
|---------------------|--------|
| Thread Size         | Bulk#  |
| 7/16                | 4022   |
| 1/2                 | 4024   |
| 12mm 1.25           | 4026   |
| 12mm 1.50           | 4027   |
| Uses 774 washer     |        |
| Box Qty.            | 50/300 |




| LONG MAG               |        |
|------------------------|--------|
| Thread Size            | Bulk#  |
| 7/16                   | 8502   |
| 1/2                    | 8504   |
| 12mm 1.25              | 8506   |
| 12mm 1.50              | 8507   |
| Uses 779 or 780 washer |        |
| Box Qty.               | 50/300 |



| EXTENDED MAG           |        |
|------------------------|--------|
| Thread Size            | Bulk#  |
| 7/16                   | 8802   |
| 1/2                    | 8804   |
| 12mm 1.25              | 8806   |
| 12mm 1.50              | 8807   |
| Uses 779 or 780 washer |        |
| Box Qty.               | 40/240 |




| CRAGAR MAG                              |        |
|-----------------------------------------|--------|
| Thread Size                             | Bulk#  |
| 7/16                                    | 8852   |
| 1/2                                     | 8854   |
| 12mm 1.25                               | 8856   |
| 12mm 1.50                               | 8857   |
| 14mm 1.50                               | 8859*  |
| *#8859 comes in a 0.75" Dia. & 7/8" Hex |        |
| Uses 779 or 780 washer                  |        |
| Box Qty.                                | 30/180 |



| OPEN-END CRAGAR MAG                       |         |
|-------------------------------------------|---------|
| Thread Size                               | Bulk#   |
| 7/16                                      | 8852-1  |
| 1/2                                       | 8854-1  |
| 12mm 1.25                                 | 8856-1  |
| 12mm 1.50                                 | 8857-1  |
| 14mm 1.50                                 | 8859-1* |
| *#8859-1 comes in a 0.75" Dia. & 7/8" Hex |         |
| Uses 779 or 780 washer                    |         |
| Box Qty.                                  | 30/180  |



| DOME DUPLEX MAG |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 7/16            | 9002   |
| 1/2             | 9004   |
| 14mm 1.50       | 9009   |
| 9/16            | 9010   |
| Uses 773 washer |        |
| Box Qty.        | 40/240 |




| DOME XL DUPLEX MAG |        |
|--------------------|--------|
| Thread Size        | Bulk#  |
| 1/2                | 9204   |
| 14mm 1.50          | 9209   |
| 9/16               | 9210   |
| 9/16 L.H.          | 9220   |
| Uses 773 washer    |        |
| Box Qty.           | 30/180 |




| DOME MAG W/WASHER 0.80" SHANK |       |
|-------------------------------|-------|
| Thread Size                   | Bulk# |
| 5/8                           | 9108W |
| 14mm 1.50                     | 9109W |
| 9/16                          | 9110W |
| 14mm 2.00                     | 9150W |
| Box Qty.                      |       |
| 20/120                        |       |

# Lug Nuts



**DUALIE MAG W/WASHER  
0.57" SHANK**

| Thread Size | Bulk#  |
|-------------|--------|
| 5/8         | 9308W  |
| 14mm 1.50   | 9309W  |
| 9/16        | 9310W  |
|             |        |
|             |        |
|             |        |
|             |        |
| Box Qty.    | 20/120 |



| Thread Size            | Bulk#  |
|------------------------|--------|
| 7/16                   | 7502   |
| 1/2                    | 7504   |
| 1/2 L.H.               | 7505   |
| 12mm 1.25              | 7506   |
| 12mm 1.50              | 7507   |
|                        |        |
| Uses 783 or 784 washer |        |
| Box Qty.               | 50/300 |



| Thread Size            | Bulk#  |
|------------------------|--------|
| 7/16                   | 7602   |
| 1/2                    | 7604   |
| 12mm 1.25              | 7606   |
| 12mm 1.50              | 7607   |
| 12mm 1.75              | 7612   |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 50/300 |



| Thread Size            | Bulk#  |
|------------------------|--------|
| 3/8                    | 7601-1 |
| 7/16                   | 7602-1 |
| 1/2                    | 7604-1 |
| 1/2 L.H.               | 7605-1 |
| 12mm 1.25              | 7606-1 |
| 12mm 1.50              | 7607-1 |
| 12mm 1.75              | 7612-1 |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 50/300 |




| Thread Size            | Bulk#  |
|------------------------|--------|
| 7/16                   | 7602L  |
| 1/2                    | 7604L  |
| 12mm 1.25              | 7606L  |
| 12mm 1.50              | 7607L  |
| 12mm 1.75              | 7612L  |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 30/180 |




| Thread Size            | Bulk#  |
|------------------------|--------|
| 7/16                   | 7802   |
| 1/2                    | 7804   |
| 12mm 1.25              | 7806   |
| 12mm 1.50              | 7807   |
| 12mm 1.75              | 7812   |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 50/300 |




| Thread Size     | Bulk#  |
|-----------------|--------|
| 14mm 1.50       | 7809   |
| 14mm 2.0        | 7850   |
|                 |        |
|                 |        |
|                 |        |
| Uses 773 washer |        |
| Box Qty.        | 50/300 |



| Thread Size            | Bulk#  |
|------------------------|--------|
| 7/16                   | 7802L  |
| 1/2                    | 7804L  |
| 12mm 1.25              | 7806L  |
| 12mm 1.50              | 7807L  |
| 12mm 1.75              | 7812L  |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 40/240 |



| Thread Size     | Bulk#  |
|-----------------|--------|
| 14mm 1.50       | 7809L  |
| 9/16            | 7810L  |
| 14mm 2.0        | 7850L  |
|                 |        |
|                 |        |
| Uses 773 washer |        |
| Box Qty.        | 40/240 |



| Thread Size            | Bulk#  |
|------------------------|--------|
| 14mm 1.50              | 7809LS |
|                        |        |
|                        |        |
|                        |        |
| Uses 785 or 786 washer |        |
| Box Qty.               | 40/240 |




| Thread Size            | Bulk#    |
|------------------------|----------|
| 1/2                    | 7804LSBK |
| 12mm 1.25              | 7806LSBK |
| 12mm 1.50              | 7807LSBK |
| 14mm 1.50              | 7809LSBK |
|                        |          |
|                        |          |
| Uses 785 or 786 washer |          |
| Box Qty.               | 40/240   |




| Thread Size            | Bulk#   |
|------------------------|---------|
| 7/16                   | 7802-1  |
| 1/2                    | 7804-1  |
| 12mm 1.25              | 7806-1  |
| 12mm 1.50              | 7807-1  |
| 14mm 1.50              | 7809-1S |
| 12mm 1.75              | 7812-1  |
|                        |         |
| Uses 785 or 786 washer |         |
| Box Qty.               | 50/300  |



| Thread Size     | Bulk#  |
|-----------------|--------|
| 14mm 1.50       | 7809-1 |
| 14mm 2.00       | 7850-1 |
| 9/16            | 7810-1 |
|                 |        |
| Uses 773 washer |        |
| Box Qty.        | 50/300 |



| Thread Size | Bulk#  |
|-------------|--------|
| 7/16        | 1932   |
| 1/2         | 1934   |
| 12mm 1.50   | 1937   |
| 14mm 1.50   | 1939   |
|             |        |
| Box Qty.    | 50/300 |



| Thread Size | Bulk#  |
|-------------|--------|
| 7/16        | 8232   |
| 1/2         | 8234   |
| 12mm 1.50   | 8237   |
|             |        |
| Box Qty.    | 40/240 |



# ATV & SST Lug Nuts



| ATV BULGE           |        |
|---------------------|--------|
| Thread Size         | Bulk#  |
| 3/8-24              | 1540   |
| 3/8-24(Black)       | 1540BK |
| 10mm x 1.25         | 1510   |
| 10mm x 1.25 (Black) | 1510BK |
| Box Qty.            | 50/300 |



| ATV FLAT    |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 3/8-24      | 1540F  |
| 10mm x 1.25 | 1510F  |
| Box Qty.    | 50/300 |



| ATV & TRAILER BULGE<br>17MM HEX |         |
|---------------------------------|---------|
| Thread Size                     | Bulk#   |
| 10mm x 1.25                     | 1980N   |
| 10mm x 1.25 (Black)             | 1980NBK |
| Box Qty.                        | 50/300  |



| TRAILER<br>FLAT W/WASHER |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 10mm x 1.25              | 1980NF |
| 12mm x 1.25              | 1986NF |
| Box Qty.                 | 50/300 |

See page 18 for ATV Spike Lug Nuts

## Stainless Steel Capped Lug Nuts



**For Harsh Road  
and Weather  
Conditions**

304 Stainless Steel

Maximum resistance to  
corrosion and wear



| BULGE ACORN<br>STAINLESS STEEL CAPPED |         |
|---------------------------------------|---------|
| Thread Size                           | Bulk#   |
| 12mm 1.50                             | 1907STL |
| Box Qty.                              | 50/300  |



| BULGE ACORN<br>STAINLESS STEEL CAPPED |         |
|---------------------------------------|---------|
| Thread Size                           | Bulk#   |
| 12mm 1.50                             | 1907STX |
| Box Qty.                              | 50/300  |



| DUPLEX BULGE ACORN<br>STAINLESS STEEL CAPPED |        |
|----------------------------------------------|--------|
| Thread Size                                  | Bulk#  |
| 1/2                                          | 3004ST |
| 14mm 1.50                                    | 3009ST |
| 9/16                                         | 3010ST |
| 14mm 2.00                                    | 3050ST |
| Box Qty.                                     | 30/180 |




| XL DUPLEX BULGE ACORN<br>STAINLESS STEEL CAPPED |        |
|-------------------------------------------------|--------|
| Thread Size                                     | Bulk#  |
| 1/2                                             | 3204ST |
| 14mm 1.50                                       | 3209ST |
| 9/16                                            | 3210ST |
| 14mm 2.00                                       | 3250ST |
| Box Qty.                                        | 30/150 |



Don't see  
what you're  
looking for ?


Please give us  
a call!

# Spline/Racing Lug Nuts



**Spline Lug**


- Closed-end design prevents rusting
- More stud engagement and greater seating surface



## SPLINE KEY ADAPTER

| Hex Size                          | Bulk#   |
|-----------------------------------|---------|
| 3/4" & 13/16"                     | 3800    |
| 6 Spline (Box: 20/120)            |         |
| 3/4" & 13/16"                     | 3800A7  |
| 7 Spline (Box: 20/120)            |         |
| 3/4" & 13/16"                     | 3800A10 |
| 10 Spline (Box: 10/60)            |         |
| 13/16" & 7/8"                     | 3800L   |
| 7 Spline for Duplex (Box: 10/60)  |         |
| 13/16" & 7/8"                     | 3800L6  |
| 6 Spline for Duplex (Box: 10/60)  |         |
| 13/16" & 7/8"                     | 3800L10 |
| 10 Spline for Duplex (Box: 10/60) |         |
| 22mm & 24mm                       | 3800HD  |
| 7 Spline for Duplex (Box: 10/60)  |         |

FOR COMPLETE SPLINE KEY SET SEE PAGE 21



## SPLINE ACORN

| Thread Size              | Bulk#  |
|--------------------------|--------|
| 7/16                     | 3802   |
| 1/2                      | 3804   |
| 12mm 1.25                | 3806   |
| 12mm 1.50                | 3807   |
| 12mm 1.75                | 3812   |
| 14mm 1.50 (Heat treated) | 3809H  |
| Key Adapter              | 3800   |
| Box Qty.                 | 50/300 |



## GLOSS BLACK SPLINE ACORN

| Thread Size              | Bulk#   |
|--------------------------|---------|
| 7/16                     | 3802BK  |
| 1/2                      | 3804BK  |
| 12mm 1.25                | 3806BK  |
| 12mm 1.50                | 3807BK  |
| 12mm 1.75                | 3812BK  |
| 14MM 1.50 (Heat treated) | 3809HBK |
| Key Adapter              | 3800    |
| Box Qty.                 | 50/300  |



## FLAT BLACK SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 7/16        | 3802BKT |
| 1/2         | 3804BKT |
| 12mm 1.25   | 3806BKT |
| 12mm 1.50   | 3807BKT |
| Key Adapter | 3800    |
| Box Qty.    | 100/500 |



## BLUE SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804BLT |
| 12mm 1.25   | 3806BLT |
| 12mm 1.50   | 3807BLT |
| Key Adapter | 3800    |
| Box Qty.    | 50/400  |



## RED SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804RDT |
| 12mm 1.25   | 3806RDT |
| 12mm 1.50   | 3807RDT |
| Key Adapter | 3800    |
| Box Qty.    | 50/400  |



## MATTE BLACK SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804MBT |
| 12mm 1.50   | 3807MBT |
| Key Adapter | 3800    |
| Box Qty.    | 50/400  |




## PINK SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804PKT |
| 12mm 1.50   | 3807PKT |
| Key Adapter | 3800    |
| Box Qty.    | 50/400  |




## GOLD SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804GDT |
| 12mm 1.50   | 3807GDT |
| Key Adapter | 3800    |
| Box Qty.    | 50/400  |



## NEO CHROME SPLINE ACORN

| Thread Size | Bulk#   |
|-------------|---------|
| 1/2         | 3804NEO |
| 12mm 1.50   | 3807NEO |
| Key Adapter | 3800    |
| Box Qty.    | 50/300  |



## DUPLEX SHORT SPLINE

| Thread Size | Bulk#  |
|-------------|--------|
| 12mm 1.50   | 3807D  |
| 14mm 1.50   | 3809D  |
| 9/16        | 3810D  |
| 14mm 2.00   | 3850D  |
| Key Adapter | 3800L  |
| Box Qty.    | 50/300 |



## BLACK DUPLEX SHORT SPLINE

| Thread Size | Bulk#   |
|-------------|---------|
| 12mm 1.50   | 3807DBK |
| 14mm 1.50   | 3809DBK |
| 9/16        | 3810DBK |
| 14mm 2.00   | 3850DBK |
| Key Adapter | 3800L   |
| Box Qty.    | 50/300  |



## DUPLEX SPLINE ACORN LONG

| Thread Size | Bulk#  |
|-------------|--------|
| 1/2"        | 3804L  |
| 12mm 1.50   | 3807L  |
| 14mm 1.50   | 3809L  |
| 9/16        | 3810L  |
| 12mm 1.75   | 3812L  |
| 14mm 2.00   | 3850L  |
| Key Adapter | 3800L  |
| Box Qty.    | 30/180 |

# Spline/Racing Lug Nuts



| BLACK DUPLEX SPLINE ACORN LONG |         |
|--------------------------------|---------|
| Thread Size                    | Bulk#   |
| 1/2                            | 3804LBK |
| 12mm 1.50                      | 3807LBK |
| 14mm 1.50                      | 3809LBK |
| 9/16                           | 3810LBK |
| 12mm 1.75                      | 3812LBK |
| 14mm 2.00                      | 3850LBK |
| Key Adapter                    | 3800L   |
| Box Qty.                       | 30/180  |




| DUPLEX SPLINE |        |
|---------------|--------|
| Thread Size   | Bulk#  |
| 1/2           | 3804LT |
| 14mm 1.50     | 3809LT |
| 9/16          | 3810LT |
| 14mm 2.00     | 3850LT |
| Key Adapter   | 3800L  |
| Box Qty.      | 30/180 |




| DUPLEX SPLINE BLACK |          |
|---------------------|----------|
| Thread Size         | Bulk#    |
| 1/2                 | 3804LTBK |
| 14mm 1.50           | 3809LTBK |
| 9/16                | 3810LTBK |
| 14mm 2.00           | 3850LTBK |
| Key Adapter         | 3800L    |
| Box Qty.            | 30/180   |



| OPEN-END SPLINE |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 7/16            | 3802-1 |
| 1/2             | 3804-1 |
| 12mm 1.25       | 3806-1 |
| 12mm 1.50       | 3807-1 |
| Key Adapter     | 3800   |
| Box Qty.        | 50/300 |



| OE DUPLEX SPLINE |         |
|------------------|---------|
| Thread Size      | Bulk#   |
| 14mm 1.50        | 3809-1D |
| 9/16             | 3810-1D |
| 12mm 1.75        | 3812-1D |
| 14mm 2.00        | 3850-1D |
| Key Adapter      | 3800L   |
| Box Qty.         | 50/300  |



| ET SPLINE ACORN          |         |
|--------------------------|---------|
| Thread Size              | Bulk#   |
| 7/16                     | 3802ET  |
| 1/2                      | 3804ET  |
| 12mm 1.25                | 3806ET  |
| 12mm 1.50                | 3807ET  |
| 14mm 1.50 (Heat Treated) | 3809HET |
| 12mm 1.75                | 3812ET  |
| Key Adapter              | 3800    |
| Box Qty.                 | 50/300  |




| DUPLEX ET SPLINE ACORN |        |
|------------------------|--------|
| Thread Size            | Bulk#  |
| 14mm 1.50              | 3809ET |
| 14mm 2.0               | 3850ET |
| Key Adapter            | 3800L  |
| Box Qty.               | 50/300 |



| BLACK ET SPLINE ACORN    |           |
|--------------------------|-----------|
| Thread Size              | Bulk#     |
| 12mm 1.25                | 3806ETBK  |
| 12mm 1.50                | 3807ETBK  |
| 14mm 1.50 (Heat Treated) | 3809HETBK |
| Key Adapter              | 3800      |
| Box Qty.                 | 50/300    |

## Racing Lug Nuts



| OPEN-END ET SPLINE |          |
|--------------------|----------|
| Thread Size        | Bulk#    |
| 7/16               | 3802-1ET |
| 1/2                | 3804-1ET |
| 12mm 1.25          | 3806-1ET |
| 12mm 1.50          | 3807-1ET |
| Key Adapter        | 3800     |
| Box Qty.           | 50/300   |



| OPEN-END ET SPLINE |          |
|--------------------|----------|
| Thread Size        | Bulk#    |
| 14mm 1.50          | 3809-1ET |
| 14mm 2.00          | 3850-1ET |
| Key Adapter        | 3800L    |
| Box Qty.           | 50/300   |



| OPEN-END BULGE |         |
|----------------|---------|
| Thread Size    | Bulk#   |
| 1/2            | 1904-1S |
| 12mm 1.25      | 1906-1S |
| 12mm 1.50      | 1907-1S |
| 14mm 1.50      | 1909-1S |
| Box Qty.       | 30/180  |



| OPEN-END BULGE BLACK |           |
|----------------------|-----------|
| Thread Size          | Bulk#     |
| 1/2                  | 1904-1SBK |
| 12mm 1.25            | 1906-1SBK |
| 12mm 1.50            | 1907-1SBK |
| 14mm 1.50            | 1909-1SBK |
| Box Qty.             | 30/180    |

# Spike Lug Nuts




3900



3800XL



2900BK



2900L

**NEW**



0.90"



**NEW**



0.90"



## SPIKE KEY ADAPTER

| Hex Size      | Bulk#  | Box Qty. |
|---------------|--------|----------|
| 3/4" & 13/16" | 3900   | 20/120   |
| 1/2" Dr.      | 3800XL | 10/60    |
| 1/2" Dr.      | 2900BK | 10/60    |
| 13/16" & 7/8" | 2900L  | 10/30    |



0.92"



0.92"

## SPIKE LUG NUT 6"

| Thread Size | Bulk # |
|-------------|--------|
| 14mm 1.50   | 2909L  |
| 9/16        | 2910L  |
| 14mm 2.00   | 2950L  |
| Key Adapter | 2900L  |
|             |        |
|             |        |
| Box Qty.    | 24/96  |

## BLACK SPIKE LUG NUT 6"

| Thread Size | Bulk #  |
|-------------|---------|
| 14mm 1.50   | 2909LBK |
| 9/16        | 2910LBK |
| 14mm 2.00   | 2950LBK |
| Key Adapter | 2900L   |
|             |         |
|             |         |
| Box Qty.    | 24/96   |

## DUPLEX SPLINE SPIKE

| Thread Size | Bulk # |
|-------------|--------|
| 1/2         | 3804XL |
| 12mm 1.25   | 3806XL |
| 12mm 1.50   | 3807XL |
| 14mm 1.50   | 3809XL |
| 9/16        | 3810XL |
| 14mm 2.00   | 3850XL |
| Key Adapter | 3800XL |
| Box Qty.    | 24/144 |

## BLACK DUPLEX SPLINE SPIKE

| Thread Size | Bulk #   |
|-------------|----------|
| 1/2         | 3804XLBK |
| 12mm 1.25   | 3806XLBK |
| 12mm 1.50   | 3807XLBK |
| 14mm 1.50   | 3809XLBK |
| 9/16        | 3810XLBK |
| 14mm 2.00   | 3850XLBK |
| Key Adapter | 3800XL   |
| Box Qty.    | 24/144   |



# Spike Lug Nuts

**NEW**



**NEW**



**NEW**



**NEW**



## SPIKE LUG NUT 4.46"

| Thread Size | Bulk # |
|-------------|--------|
| 1/2"        | 2904   |
| 12mm 1.25   | 2906   |
| 12mm 1.50   | 2907   |
| 14mm 1.50   | 2909   |
| 9/16        | 2910   |
| 14mm 2.00   | 2950   |
| Key Adapter | 2900BK |
| Box Qty.    | 20/120 |

## BLACK SPIKE LUG NUT 4.46"

| Thread Size | Bulk # |
|-------------|--------|
| 1/2"        | 2904BK |
| 12mm 1.25   | 2906BK |
| 12mm 1.50   | 2907BK |
| 14mm 1.50   | 2909BK |
| 9/16        | 2910BK |
| 14mm 2.00   | 2950BK |
| Key Adapter | 2900BK |
| Box Qty.    | 20/120 |

## RED SPIKE LUG NUT

| Thread Size | Bulk # |
|-------------|--------|
| 1/2"        | 2904RD |
| 14mm 1.50   | 2909RD |
| 9/16        | 2910RD |
| 14mm 2.00   | 2950RD |
| Key Adapter | 2900BK |
| Box Qty.    | 20/120 |

## BLUE SPIKE LUG NUT

| Thread Size | Bulk # |
|-------------|--------|
| 1/2"        | 2904BL |
| 14mm 1.50   | 2909BL |
| 9/16        | 2910BL |
| 14mm 2.00   | 2950BL |
| Key Adapter | 2900BK |
| Box Qty.    | 20/120 |

## ATV Spike Lug Nuts




## ATV SPIKE (7-SIDE)

| Thread Size | Bulk#  |
|-------------|--------|
| 12mm 1.25   | 3916   |
| 12mm 1.50   | 3917   |
| 3/8         | 3940   |
| 10mm 1.25   | 3980   |
| Key Adapter | 3900   |
| Box Qty.    | 50/300 |

## BLACK ATV SPIKE (7-SIDE)

| Thread Size | Bulk#  |
|-------------|--------|
| 12mm 1.25   | 3916BK |
| 12mm 1.50   | 3917BK |
| 3/8         | 3940BK |
| 10mm 1.25   | 3980BK |
| Key Adapter | 3900   |
| Box Qty.    | 50/300 |

## Spike Lug Nuts



| ALUMINUM SPIKE  |         |
|-----------------|---------|
| Thread Size     | Bulk#   |
| BLUE <b>NEW</b> | 1900BL  |
| GRAY <b>NEW</b> | 1900GY  |
| Silver          | 1900    |
| Black           | 1900BK  |
| Red             | 1900RD  |
| Neo Chrome      | 1900NEO |
| Box Qty.        | 100/600 |


| SPIKE LUG NUTS |        |
|----------------|--------|
| Thread Size    | Bulk#  |
| 1/2            | 1914   |
| 12mm 1.25      | 1916   |
| 12mm 1.50      | 1917   |
| 14mm 1.50      | 1919   |
| Box Qty.       | 50/300 |

| BLACK SPIKE LUG NUTS |        |
|----------------------|--------|
| Thread Size          | Bulk#  |
| 1/2                  | 1914BK |
| 12mm 1.25            | 1916BK |
| 12mm 1.50            | 1917BK |
| 14mm 1.50            | 1919BK |
| Box Qty.             | 50/300 |

| RED SPIKE LUG NUTS |        |
|--------------------|--------|
| Thread Size        | Bulk#  |
| 1/2                | 1914RD |
| 12mm 1.50          | 1917RD |
| 14mm 1.50          | 1919RD |
| Box Qty.           | 50/300 |


| NEO CHROME SPIKE LUG NUTS |         |
|---------------------------|---------|
| Thread Size               | Bulk#   |
| 1/2                       | 1914NEO |
| 12mm 1.50                 | 1917NEO |
| 14mm 1.50                 | 1919NEO |
| Box Qty.                  | 50/300  |

## Tuner Lug Nuts



| TUNER SOCKET ADAPTER |              |       |
|----------------------|--------------|-------|
| Thread Size          | Box Quantity | Bulk# |
| 3/4" & 13/16"        | 30/180       | 2800  |
| 21mm & 22mm          | 30/300       | 2800D |
| 17mm & 19mm          | 30/180       | 2800S |
| 13/16" & 7/8"        | 20/200       | 5400  |

## 6-Sided Pattern



| TUNER ACORN HEAT TREATED |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 7/16                     | 2802   |
| 1/2                      | 2804   |
| 12mm 1.25                | 2806   |
| 12mm 1.50                | 2807   |
| 14mm 1.50                | 2809   |
| 12mm 1.75                | 2812   |
| 14mm 2.0                 | 2850   |
| Socket Adapter           | 2800   |
| Socket Adapter           | 2800S  |
| Box Qty.                 | 50/300 |

| TUNER ACORN LONG HEAT TREATED |          |
|-------------------------------|----------|
| Thread Size                   | Bulk#    |
| 14mm 1.50                     | 2809SL   |
| 14MM 1.50(Black)              | 2809SLBK |
| Socket Adapter                | 2800     |
| Socket Adapter                | 2800D    |
| Socket Adapter                | 2800S    |
| Box Qty.                      | 50/300   |


| TUNER LOCKS HEAT TREATED |        |
|--------------------------|--------|
| Thread Size              | Bulk#  |
| 7/16                     | 48200A |
| 1/2                      | 48400A |
| 12mm 1.25                | 48600A |
| 12mm 1.50                | 48700A |
| 14mm 1.50                | 48900A |
| 12mm 1.75                | 48120A |
| 14mm 2.00                | 48500A |
| Key                      | 48000  |
| Sold by piece only       |        |

# Washers & Wheel Inserts

## Washers




| Part#       | 624         | 770                    | 772          | 772BK              | 772C                |
|-------------|-------------|------------------------|--------------|--------------------|---------------------|
| Application | V.W. Washer | Standard Mag Stainless | Standard Mag | Standard Mag Black | Standard Mag Chrome |
|             | 100/600     | 250/1500               | 400/2400     | 400/2400           | 400/2400            |



| Part#       | 773        | 774             | 777                 | 778                     | 779               |
|-------------|------------|-----------------|---------------------|-------------------------|-------------------|
| Application | Duplex Mag | Short Shank Mag | Keystone Mag Center | Keystone Mag Off-Center | Cragar Mag Center |
|             | 300/1800   | 250/1500        | 250/1500            | 250/1500                | 200/1200          |



| Part#       | 779SS                               | 780                   | 780SS                                   | 781            | 782                |
|-------------|-------------------------------------|-----------------------|-----------------------------------------|----------------|--------------------|
| Application | "Cragar Mag Center Stainless Steel" | Cragar Mag Off-Center | "Cragar Mag Off-Center Stainless Steel" | ET Flat Center | ET Flat Off-Center |
|             | 150/600                             | 200/1200              | 100/600                                 | 200/1200       | 200/1200           |



| Part#       | 783               | 784                   | 785               | 786                   | 787           | 789                      |
|-------------|-------------------|-----------------------|-------------------|-----------------------|---------------|--------------------------|
| Application | AP Bushing Center | AP Bushing Off-Center | ET Conical Center | ET Conical Off-Center | Dualie Washer | Dualie Mag Washer-Chrome |
|             | 100/600           | 100/600               | 200/1200          | 200/1200              | 100/600       | 200/1200                 |

## Wheel Inserts



| Part#    | Description                                     |
|----------|-------------------------------------------------|
| W1620    | 0.63" ID<br>0.83" OD Stud Hole<br>Nickel Finish |
| Box Qty. | 100/600                                         |



| Part#    | Description                                    |
|----------|------------------------------------------------|
| W1630    | 0.63" ID<br>0.83" OD Stud Hole<br>Black Finish |
| Box Qty. | 100/600                                        |



| Part#    | Description                                     |
|----------|-------------------------------------------------|
| W1660    | 0.63" ID<br>1.02" OD Stud Hole<br>Nickel Finish |
| Box Qty. | 100/600                                         |




## About our wheel locks:

- Our anti-theft wheel locks are lug nuts that require uniquely patterned keys for fastening and removal.
- Each wheel lock is manufactured for maximum durability and protection from environmental hazards, corrosion and theft.
- Triple plating - Two layers of nickel and one layer of chrome provide our locks with a radiant appearance and durable protection from harsh environment conditions.
- Specially formulated corrosion protection is applied to our chrome plated fasteners to meet or exceed the industry's standard salt spray testing.
- Each lock set comes with a key card for easy key identification and replacement.

All Wheel Locks Include: 4 Lock Nuts And One Key Adapter

## Socket Key Wheel Locks



## Puzzle Key Wheel Locks



| ACORN       |       |
|-------------|-------|
| Thread Size | Bulk# |
| 7/16        | 40200 |
| 1/2         | 40400 |
| 12mm 1.25   | 40600 |
| 12mm 1.50   | 40700 |
| 14mm 1.50   | 40900 |

| DUPLEX ACORN |       |
|--------------|-------|
| Thread Size  | Bulk# |
| 1/2          | 40430 |
| 9/16         | 41030 |
| 14mm 1.50    | 40930 |

| MAG             |        |
|-----------------|--------|
| Thread Size     | Bulk#  |
| 7/16            | 42200  |
| 1/2             | 42400  |
| 12mm 1.25       | 42600  |
| 12mm 1.50       | 42700  |
| 12mm 1.75       | 42800  |
| 14mm 1.50       | 42900* |
| *0.75" Diameter |        |

| DUPLEX MAG  |       |
|-------------|-------|
| Thread Size | Bulk# |
| 9/16        | 41090 |
| 1/2         | 42490 |
| 14mm 1.50   | 42930 |

| XL MAG      |       |
|-------------|-------|
| Thread Size | Bulk# |
| 7/16        | 46200 |
| 1/2         | 46400 |
| 12mm 1.25   | 46600 |
| 12mm 1.50   | 46700 |



| SHORT SHANK MAG |       |
|-----------------|-------|
| Thread Size     | Bulk# |
| 7/16            | 44200 |
| 1/2             | 44400 |
| 12mm 1.25       | 44600 |
| 12mm 1.50       | 44700 |

| ET CONICAL LOCKS |       |
|------------------|-------|
| Thread Size      | Bulk# |
| 7/16             | 47200 |
| 1/2              | 47400 |
| 12mm 1.25        | 47600 |
| 12mm 1.50        | 47700 |

## Spline Lug Nut Master Key Set

PART# WK-ASST-KEY1 **NEW**

White Knight Master Spline key set includes keys 3800, 3800A7, 3800A10, 3800L, 3800L6, and 3800L10.



## Wheel Lock Master Key Set

PART# KEY-ASST1 **NEW**

Works for all White Knight Wheel Locks except for: ET Conical Wheel Locks, Open-End Acorn w/17mm Hex Key and Range Rover Wheel Locks.






# Wheel Locks




| ACORN         |          |
|---------------|----------|
| Thread Size   | Bulk#    |
| 7/16          | 40200S   |
| 9/16          | 40300S   |
| 1/2           | 40400S   |
| 1/2 (5pc set) | 40400S-5 |
| 12mm 1.25     | 40600S   |
| 12mm 1.50     | 40700S   |
| 12mm 1.75     | 40800S   |
| 14mm 1.50     | 40900S   |
| 14mm 2.00     | 40500S   |



| BLACK ACORN   |            |
|---------------|------------|
| Thread Size   | Bulk#      |
| 7/16          | 40200SBK   |
| 1/2           | 40400SBK   |
| 1/2 (5pc set) | 40400SBK-5 |
| 12mm 1.25     | 40600SBK   |
| 12mm 1.50     | 40700SBK   |
| 14mm 1.50     | 40900SBK   |



| ACORN LONG  |         |
|-------------|---------|
| Thread Size | Bulk#   |
| 7/16        | 40200SL |
| 9/16        | 40300SL |
| 1/2         | 40400SL |
| 12mm 1.25   | 40600SL |
| 12mm 1.50   | 40700SL |
| 12mm 1.75   | 40800SL |
| 14mm 1.50   | 40900SL |




| ACORN X LONG        |           |
|---------------------|-----------|
| Thread Size         | Bulk#     |
| 7/16                | 40200XL   |
| 9/16                | 40300XL   |
| 1/2                 | 40400XL   |
| 12mm 1.25           | 40600XL   |
| 12mm 1.50           | 40700XL   |
| 12mm 1.75           | 40800XL   |
| 14mm 1.50           | 40900XL   |
| 14mm 1.50 (5pc set) | 40900XL-5 |
| 14mm 2.00           | 40500XL   |



| BLACK ACORN X LONG |           |
|--------------------|-----------|
| Thread Size        | Bulk#     |
| 9/16               | 40300XLBK |
| 14mm 1.50          | 40900XLBK |
| 14mm 2.00          | 40500XLBK |



| ACORN XX LONG |          |
|---------------|----------|
| Thread Size   | Bulk#    |
| 9/16          | 40300SXL |
| 12mm 1.75     | 40800SXL |
| 14mm 1.50     | 40900SXL |
| 14mm 2.00     | 40500SXL |



| HONDA ACORN RADIUS SEAT W/GROOVE |         |
|----------------------------------|---------|
| Thread Size                      | Bulk#   |
| 12mm 1.50                        | 40700SR |
| Note:                            |         |
| Washer removable                 |         |



| OPEN-END ACORN |       |
|----------------|-------|
| Thread Size    | Bulk# |
| 7/16           | 41200 |
| 9/16           | 41300 |
| 1/2            | 41400 |
| 12mm 1.25      | 41600 |
| 12mm 1.50      | 41700 |
| 12mm 1.75      | 41800 |
| 14mm 1.50      | 41900 |
| 14mm 2.00      | 41500 |



| OPEN-END ACORN |         |
|----------------|---------|
| Thread Size    | Bulk#   |
| 9/16           | 41300XL |
| 14mm 1.50      | 41900XL |
| 14mm 2.00      | 41500XL |




| OPEN-END ACORN W/17MM HEX KEY |       |
|-------------------------------|-------|
| Thread Size                   | Bulk# |
| 7/16                          | 43200 |
| 1/2                           | 43400 |
| 12mm 1.25                     | 43600 |
| 12mm 1.50                     | 43700 |



| HONDA OPEN END ACORN RADIUS SEAT |        |
|----------------------------------|--------|
| Thread Size                      | Bulk#  |
| 12mm 1.50                        | 41700R |
| 14mm 1.50                        | 41900R |



| OPEN-END ET BULGE |         |
|-------------------|---------|
| Thread Size       | Bulk#   |
| 7/16              | 41200ET |
| 1/2               | 41400ET |
| 12mm 1.25         | 41600ET |
| 12mm 1.50         | 41700ET |



| MAG         |        |
|-------------|--------|
| Thread Size | Bulk#  |
| 7/16        | 42200S |
| 1/2         | 42400S |
| 12mm 1.25   | 42600S |
| 12mm 1.50   | 42700S |





| TOYOTA/NISSAN MEDIUM MAG W/WASHER |         |
|-----------------------------------|---------|
| Thread Size                       | Bulk#   |
| 7/16                              | 45200   |
| 1/2                               | 45400   |
| 12mm 1.25                         | 45600   |
| 12mm 1.50                         | 45700   |
| 12mm 1.50(Black)                  | 45700BK |



| RANGE ROVER |         |
|-------------|---------|
| Thread Size | Bulk#   |
| 14mm 1.50   | 45900RR |

## Lug Bolts - Cone Seat (Box 30/180)



1816



NEW

NEW

NEW

NEW

| Bulk #  | Thread Size | Hex  | Shank Length |    | Overall Length |    | Finish    |
|---------|-------------|------|--------------|----|----------------|----|-----------|
|         |             |      | Inches       | mm | Inches         | mm |           |
| 1821F   | 12mm x 1.25 | 17mm | 0.98         | 25 | 2.10           | 53 |           |
| 1821    | 12mm x 1.25 | 17mm | 1.10         | 28 | 2.22           | 56 |           |
| 1821BK  | 12mm x 1.25 | 17mm | 1.10         | 28 | 2.22           | 56 | Black     |
| 1821M   | 12mm x 1.25 | 17mm | 1.30         | 33 | 2.42           | 61 |           |
| 1821L   | 12mm x 1.25 | 17mm | 1.55         | 39 | 2.67           | 68 |           |
| 1814S   | 12mm x 1.25 | 19mm | 0.93         | 24 | 2.05           | 52 |           |
| 1814    | 12mm x 1.25 | 19mm | 1.10         | 28 | 2.22           | 56 |           |
| 1816    | 12mm x 1.25 | 19mm | 1.22         | 31 | 2.02           | 51 | see image |
| 1814L   | 12mm x 1.25 | 19mm | 1.55         | 39 | 2.67           | 68 |           |
| 1806SA  | 12mm x 1.50 | 17mm | 0.86         | 22 | 1.98           | 50 |           |
| 1806    | 12mm x 1.50 | 17mm | 0.93         | 24 | 2.05           | 52 |           |
| 1806BK  | 12mm x 1.50 | 17mm | 0.93         | 24 | 2.05           | 52 | Black     |
| 1807    | 12mm x 1.50 | 17mm | 1.10         | 28 | 2.22           | 56 |           |
| 1807BK  | 12mm x 1.50 | 17mm | 1.10         | 28 | 2.22           | 56 | Black     |
| 1807B   | 12mm x 1.50 | 17mm | 1.18         | 30 | 2.30           | 58 |           |
| 1807BBK | 12mm x 1.50 | 17mm | 1.18         | 30 | 2.30           | 58 | Black     |
| 1807M   | 12mm x 1.50 | 17mm | 1.30         | 33 | 2.42           | 61 |           |
| 1805    | 12mm x 1.50 | 17mm | 1.55         | 39 | 2.60           | 66 |           |
| 1805BK  | 12mm x 1.50 | 17mm | 1.55         | 39 | 2.60           | 66 | Black     |
| 1805LS  | 12mm x 1.50 | 17mm | 1.97         | 50 | 3.09           | 78 |           |
| 1805L   | 12mm x 1.50 | 17mm | 2.36         | 60 | 3.49           | 89 |           |
| 1817    | 12mm x 1.50 | 19mm | 1.10         | 28 | 2.22           | 56 |           |
| 1801    | 12mm x 1.75 | 17mm | 0.93         | 24 | 2.05           | 52 |           |
| 1825S   | 14mm x 1.25 | 17mm | 0.93         | 24 | 1.99           | 51 |           |
| 1825SBK | 14mm x 1.25 | 17mm | 0.93         | 24 | 1.99           | 51 | Black     |
| 1825    | 14mm x 1.25 | 17mm | 1.10         | 28 | 2.16           | 55 |           |
| 1825BK  | 14mm x 1.25 | 17mm | 1.10         | 28 | 2.16           | 55 | Black     |
| 1825B   | 14mm x 1.25 | 17mm | 1.14         | 29 | 2.19           | 56 |           |
| 1825BBK | 14mm x 1.25 | 17mm | 1.14         | 29 | 2.19           | 56 | Black     |
| 1825MS  | 14mm x 1.25 | 17mm | 1.26         | 32 | 2.32           | 59 |           |
| 1825L   | 14mm x 1.25 | 17mm | 1.57         | 40 | 2.60           | 66 |           |
| 1825LBK | 14mm x 1.25 | 17mm | 1.57         | 40 | 2.60           | 66 | Black     |
| 1825C   | 14mm X 1.25 | 17mm | 1.77         | 45 | 2.83           | 72 |           |
| 1825LS  | 14mm x 1.25 | 17mm | 1.97         | 50 | 3.03           | 77 |           |
| 1820SA  | 14mm x 1.50 | 17mm | 0.86         | 22 | 1.92           | 49 |           |
| 1820S   | 14mm x 1.50 | 17mm | 0.93         | 24 | 1.99           | 51 |           |
| 1820SBK | 14mm x 1.50 | 17mm | 0.93         | 24 | 1.99           | 51 | Black     |
| 1820    | 14mm x 1.50 | 17mm | 1.10         | 28 | 2.16           | 55 |           |
| 1820BK  | 14mm x 1.50 | 17mm | 1.10         | 28 | 2.16           | 55 | Black     |
| 1820B   | 14mm x 1.50 | 17mm | 1.18         | 30 | 2.24           | 57 |           |
| 1820BBK | 14mm x 1.50 | 17mm | 1.18         | 30 | 2.24           | 57 | Black     |
| 1820MS  | 14mm x 1.50 | 17mm | 1.25         | 32 | 2.30           | 58 |           |
| 1820M   | 14mm x 1.50 | 17mm | 1.30         | 33 | 2.36           | 60 |           |
| 1820L   | 14mm x 1.50 | 17mm | 1.55         | 39 | 2.61           | 66 |           |
| 1820LBK | 14mm x 1.50 | 17mm | 1.55         | 39 | 2.61           | 66 | Black     |
| 1820A   | 14mm x 1.50 | 17mm | 1.89         | 48 | 2.95           | 75 |           |
| 1820LS  | 14mm x 1.50 | 17mm | 1.97         | 50 | 3.03           | 77 |           |
| 1820ML  | 14mm x 1.50 | 17mm | 2.17         | 55 | 3.23           | 82 |           |
| 1820XL  | 14mm x 1.50 | 17mm | 2.36         | 60 | 3.42           | 87 |           |
| 1822    | 14mm x 1.50 | 19mm | 1.10         | 28 | 2.15           | 55 |           |
| 1827    | 15mm x 1.25 | 17mm | 1.10         | 28 | 2.16           | 55 |           |
| 1827BK  | 15mm x 1.25 | 17mm | 1.10         | 28 | 2.16           | 55 | Black     |
| 1827M   | 15mm x 1.25 | 17mm | 1.30         | 33 | 2.36           | 60 |           |
| 1827MBK | 15mm x 1.25 | 17mm | 1.30         | 33 | 2.36           | 60 | Black     |
| 1860    | 16mm x 1.50 | 21mm | 1.26         | 32 | 2.52           | 64 |           |
| 1860BK  | 16mm x 1.50 | 21mm | 1.26         | 32 | 2.52           | 64 | Black     |



# Lug Bolts

## About our Lug Bolts

- Designed to fit most European models.
- Chrome plated lug bolts are through-hardened 10.9 grade steel for maximum durability and tensile strength.
- Spline & Tuner lug bolts are engineered for after-market wheels with small diameter and deep lug bolts.

## Lug Bolts - Ball Seat (Box 30/180)

All ball seats are 13mm radius unless otherwise stated



| Bulk #     | Thread Size | Hex  | Radius | Shank Length |      | Overall Length |      | Finish    |
|------------|-------------|------|--------|--------------|------|----------------|------|-----------|
|            |             |      |        | inches       | mm   | inches         | mm   |           |
| 1808SA     | 12mm x 1.50 | 17mm | 13mm   | 0.86         | 22.0 | 1.86           | 47.0 |           |
| 1808S      | 12mm x 1.50 | 17mm | 13mm   | 0.93         | 24.0 | 1.93           | 49.0 |           |
| 1804       | 12mm x 1.25 | 17mm | 13mm   | 1.10         | 28.0 | 2.10           | 53.0 |           |
| 1808       | 12mm x 1.50 | 17mm | 13mm   | 1.10         | 28.0 | 2.10           | 53.0 |           |
| 1808BK     | 12mm x 1.50 | 17mm | 13mm   | 1.10         | 28.0 | 2.10           | 53.0 | Black     |
| 1808M      | 12mm x 1.50 | 17mm | 13mm   | 1.38         | 35.0 | 2.38           | 60.0 |           |
| 1810       | 12mm x 1.50 | 17mm | 13mm   | 1.52         | 39.0 | 3.75           | 95.0 | see image |
| 1804L      | 12mm x 1.25 | 17mm | 13mm   | 1.55         | 39.0 | 2.55           | 65.0 |           |
| 1808L      | 12mm x 1.50 | 17mm | 13mm   | 1.55         | 39.0 | 2.55           | 65.0 |           |
| 1808LS     | 12mm x 1.50 | 17mm | 13mm   | 1.97         | 50.0 | 2.97           | 75.0 |           |
| 1808ML     | 12mm x 1.50 | 17mm | 13mm   | 2.17         | 55.0 | 3.17           | 81.0 |           |
| 1808XL     | 12mm x 1.50 | 17mm | 13mm   | 2.36         | 60.0 | 3.36           | 85.0 |           |
| 1802       | 12mm x 1.75 | 17mm | 13mm   | 0.93         | 24.0 | 1.93           | 49.0 |           |
| 1809SA     | 14mm x 1.50 | 17mm | 13mm   | 0.86         | 22.0 | 1.86           | 47.0 |           |
| 1809S      | 14mm x 1.50 | 17mm | 13mm   | 0.93         | 24.0 | 1.93           | 49.0 |           |
| 1809       | 14mm x 1.50 | 17mm | 13mm   | 1.10         | 28.0 | 2.10           | 53.0 |           |
| 1809BK     | 14mm x 1.50 | 17mm | 13mm   | 1.10         | 28.0 | 2.10           | 53.0 | Black     |
| 1809B      | 14mm x 1.50 | 17mm | 13mm   | 1.16         | 29.0 | 2.21           | 56.0 |           |
| 1826BR13   | 14mm x 1.25 | 17mm | 13mm   | 1.20         | 30.0 | 2.11           | 54.0 |           |
| 1826BR13BK | 14mm x 1.25 | 17mm | 13mm   | 1.20         | 30.0 | 2.11           | 54.0 | Black     |
| 1809M      | 14mm x 1.50 | 17mm | 13mm   | 1.30         | 33.0 | 2.30           | 58.0 |           |
| 1809L      | 14mm x 1.50 | 17mm | 13mm   | 1.55         | 39.0 | 2.55           | 65.0 |           |
| 1809C      | 14mm x 1.50 | 17mm | 13mm   | 1.77         | 45.0 | 2.75           | 70.0 |           |
| 1809LS     | 14mm x 1.50 | 17mm | 13mm   | 1.97         | 50.0 | 2.97           | 75.0 |           |
| 1809ML     | 14mm x 1.50 | 17mm | 13mm   | 2.17         | 55.0 | 3.17           | 81.0 |           |
| 1809XL     | 14mm x 1.50 | 17mm | 13mm   | 2.36         | 60.0 | 3.36           | 85.0 |           |
| 1809R14    | 14mm x 1.50 | 17mm | 14mm   | 1.10         | 28.0 | 2.00           | 51.0 |           |
| 1830       | 14mm x 1.50 | 19mm | 14mm   | 1.77         | 45.0 | 2.76           | 70.0 |           |

## Short Head Lug Bolts - Cone Seat (Box 30/180)



| Bulk # | Thread Size | Hex  | Shank Length |    | Overall Length |    | Finish |
|--------|-------------|------|--------------|----|----------------|----|--------|
|        |             |      | inches       | mm | inches         | mm |        |
| 1811   | 12mm x 1.50 | 17mm | 1.02         | 26 | 1.74           | 44 |        |
| 1812   | 14mm x 1.50 | 17mm | 1.02         | 26 | 1.74           | 44 |        |



| Bulk # | 1800BP        | 1800CP         | 1800PL     |
|--------|---------------|----------------|------------|
| Color  | Black Plastic | Chrome Plastic | Cap Puller |
| Hex    | 17mm          | 17mm           |            |



## Spline Lug Bolt Key Adapters

### 6 Spline Adapters




| Bulk # | Hex Size      |
|--------|---------------|
| 3800   | 3/4" & 13/16" |



| Bulk # | Hex Size    |
|--------|-------------|
| 3800S  | 17mm & 19mm |

## Spline Lug Bolt - Cone Seat (Box 30/180)



NEW

NEW

NEW

NEW

NEW

NEW

| Bulk #     | Thread Size | Shank Length |    | Overall Length |    | Finish |
|------------|-------------|--------------|----|----------------|----|--------|
|            |             | Inches       | mm | Inches         | mm |        |
| 1821SSPBK  | 12mm x 1.25 | 0.93         | 24 | 2.09           | 53 | Black  |
| 1821SP     | 12mm x 1.25 | 1.10         | 28 | 2.28           | 58 |        |
| 1821SPBK   | 12mm x 1.25 | 1.10         | 28 | 2.28           | 58 | Black  |
| 1806ASP    | 12mm x 1.50 | 0.86         | 22 | 2.02           | 51 |        |
| 1806SP     | 12mm x 1.50 | 0.93         | 24 | 2.09           | 53 |        |
| 1806SPBK   | 12mm x 1.50 | 0.93         | 24 | 2.09           | 53 | Black  |
| 1807SP     | 12mm x 1.50 | 1.10         | 28 | 2.28           | 58 |        |
| 1807SPBK   | 12mm x 1.50 | 1.10         | 28 | 2.28           | 58 | Black  |
| 1807BSP    | 12mm x 1.50 | 1.18         | 30 | 2.36           | 60 |        |
| 1807BSPBK  | 12mm x 1.50 | 1.18         | 30 | 2.36           | 60 | Black  |
| 1807CSP    | 12mm x 1.50 | 1.25         | 32 | 2.43           | 62 |        |
| 1805SP     | 12mm x 1.50 | 1.57         | 40 | 2.79           | 71 |        |
| 1805SPBK   | 12mm x 1.50 | 1.57         | 40 | 2.79           | 71 | Black  |
| 1805LSSP   | 12mm x 1.50 | 1.97         | 50 | 3.15           | 80 |        |
| 1825SSP    | 14mm x 1.25 | 0.93         | 24 | 2.06           | 52 |        |
| 1825SP     | 14mm x 1.25 | 1.10         | 28 | 2.20           | 56 |        |
| 1825SPBK   | 14mm x 1.25 | 1.10         | 28 | 2.20           | 56 | Black  |
| 1825LSP    | 14mm x 1.25 | 1.57         | 40 | 2.69           | 68 |        |
| 1825LSSP   | 14mm x 1.25 | 1.97         | 50 | 3.15           | 80 |        |
| 1820SSP    | 14mm x 1.50 | 0.93         | 24 | 2.11           | 54 |        |
| 1820SP     | 14mm x 1.50 | 1.10         | 28 | 2.28           | 58 |        |
| 1820SPBK   | 14mm x 1.50 | 1.10         | 28 | 2.28           | 58 | Black  |
| 1820BSP    | 14mm x 1.50 | 1.18         | 30 | 2.36           | 60 |        |
| 1820CSP    | 14mm x 1.50 | 1.25         | 32 | 2.43           | 62 |        |
| 1820LSP    | 14mm x 1.50 | 1.57         | 40 | 2.69           | 68 |        |
| 1820LSPBK  | 14mm x 1.50 | 1.57         | 40 | 2.69           | 68 | Black  |
| 1820LSSP   | 14mm x 1.50 | 1.97         | 50 | 3.21           | 82 |        |
| 1827SP     | 15mm x1.25  | 1.10         | 28 | 2.20           | 56 |        |
| 1827SPBK   | 15mm x1.25  | 1.10         | 28 | 2.20           | 56 | Black  |
| 1827SP40   | 15mm x1.25  | 1.57         | 40 | 2.69           | 68 |        |
| 1827SPBK40 | 15mm x1.25  | 1.57         | 40 | 2.69           | 68 | Black  |
| 1827SP50   | 15mm x1.25  | 1.97         | 50 | 3.21           | 82 |        |
| 1827SPBK50 | 15mm x1.25  | 1.97         | 50 | 3.21           | 82 | Black  |

## Tuner Bolt Locks Key Adapters



| Bulk # | Hex Size      |
|--------|---------------|
| 48000  | 3/4" & 13/16" |



| Bulk # | Hex Size    |
|--------|-------------|
| 48000S | 17mm & 19mm |

## Tuner Bolt Locks - Cone Seat (Box 6/36)




| Bulk #  | Thread Size | Shank Length |    | Overall Length |    | Finish |
|---------|-------------|--------------|----|----------------|----|--------|
|         |             | Inches       | mm | Inches         | mm |        |
| 41806T  | 12mm x 1.50 | 0.93         | 24 | 2.00           | 51 |        |
| 41807T  | 12mm x 1.50 | 1.10         | 28 | 2.20           | 56 |        |
| 41820ST | 14mm x 1.50 | 0.93         | 24 | 2.00           | 51 |        |
| 41820T  | 14mm x 1.50 | 1.10         | 28 | 2.20           | 56 |        |

# Lug Bolts & Bolt Locks

## Tuner Lug Bolt Key Adapters



| Bulk # | Hex Size      |
|--------|---------------|
| 2800   | 3/4" & 13/16" |



| Bulk # | Hex Size    |
|--------|-------------|
| 2800S  | 17mm & 19mm |

## Tuner Lug Bolts - Cone Seat (Box 30/180)



| Bulk #     | Thread Size | Shank Length |    | Overall Length |    | Finish |
|------------|-------------|--------------|----|----------------|----|--------|
|            |             | Inches       | mm | Inches         | mm |        |
| 1814T      | 12mm x 1.25 | 1.10         | 28 | 2.20           | 56 |        |
| 1806T      | 12mm x 1.50 | 0.93         | 24 | 2.00           | 51 |        |
| 1807T      | 12mm x 1.50 | 1.10         | 28 | 2.20           | 56 |        |
| 1807 TSH30 | 12mm x 1.50 | 1.18         | 30 | 2.24           | 57 |        |
| 1807TL     | 12mm x 1.50 | 1.25         | 32 | 2.35           | 60 |        |
| 1807TSH35  | 12mm x 1.50 | 1.38         | 35 | 2.44           | 62 |        |
| 1807 TSH40 | 12mm x 1.50 | 1.57         | 40 | 2.63           | 67 |        |
| 1807TXL    | 12mm x 1.50 | 2.36         | 60 | 3.45           | 88 |        |
| 1824T      | 12mm x 1.75 | 1.02         | 26 | 2.09           | 53 |        |
| 1820ST     | 14mm x 1.50 | 0.93         | 24 | 2.00           | 51 |        |
| 1820T      | 14mm x 1.50 | 1.10         | 28 | 2.20           | 56 |        |
| 1820 TSH30 | 14mm x 1.50 | 1.18         | 30 | 2.24           | 57 |        |
| 1820TL     | 14mm x 1.50 | 1.26         | 32 | 2.35           | 60 |        |
| 1820TX     | 14mm x 1.50 | 1.38         | 35 | 2.45           | 62 |        |
| 1820TXL    | 14mm x 1.50 | 1.57         | 40 | 2.65           | 67 |        |

## Bolt Locks - Cone Seat (Box 6/36)



Each set includes  
4 bolt locks and one  
17mm/19mm key adapter



| Bulk #   | Thread Size | Shank Length |    | Overall Length |    | Finish |
|----------|-------------|--------------|----|----------------|----|--------|
|          |             | Inches       | mm | Inches         | mm |        |
| 41803    | 12mm x 1.25 | 1.10         | 28 | 2.17           | 55 |        |
| 41806    | 12mm x 1.50 | 0.93         | 24 | 2.02           | 51 |        |
| 41806BK  | 12mm x 1.50 | 0.93         | 24 | 2.02           | 51 | Black  |
| 41807    | 12mm x 1.50 | 1.10         | 28 | 2.17           | 55 |        |
| 41807BK  | 12mm x 1.50 | 1.10         | 28 | 2.17           | 55 | Black  |
| 41805    | 12mm x 1.50 | 1.55         | 39 | 2.55           | 65 |        |
| 41801    | 12mm x 1.75 | 0.93         | 24 | 2.02           | 51 |        |
| 41825S   | 14mm x 1.25 | 0.93         | 24 | 1.86           | 47 |        |
| 41825    | 14mm x 1.25 | 1.10         | 28 | 2.02           | 51 |        |
| 41825BK  | 14mm x 1.25 | 1.10         | 28 | 2.02           | 51 | Black  |
| 41825L   | 14mm x 1.25 | 1.57         | 40 | 2.60           | 66 |        |
| 41825LBK | 14mm x 1.25 | 1.57         | 40 | 2.60           | 66 | Black  |
| 41820S   | 14mm x 1.50 | 0.93         | 24 | 2.02           | 51 |        |
| 41820    | 14mm x 1.50 | 1.10         | 28 | 2.13           | 54 |        |
| 41820BK  | 14mm x 1.50 | 1.10         | 28 | 2.13           | 54 | Black  |
| 41820MS  | 14mm x 1.50 | 1.25         | 32 | 2.21           | 56 |        |
| 41820L   | 14mm x 1.50 | 1.55         | 39 | 2.55           | 65 |        |

## Bolt Locks - Ball Seat (Box 6/36)



| Bulk #  | Thread Size | Shank Length |    | Overall Length |    | Finish |
|---------|-------------|--------------|----|----------------|----|--------|
|         |             | Inches       | mm | Inches         | mm |        |
| 41804   | 12mm x 1.25 | 1.10         | 28 | 1.99           | 51 |        |
| 41808   | 12mm x 1.50 | 1.10         | 28 | 1.99           | 51 |        |
| 41808L  | 12mm x 1.50 | 1.55         | 39 | 2.44           | 62 |        |
| 41802   | 12mm x 1.75 | 0.93         | 24 | 1.85           | 47 |        |
| 41809S  | 14mm x 1.50 | 0.93         | 24 | 1.85           | 47 |        |
| 41809   | 14mm x 1.50 | 1.10         | 28 | 1.96           | 50 |        |
| 41809BK | 14mm x 1.50 | 1.10         | 28 | 1.96           | 50 | Black  |
| 41809M  | 14mm x 1.50 | 1.30         | 33 | 2.10           | 53 |        |
| 41809L  | 14mm x 1.50 | 1.55         | 39 | 2.44           | 62 |        |

# Wheel Weights


## Adhesive Wheel Weights

- Low Profile Design
- Segmented adhesive style wheel weights

## All Of Our Wheel Weights Are Environmentally Safe

- No Cutting, no pre-contouring, and no waste
- Each segment is stamped with the actual weight in grams


| Part#                                                                                       | Application                                                             |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
|  WT-025SWG | 52-3 oz Strips (Gray Coated), Pre-Cut in 1/4 oz increments              |
|  WT-050SWG | 60-3 oz Strips (Gray Coated), Pre-Cut in 1/2 oz increments (Truck & RV) |
| WT-025SW                                                                                    | 52-3 oz Strips, Pre-Cut in 1/4 oz increments, Zinc Finish               |
| WT-050SW                                                                                    | 60-3 oz Strips, Pre-Cut in 1/2 oz increments (Truck & RV), Zinc Finish  |
| WT-100SW                                                                                    | 30-3 oz Strips, Pre-Cut in 1 oz increments                              |
| WT-025SWB                                                                                   | 52-3 oz Strips (Black), Pre-Cut in 1/4 oz increments                    |
| WT-050SWB                                                                                   | 60-3 oz Strips (Black), Pre-Cut in 1/2 oz increments (Truck & RV)       |
| WT-100SWB                                                                                   | 30-3 oz Strips (Black), Pre-Cut in 1 oz increments                      |



| Part#       | WT-001              |
|-------------|---------------------|
| Application | Wheel Weight Hammer |

## Universal Clip-On

### Steel Wheel Weights



### Alloy Wheels for Most U.S. Vehicles

| STYLE AW |        |
|----------|--------|
| Weight   | Part#  |
| 1/4 oz   | AW025S |
| 1/2 oz   | AW050S |
| 3/4 oz   | AW075S |
| 1 oz     | AW100S |
| 1.25 oz  | AW125S |
| 1.50 oz  | AW150S |
| 1.75oz   | AW175S |
| 2 oz     | AW200S |
| 2.25 oz  | AW225S |
| 2.5 oz   | AW250S |
| 2.75 oz  | AW275S |
| 3 oz     | AW300S |



### Alloy Wheels for U.S. Vehicles

| STYLE MC |        |
|----------|--------|
| Weight   | Part#  |
| 1/4 oz   | MC025S |
| 1/2 oz   | MC050S |
| 3/4 oz   | MC075S |
| 1 oz     | MC100S |
| 1.25 oz  | MC125S |
| 1.50 oz  | MC150S |
| 1.75oz   | MC175S |
| 2 oz     | MC200S |
| 2.25 oz  | MC225S |
| 2.5 oz   | MC250S |
| 2.75 oz  | MC275S |
| 3 oz     | MC300S |



### Steel Wheels for Standard Passenger Vehicles

| STYLE P |       |
|---------|-------|
| Weight  | Part# |
| 1/4 oz  | P025S |
| 1/2 oz  | P050S |
| 3/4 oz  | P075S |
| 1 oz    | P100S |
| 1.25 oz | P125S |
| 1.50 oz | P150S |
| 1.75oz  | P175S |
| 2 oz    | P200S |
| 2.25 oz | P225S |
| 2.5 oz  | P250S |
| 2.75 oz | P275S |
| 3 oz    | P300S |




### Alloy Wheels for Japanese Vehicles

| STYLE FN |        |
|----------|--------|
| Weight   | Part#  |
| 1/4 oz   | FN025S |
| 1/2 oz   | FN050S |
| 3/4 oz   | FN075S |
| 1 oz     | FN100S |
| 1.25 oz  | FN125S |
| 1.50 oz  | FN150S |
| 1.75oz   | FN175S |
| 2 oz     | FN200S |
| 2.25 oz  | FN225S |
| 2.5 oz   | FN250S |
| 2.75 oz  | FN275S |
| 3 oz     | FN300S |



# Valve Stems



## About Our Valve Stems:

- All valve stems are 100% leak tested.
- Our valve stems are manufactured with EPDM rubber, which is specifically designed for resistance to O-zone and oxidants.
- The EPDM rubber is formulated to withstand severe temperature and weather conditions.
- QS9000, TÜV and TS16949 certified.

## Passenger

### Snap-In

*All Passenger snap-in valve stems have a maximum cold inflation pressure of 65 psi.*



| Part#       | 504           | 504F           | 504BL       | 504BK              | 504RD      | 505           | 508          |
|-------------|---------------|----------------|-------------|--------------------|------------|---------------|--------------|
| Application | Chrome TR413C | TR413 Flat Cap | Blue TR413C | Metal Black TR413C | Red TR413C | Chrome TR418C | Rubber TR413 |
| Valve Hole# | 0.453         | 0.453          | 0.453       | 0.453              | 0.453      | 0.453         | 0.453        |
| Box Qty.    | 100/1000      | 100/1000       | 100/1000    | 100/1000           | 100/1000   | 100/1000      | 100/1000     |



| Part#       | 509          | 510          | 518           | 519          | 520          | 520C          |
|-------------|--------------|--------------|---------------|--------------|--------------|---------------|
| Application | Rubber TR418 | Rubber TR415 | Flush Mount   | Rubber TR425 | Rubber TR412 | Chrome TR412C |
| Valve Hole# | 0.453        | 0.625        | 0.453 or .625 | 0.625        | 0.453        | 0.453         |
| Box Qty.    | 100/1000     | 100/1000     | 50/250        | 100/500      | 100/1000     | 100/1000      |

## High Pressure Snap-In

*Maximum cold inflation pressure of 100 psi*



| Part#       | 521            | 522          | 522C     | 524     | 525     | 577      | 577C           | 578      |
|-------------|----------------|--------------|----------|---------|---------|----------|----------------|----------|
| Application | TR423 Tubeless | TR414 Rubber | TR414C   | TR802HP | TR801HP | TR600HP  | Chrome TR600HP | TR602HP  |
| Valve Hole# | 0.453          | 0.453        | 0.453    | 0.625   | 0.625   | 0.453    | 0.453          | 0.453    |
| Box Qty.    | 100/600        | 100/1000     | 100/1000 | 100/500 | 100/500 | 100/1000 | 50/500         | 100/1000 |

- Some valve stems and accessories available in retail packaging.
- Valve stems also included in wheel installation kits.

*See page 32 For TPMS Valve Stems and Valve Service Kits*




## Bolt-On

*All bolt-on valve stems have a maximum cold inflation pressure of 200 psi*

|             |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |  |  |  |  |  |  |  |
| Part#       | 501                                                                               | 502                                                                               | 502XL                                                                             | 502XL-BK                                                                          | 502XL-BL                                                                            | 502XL-R                                                                             | 503                                                                                 |
| Application | Outer Mount                                                                       | Inner Mount                                                                       | TR48E                                                                             | TR48E                                                                             | TR48E                                                                               | TR48E                                                                               |                                                                                     |
| Valve Hole# | .453 or .625*                                                                     | 0.453                                                                             | 0.453                                                                             | 0.453                                                                             | 0.453                                                                               | 0.453                                                                               | 0.453                                                                               |
| Bend Angle  | N/A                                                                               | N/A                                                                               | N/A                                                                               | N/A                                                                               | N/A                                                                                 | N/A                                                                                 | 45°                                                                                 |
| Finish      | Chrome                                                                            | Chrome                                                                            | Chrome                                                                            | Black (Aluminum)                                                                  | Blue (Aluminum)                                                                     | Red (Aluminum)                                                                      | Chrome                                                                              |
| Box Qty.    | 100/1000                                                                          | 100/1000                                                                          | 100/1000                                                                          | 100/500                                                                           | 100/500                                                                             | 100/500                                                                             | 100/500                                                                             |

\*Both grommets furnished

|             |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |  |  |  |   |  |
| Part#       | 506                                                                               | 511                                                                               | 512                                                                               | 574                                                                                 | 574L                                                                                |
| Application |                                                                                   |                                                                                   |                                                                                   | TR416 High Performance Metal                                                        | TR416 High Performance Metal                                                        |
| Valve Hole# | 0.453                                                                             | 0.453                                                                             | 0.453                                                                             | 0.453 or 0.625 Both grommets furnished.<br>Maximum cold inflation pressure: 130 psi | 0.453 Both grommets furnished.<br>Maximum cold inflation pressure: 130 psi          |
| Bend Angle  | 30°                                                                               | 60°                                                                               | 90°                                                                               | N/A                                                                                 | N/A                                                                                 |
| Finish      | Chrome                                                                            | Chrome                                                                            | Chrome                                                                            | Nickel                                                                              | Nickel                                                                              |
| Box Qty.    | 100/500                                                                           | 100/500                                                                           | 100/500                                                                           | 100/1000                                                                            | 100/500                                                                             |

## Agricultural & Off-Road

*Maximum cold inflation pressure of 200 psi*

|             |                                                                                     |                                                                                     |                                                                                     |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |  |  |  |
| Part#       | 670-03                                                                              | 650-03                                                                              | 651-03                                                                              |
| Application | TRJ670-03                                                                           | TRJ650-03                                                                           | TRJ651-03                                                                           |
| Valve Hole# | 0.812"                                                                              | 0.812"                                                                              | 0.812"                                                                              |
| Finish      | Brass                                                                               | Brass                                                                               | Brass                                                                               |
| Box Qty.    | 25/250                                                                              | 20/200                                                                              | 20/100                                                                              |

## Truck Valve Stems

*Maximum cold inflation pressure of 200 psi*

|             |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |  |  |  |  |  |
| Part#       | 570                                                                                  | 571                                                                                   | 572                                                                                   | 573                                                                                   | 575                                                                                   |
| Application | TR570                                                                                | TR571                                                                                 | TR572                                                                                 | TR573 Long                                                                            | TR574 Long                                                                            |
| Valve Hole# | 0.625                                                                                | 0.625                                                                                 | 0.625                                                                                 | 0.625                                                                                 | 0.625                                                                                 |
| Finish      | Brass                                                                                | Brass                                                                                 | Brass                                                                                 | Brass                                                                                 | Brass                                                                                 |
| Box Qty.    | 50/250                                                                               | 50/500                                                                                | 50/500                                                                                | 25/250                                                                                | 25/250                                                                                |

|             |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |  |  |  |  |  |  |
| Part#       | 500                                                                                 | 550                                                                                 | 551                                                                                 | 576                                                                                  | 542                                                                                   | 545                                                                                   |
| Application | TR500 Truck                                                                         | TR501 Truck                                                                         | TR501 Oval Truck                                                                    | TR618A Tubeless/Air-Liq.                                                             | TR542 Tubeless                                                                        | TR545                                                                                 |
| Valve Hole# | 0.625                                                                               | 0.625                                                                               | N/A                                                                                 | 0.625                                                                                | 0.382                                                                                 | 0.382                                                                                 |
| Finish      | Brass                                                                               | Brass                                                                               | Brass                                                                               | Brass                                                                                | Nickel                                                                                | Nickel                                                                                |
| Box Qty.    | 50/500                                                                              | 100/500                                                                             | 50/500                                                                              | 50/500                                                                               | 50/500                                                                                | 50/500                                                                                |


# Valve Stems

## Truck Valve Stems

Maximum cold inflation pressure of 200 psi



| Part#       | 590V    | 592V    | 543D                  | 545D                  | 526    |
|-------------|---------|---------|-----------------------|-----------------------|--------|
| Application | V3.20.2 | V3.20.6 | TR543D Truck Tubeless | TR545D Truck Tubeless | TR621A |
| Valve Hole# | 0.382   | 0.382   | 0.382                 | 0.382                 | 0.625  |
| Bend Angle  | 17.50°  | 27°     | 60°                   | 60°                   | 65°    |
| Finish      | Brass   | Brass   | Nickel                | Nickel                | Brass  |
| Box Qty.    | 50/500  | 50/250  | 50/500                | 50/500                | 25/250 |



| Part#       | 570C   | 552S                          | 552                           | 553                      | 554    | 555    | 556    |
|-------------|--------|-------------------------------|-------------------------------|--------------------------|--------|--------|--------|
| Application | TR570C | TR511 AL Wheel Bend Angle-90° | TR509 AL Wheel Bend Angle-90° | TR510 Angle, 5-1/2" Long |        |        |        |
| Valve Hole# | 0.625  | 0.625                         | 0.625                         | 0.625                    | 0.453  | 0.453  | 0.453  |
| Bend Angle  | 90°    | 90°                           | 90°                           | 90°                      | 90°    | 90°    | 90°    |
| Finish      | Brass  | Nickel                        | Nickel                        | Nickel                   | Chrome | Chrome | Chrome |
| Box Qty.    | 50/500 | 25/250                        | 25/250                        | 25/250                   | 50/400 | 50/250 | 50/500 |

## Valve Stem Extensions



### Hard Metal




### Plastic



| Part#            | EX584M   | EX585M  | EX586M | EX584P   | EX585P   | EX586P   |
|------------------|----------|---------|--------|----------|----------|----------|
| Effective Length | 0.51"    | 0.75"   | 1.26"  | 0.51"    | 0.75"    | 1.26"    |
| Box Qty.         | 100/2000 | 50/1000 | 50/500 | 100/5000 | 100/3000 | 100/3000 |

## Valve Cores

For use with standard valve and TPMS



| Part#       | EX3M   | EX5M   | EX6M   | 527    | 528    | 529    | 530    | 527VEC                      | 531      | 532                   | 532L                  |
|-------------|--------|--------|--------|--------|--------|--------|--------|-----------------------------|----------|-----------------------|-----------------------|
| Application | 3"     | 5"     | 6"     | 7"     | 9"     | 7"     | 9"     | Valve Extension Clip Holder | Standard | Hi/Lo Temp. Resistant | Hi/Lo Temp. Resistant |
| Box Qty.    | 10/500 | 10/500 | 10/500 | 10/500 | 10/500 | 10/500 | 50/250 | N/A                         | 100/20K  | 100/20K               | 500/20K               |

# Valve Stem Accessories and Tools

## Valve Stem Accessories



| Part#        | 504BC                                                                  | 504RC    | 504VCR   | 504VY    | 504VR    | 504VBL   | 504FY    | 504FR    | 504FBK   | 504NBK   | 504NY    |
|--------------|------------------------------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Color/Finish | Blue                                                                   | Red      | Chrome   | Yellow   | Red      | Blue     | Yellow   | Red      | Black    | Black    | Yellow   |
| Application  | (All valve stem caps universal and are applicable to all valve stems.) |          |          |          |          |          |          |          |          |          |          |
| Box Qty.     | 100/5000                                                               | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 |



| Part#        | 504NN                                                                  | 504ZCR   | 504ZBL   | 504ZR    | 508BK    | 508BL    | 508GR      | 507D     | 507F     | 515      | 515N2    |
|--------------|------------------------------------------------------------------------|----------|----------|----------|----------|----------|------------|----------|----------|----------|----------|
| Color/Finish | Nickel                                                                 | Chrome   | Blue     | Red      | Black    | Blue     | Lime Green | Chrome   | Chrome   | Chrome   | Chrome   |
| Application  | (All valve stem caps universal and are applicable to all valve stems.) |          |          |          |          |          |            |          |          |          |          |
| Box Qty.     | 100/5000                                                               | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000 | 100/5000   | 100/5000 | 100/5000 | 100/5000 | 100/5000 |



| Part#       | 516                              | 535                   | 508CS                        | 504BS                 | 504BKS                 | 504RS                | 504CSY                  | 504CS                    | 520CS                   | 513                     | 514                     | 577CS                     | 540           |
|-------------|----------------------------------|-----------------------|------------------------------|-----------------------|------------------------|----------------------|-------------------------|--------------------------|-------------------------|-------------------------|-------------------------|---------------------------|---------------|
| Application | Nickel Dome Truck Valve Stem Cap | Cap with Core Remover | Valve Cap w/Shroud for TR413 | Blue Sleeve for TR413 | Black Sleeve for TR413 | Red Sleeve for TR413 | Yellow Sleeve for TR413 | Chrome Sleeve for TR413C | Chrome Sleeve for TR412 | Chrome Sleeve for TR413 | Chrome Sleeve for TR418 | Chrome Sleeve for TR600HP | Truck Grommet |
| Box Qty.    | 100/5000                         | 100/10K               | 100/3000                     | 100/3000              | 100/3000               | 100/3000             | 100/3000                | 100/3000                 | 100/5000                | 100/5000                | 100/5000                | 100/5000                  | 100/5000      |

## Valve Stem Tools



| Part#       | 534          | 534P         | 536                    | 537                   | 538                |
|-------------|--------------|--------------|------------------------|-----------------------|--------------------|
| Application | Valve Puller | Valve Puller | 4-Way Valve Tool Black | 4-Way Valve Tool Zinc | Valve Fishing Tool |
| Box Qty.    | 10/100       | 10/100       | 10/1000                | 10/1000               | 10/500             |



| Part#       | 533                                   | 533L                               | 533D                                           |
|-------------|---------------------------------------|------------------------------------|------------------------------------------------|
| Application | Standard Bore Core Remover 6.89" Long | Extended Bore Core Remover 9" Long | Dual Head Bore Core Remover - Standard & Large |
| Box Qty.    | 5/500                                 | 5/500                              | 5/250                                          |

# TPMS Service Kits, Valve Stems & Accessories

## TPMS Service Kits



| Part #      | TPMSRFB                                                                                   | TPMSRFE                        | TPMSRFF                    | TPMSRFG                                     | TPMSRFH                                                             | TPMS7020K                                                                     |
|-------------|-------------------------------------------------------------------------------------------|--------------------------------|----------------------------|---------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|
| Application | Chrysler, Dodge, Infiniti, Jeep, Lincoln, Mazda, Mercury, Pontiac, Saturn, Subaru, Suzuki | GMC, Hummer, Lexus, Toyota, VW | Acura, Honda, Hyundai, Kia | Acura, Honda, Lexus, Pontiac, Scion, Toyota | Buick, Cadillac, Chevy, Chrysler, Dodge, GMC, Hyundai, Jaguar, Jeep | Honda, Hyundai, Jaguar, Kia, Land Rover, Mazda, Mitsubishi, Suzuki, VW, Volvo |

## TPMS Valve Stems



| Part #      | TPMS413                 | TPMS413C                       | TPMS554                                | TPMS545DS           | TPMSVS-70                    | TPMSVS-90                |
|-------------|-------------------------|--------------------------------|----------------------------------------|---------------------|------------------------------|--------------------------|
| Description | TPMS for 508 Type Valve | TPMS for 504 Type Chrome Valve | TPMS for 554 Type Valve 90° Valve Stem | 60° TPMS Valve Stem | Chrysler, Dodge, Honda, Jeep | Cadillac ATS, Dodge Dart |



| Part #      | TPMS6-201                         | TPMS-1096K                 | TPMSVS-65                    | TPMS-9066K                      | TPMSVS-965   |
|-------------|-----------------------------------|----------------------------|------------------------------|---------------------------------|--------------|
| Application | Chrysler, Dodge, Jeep, Mitsubishi | Acura, Honda (Short Valve) | Dodge TRW Snap-In, Jeep, Ram | Chrysler, Dodge, Jeep, Mercedes | Hyundai, Kia |

## TPMS Accessories



\*A must for TPMS valves



| Part #      | TPMS22105                                                              | TPMS22100              | TPMS22103          | TPMSSC20196                                   | 532                                           |
|-------------|------------------------------------------------------------------------|------------------------|--------------------|-----------------------------------------------|-----------------------------------------------|
| Description | TPMS Strap Kit, Includes: 4 Straps, 4 Brackets, 3M tape, and 4 Keepers | TPMS Strap and 3M Tape | TPMS Strap Bracket | Valve Stem Torque Wrench Preset Torque 0.34Nm | Hi/Lo Temp Resistant Nickel Plated Valve Core |



# Chrome Center Caps

## GUIDE FOR OTHER FINISHES

| Finish                  | Abbr. | P/N Example |
|-------------------------|-------|-------------|
| Chrome                  | -     | 101         |
| Stainless Steel         | SS    | 101SS       |
| EZ-Lube Chrome          | EZC   | 101EZC      |
| EZ-Lube Stainless Steel | EZSS  | 101EZSS     |


## Push-Thru Closed



|                |                 |
|----------------|-----------------|
| Part#          | 113             |
| Application    | 98mm, 100mm, 4" |
| Other Finishes | -               |
| Lug            | 4               |



|                |                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|----------------|
| Part#          | 98             | 100            | 100L           | 97             | 101            |
| Application    | 4.5" - 5" B.C. | 4.5" - 5" B.C. | 4.5" - 5" B.C. | 4.5" - 5" B.C. | 4.5" - 5" B.C. |
| Other Finishes | -              | SS, EZC, EZSS  | -              | -              | SS, EZC, EZSS  |
| Lug            | 5              | 5              | 5              | 5              | 5              |




|                |               |           |           |           |
|----------------|---------------|-----------|-----------|-----------|
| Part#          | 102           | 102S      | 102T      | 109       |
| Application    | 5.5" B.C.     | 5.5" B.C. | 5.5" B.C. | 5.5" B.C. |
| Other Finishes | SS, EZC, EZSS | -         | -         | -         |
| Lug            | 5&6           | 5&6       | 5&6       | 5&6       |



|                |           |               |           |           |
|----------------|-----------|---------------|-----------|-----------|
| Part#          | 103       | 111           | 111S      | 139       |
| Application    | 6.5" B.C. | 6.5" B.C.     | 6.5" B.C. | 6.5" B.C. |
| Other Finishes | SS        | SS, EZC, EZSS | -         | SS        |
| Lug            | 8         | 8             | 8         | 8         |

## Push-Thru Closed (Black)




|             |                |                |           |           |
|-------------|----------------|----------------|-----------|-----------|
| Part#       | 100BK          | 101BK          | 102BK     | 111BK     |
| Application | 4.5" - 5" B.C. | 4.5" - 5" B.C. | 5.5" B.C. | 6.5" B.C. |
| Lug         | 5              | 5              | 5&6       | 8         |

# Center Caps

## Push-Thru Open



| Part#          | 99SS             | 106            | 92        | 104T      | 104       |
|----------------|------------------|----------------|-----------|-----------|-----------|
| Application    | 4x4 Trailer Only | 4.5" - 5" B.C. | 5.5" B.C. | 5.5" B.C. | 5.5" B.C. |
| Other Finishes | SS               | SS             | -         | -         | SS        |
| Lug            | 4                | 5              | 5&6       | 5&6       | 5&6       |




| Part#          | 110       | 105           | 112       |
|----------------|-----------|---------------|-----------|
| Application    | 5.5" B.C. | 6.5" B.C.     | 6.5" B.C. |
| Other Finishes | -         | SS, EZC, EZSS | SS        |
| Lug            | 5&6       | 8             | 8         |

## EZ Lube Caps



| Part#    | 6101CR | 6101BK |
|----------|--------|--------|
| Color    | Chrome | Black  |
| Diameter | 2.19"  | 2.19"  |

## EZ Lube Caps



| Part#          | 100EZC         | 101EZC         | 102EZC    | 111EZC    | 106EZC       | 105EZC    |
|----------------|----------------|----------------|-----------|-----------|--------------|-----------|
| Application    | 4.5" - 5" B.C. | 4.5" - 5" B.C. | 5.5" B.C. | 6.5" B.C. | 4.5"-5" B.C. | 6.5" B.C. |
| Other Finishes | EZSS           | EZSS           | EZSS      | EZSS      | EZSS         | EZSS      |
| Lug            | 5              | 5              | 5&6       | 8         | 5            | 8         |

## Dualie Hub Covers




| Part#       | 132-1              |
|-------------|--------------------|
| Application | Rear<br>Ford/Dodge |

## Derby - Closed



| Part#       | 126            | 127       | 129       |
|-------------|----------------|-----------|-----------|
| Application | 4.5" - 5" B.C. | 5.5" B.C. | 6.5" B.C. |
| Finish      | Chrome SS      | Chrome SS | Chrome    |
| Lug         | 5              | 5&6       | 8         |

## Derby - Open



| Part#       | 134-1               |
|-------------|---------------------|
| Application | Front<br>Ford/Dodge |



| Part#       | 128       | 130       | 138       |
|-------------|-----------|-----------|-----------|
| Application | 5.5" B.C. | 6.5" B.C. | 5.5" B.C. |
| Finish      | Chrome SS | Chrome    | Chrome    |
| Lug         | 5&6       | 8         | 5&6       |

## About our knurl studs: 10.9 Grade Alloy Steel



- Cold-forge process increases durability and ensures precise measurements.
- Through-hardened heat-treated
- Other sizes available by special order

## Knurl Studs



|             |          |
|-------------|----------|
| Part#       | 961      |
| Thread Size | 7/16"-20 |
| Diameter    | 0.480    |



|             |          |
|-------------|----------|
| Part#       | 962      |
| Thread Size | 7/16"-20 |
| Diameter    | 0.575    |



|             |          |
|-------------|----------|
| Part#       | WS25902  |
| Thread Size | 7/16"-20 |
| Diameter    | 12.05mm  |



|             |          |
|-------------|----------|
| Part#       | WS18602  |
| Thread Size | 7/16"-20 |
| Diameter    | 12.05mm  |



|             |          |
|-------------|----------|
| Part#       | WS02502  |
| Thread Size | 7/16"-20 |
| Diameter    | 14.25mm  |



|             |          |
|-------------|----------|
| Part#       | WS17902  |
| Thread Size | 7/16"-20 |
| Diameter    | 14.25mm  |



|             |          |
|-------------|----------|
| Part#       | 960-327E |
| Thread Size | 7/16"-20 |
| Diameter    | 15.90mm  |



|             |         |
|-------------|---------|
| Part#       | 967     |
| Thread Size | 1/2"-20 |
| Diameter    | N/A     |



|             |         |
|-------------|---------|
| Part#       | 960-138 |
| Thread Size | 1/2"-20 |
| Diameter    | 0.53"   |



|             |         |
|-------------|---------|
| Part#       | 960-364 |
| Thread Size | 1/2"-20 |
| Diameter    | 0.614"  |



|             |         |
|-------------|---------|
| Part#       | 963     |
| Thread Size | 1/2"-20 |
| Diameter    | 0.615"  |



|             |         |
|-------------|---------|
| Part#       | 960-159 |
| Thread Size | 1/2"-20 |
| Diameter    | 0.62"   |



|             |         |
|-------------|---------|
| Part#       | 960-219 |
| Thread Size | 1/2"-20 |
| Diameter    | 0.62"   |



|             |         |
|-------------|---------|
| Part#       | 960-109 |
| Thread Size | 1/2"-20 |
| Diameter    | .625"   |



|             |         |
|-------------|---------|
| Part#       | 964     |
| Thread Size | 1/2"-20 |
| Diameter    | 0.685"  |



|             |         |
|-------------|---------|
| Part#       | 960-523 |
| Thread Size | 1/2"-20 |
| Diameter    | 14.20mm |



|             |         |
|-------------|---------|
| Part#       | WS34504 |
| Thread Size | 1/2"-20 |
| Diameter    | 14.40mm |



|             |         |
|-------------|---------|
| Part#       | WS39504 |
| Thread Size | 1/2"-20 |
| Diameter    | 14.85mm |



|             |         |
|-------------|---------|
| Part#       | WS23404 |
| Thread Size | 1/2"-20 |
| Diameter    | 15.70mm |



|             |         |
|-------------|---------|
| Part#       | WS29004 |
| Thread Size | 1/2"-20 |
| Diameter    | 15.75mm |



|             |         |
|-------------|---------|
| Part#       | WS26004 |
| Thread Size | 1/2"-20 |
| Diameter    | 15.75mm |

# Knurl Studs




| Part#       | WS48004 | WS44404 | WS44704 | WS44904 | WS56904 | WS36804 | 960-327D |
|-------------|---------|---------|---------|---------|---------|---------|----------|
| Thread Size | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20  |
| Diameter    | 15.80mm | 15.80mm | 15.85mm | 15.85mm | 15.85mm | 15.90mm | 15.90mm  |



| Part#       | WS37904 | 960-448 | WS28704 | WS17404 | WS10304 | WS44604 | WS41910  |
|-------------|---------|---------|---------|---------|---------|---------|----------|
| Thread Size | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 1/2"-20 | 9/16"-18 |
| Diameter    | 15.95mm | 16.90mm | 17mm    | 17mm    | 17.05mm | 17.30mm | 15.85mm  |



| Part#       | 960-327G | 960-327LG | WS34710  | WS52910  | 960-389  | 960-303  | 968     |
|-------------|----------|-----------|----------|----------|----------|----------|---------|
| Thread Size | 9/16"-18 | 9/16"-18  | 9/16"-18 | 9/16"-18 | 9/16"-18 | 9/16"-18 | 5/8"-11 |
| Diameter    | 15.90mm  | 15.90mm   | 16mm     | 16.35mm  | 16.9mm   | 17.2mm   | 0.690"  |



| Part#       | 969     | 960-327A    | WS33606     | 960-240     | 960-320     | 960-378     | WS40106     |
|-------------|---------|-------------|-------------|-------------|-------------|-------------|-------------|
| Thread Size | 5/8"-11 | 10mm x 1.25 | 12mm x 1.25 | 12mm x 1.25 | 12mm x 1.25 | 12mm x 1.25 | 12mm x 1.25 |
| Diameter    | 0.690"  | 15.90mm     | 12.40mm     | 12.90mm     | 12.90mm     | 14.35mm     | 14.40mm     |



|             |  |  |                                                                                   |                                                                                   |                                                                                     |  |  |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |  |  |  |  |  |  |  |
|             | 46mm                                                                              | 43.70mm                                                                           | 46.50mm                                                                           | 36.00mm                                                                           | 34.00mm                                                                             | 42.80mm                                                                             | 54.20mm                                                                             |
| Part#       | WS40406                                                                           | WS56606                                                                           | 960-327C                                                                          | 960-269                                                                           | 960-362                                                                             | WS36007                                                                             | WS32307                                                                             |
| Thread Size | 12mm x 1.25                                                                       | 12mm x 1.25                                                                       | 12mm x 1.25                                                                       | 12mm x 1.50                                                                       | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         |
| Diameter    | 14.40mm                                                                           | 14.45mm                                                                           | 15.90mm                                                                           | 12.22mm                                                                           | 12.30mm                                                                             | 12.45mm                                                                             | 12.80mm                                                                             |

|             |  |  |  |  |  |                                                                                     |                                                                                     |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |  |  |    |    |  |  |  |
|             | 42.00mm                                                                           | 42.00mm                                                                           | 51.20mm                                                                             | 43.20mm                                                                             | 42.80mm                                                                             | 45.10mm                                                                             | 46.30mm                                                                             |
| Part#       | 960-254                                                                           | 960-340                                                                           | WS48607                                                                             | WS51807                                                                             | WS56807                                                                             | WS50707                                                                             | WS41007                                                                             |
| Thread Size | 12mm x 1.50                                                                       | 12mm x 1.50                                                                       | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         |
| Diameter    | 12.80mm                                                                           | 12.80mm                                                                           | 12.95mm                                                                             | 13mm                                                                                | 13mm                                                                                | 13.05mm                                                                             | 13.15mm                                                                             |

|             |  |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |  |  |  |  |  |  |  |
|             | 51.20mm                                                                             | 40.10mm                                                                             | 38.50mm                                                                             | 45mm                                                                                | 37.00mm                                                                               | 43.70mm                                                                               | 37.50mm                                                                               |
| Part#       | 960-365                                                                             | 960-266                                                                             | 960-253                                                                             | WS46207                                                                             | 960-244                                                                               | 960-312                                                                               | 960-262                                                                               |
| Thread Size | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                           | 12mm x 1.50                                                                           | 12mm x 1.50                                                                           |
| Diameter    | 13.40mm                                                                             | 14.00mm                                                                             | 14.10mm                                                                             | 14.30mm                                                                             | 14.30mm                                                                               | 14.30mm                                                                               | 14.35mm                                                                               |

|             |  |                                                                                     |                                                                                     |  |                                                                                       |                                                                                       |                                                                                       |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |  |  |  |    |  |  |  |
|             | 44.10mm                                                                             | 47.50mm                                                                             | 41.50mm                                                                             | 46.30mm                                                                               | 44mm                                                                                  | 42.50mm                                                                               | 46.50mm                                                                               |
| Part#       | 960-414                                                                             | WS54707                                                                             | 960-275                                                                             | 960-369                                                                               | WS47407                                                                               | 960-285                                                                               | 960-327B                                                                              |
| Thread Size | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                         | 12mm x 1.50                                                                           | 12mm x 1.50                                                                           | 12mm x 1.50                                                                           | 12mm x 1.50                                                                           |
| Diameter    | 14.40mm                                                                             | 14.45mm                                                                             | 14.50mm                                                                             | 14.70mm                                                                               | 14.75mm                                                                               | 14.94mm                                                                               | 15.90mm                                                                               |

# Knurl Studs

**NEW**



**NEW**



**NEW**



**NEW**



**NEW**



**NEW**




| Part#       | WS39312     | WS39012     | WS33209     | 960-490     | WS32909     | WS32509     |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Thread Size | 12mm x 1.75 | 12mm x 1.75 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 |
| Diameter    | 14.60mm     | 14.80mm     | 15.70mm     | 15.70mm     | 15.85mm     | 15.85mm     |

**NEW**



**NEW**



**NEW**



| Part#       | 960-327     | 960-327L    | 960-327S    | WS32809     | WS53009     | WS43409     |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Thread Size | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 |
| Diameter    | 15.90mm     | 15.90mm     | 15.90mm     | 15.90mm     | 15.90mm     | 15.90mm     |

**NEW**



**NEW**



**NEW**



**NEW**



**NEW**



**NEW**



| Part#       | WS50909     | WS42809     | 960-502     | WS52809     | 960-527     | 968-05      |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Thread Size | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 1.50 | 14mm x 2.00 |
| Diameter    | 15.95mm     | 15.95mm     | 16.02mm     | 16.55mm     | 16.50mm     | 0.690"      |

**NEW**



**NEW**




**NEW**




| Part#       | 960-442    | 960-327F    | 960-327LF   | WS42450     | WS54250     |
|-------------|------------|-------------|-------------|-------------|-------------|
| Thread Size | 14mm x 2.0 | 14mm x 2.00 | 14mm x 2.00 | 14mm x 2.00 | 14mm x 2.00 |
| Diameter    | 15.50mm    | 15.90mm     | 15.90mm     | 15.90mm     | 15.90mm     |

## Hub Centric Rings (4 Pieces per set)



Example:  
Wheel's Bore Size (O.D.): 74.0  
Vehicle's Hub Size (I.D.): 54.06  
Part number C74-5406



- Fills the gap between the wheel hole and hub providing true wheel-centering; prevents vibrations and enhances driving performance.
- Made of polycarbonate/nylon material which increases resistance to higher temperatures and improves durability from impact.
- Available in various combinations of bore and outer ring sizes. I.D. and O.D. sizes clearly imprinted on ring.
- 4 pc. per set.

| Part No. | O.D.  | I.D.  |
|----------|-------|-------|
| C60-5615 | 60.00 | 56.15 |
| C66-6006 | 66.00 | 60.06 |
| C67-5406 | 67.00 | 54.06 |
| C67-5610 | 67.00 | 56.10 |
| C67-5660 | 67.00 | 56.60 |
| C67-5710 | 67.00 | 57.10 |
| C67-5910 | 67.00 | 59.10 |
| C67-6006 | 67.00 | 60.06 |
| C67-6350 | 67.00 | 63.50 |
| C67-6415 | 67.00 | 64.15 |
| C70-5410 | 70.00 | 54.10 |
| C70-5615 | 70.00 | 56.15 |
| C72-5406 | 72.62 | 54.06 |
| C72-5615 | 72.62 | 56.15 |
| C72-5710 | 72.62 | 57.10 |
| C72-5961 | 72.62 | 59.61 |
| C72-6006 | 72.62 | 60.06 |
| C72-6336 | 72.62 | 63.36 |
| C72-6390 | 72.62 | 63.90 |
| C72-6415 | 72.62 | 64.15 |
| C72-6510 | 72.62 | 65.10 |
| C72-6606 | 72.62 | 66.06 |
| C72-6636 | 72.62 | 66.36 |
| C72-6656 | 72.62 | 66.56 |
| C72-6690 | 72.62 | 66.90 |
| C72-6710 | 72.62 | 67.10 |
| C72-7010 | 72.62 | 70.10 |
| C72-7030 | 72.62 | 70.30 |
| C72-7050 | 72.62 | 70.50 |
| C72-7150 | 72.62 | 71.50 |
| C73-5406 | 73.00 | 54.06 |
| C73-5615 | 73.00 | 56.15 |
| C73-5660 | 73.00 | 56.60 |
| C73-5710 | 73.00 | 57.10 |

| Part No. | O.D.  | I.D.  |
|----------|-------|-------|
| C73-5910 | 73.00 | 59.10 |
| C73-5920 | 73.00 | 59.20 |
| C73-5961 | 73.00 | 59.61 |
| C73-6006 | 73.00 | 60.06 |
| C73-6340 | 73.00 | 63.40 |
| C73-6390 | 73.00 | 63.90 |
| C73-6415 | 73.00 | 64.15 |
| C73-6507 | 73.00 | 65.07 |
| C73-6606 | 73.00 | 66.06 |
| C73-6656 | 73.00 | 66.56 |
| C73-6690 | 73.00 | 66.90 |
| C73-6720 | 73.00 | 67.20 |
| C73-7010 | 73.00 | 70.10 |
| C73-7030 | 73.00 | 70.30 |
| C73-7050 | 73.00 | 70.50 |
| C73-7150 | 73.00 | 71.50 |
| C74-5406 | 74.00 | 54.06 |
| C74-5615 | 74.00 | 56.15 |
| C74-5710 | 74.00 | 57.10 |
| C74-5961 | 74.00 | 59.61 |
| C74-6006 | 74.00 | 60.06 |
| C74-6336 | 74.00 | 63.36 |
| C74-6390 | 74.00 | 63.90 |
| C74-6415 | 74.00 | 64.15 |
| C74-6507 | 74.00 | 65.07 |
| C74-6606 | 74.00 | 66.06 |
| C74-6656 | 74.00 | 66.56 |
| C74-6690 | 74.00 | 66.90 |
| C74-6706 | 74.00 | 67.06 |
| C74-7010 | 74.00 | 70.10 |
| C74-7030 | 74.00 | 70.30 |
| C74-7050 | 74.00 | 70.50 |
| C74-7150 | 74.00 | 71.50 |
| C74-7260 | 74.00 | 72.60 |

| Part No.  | O.D.   | I.D.   |
|-----------|--------|--------|
| C78-6606  | 78.00  | 66.06  |
| C78-6656  | 78.00  | 66.56  |
| C78-7030  | 78.00  | 70.30  |
| C78-7050  | 78.00  | 70.50  |
| C78-7130  | 78.00  | 71.30  |
| C78-7150  | 78.00  | 71.50  |
| C78-7260  | 78.00  | 72.60  |
| C78-7410  | 78.00  | 74.10  |
| C83-7030  | 83.00  | 70.30  |
| C83-7150  | 83.00  | 71.50  |
| C83-7810  | 83.00  | 78.10  |
| C84-7150  | 84.00  | 71.50  |
| C87-7256  | 87.00  | 72.56  |
| C87-7710  | 87.00  | 77.10  |
| C87-7780  | 87.00  | 77.80  |
| C87-7810  | 87.00  | 78.10  |
| C106-7800 | 106.00 | 78.00  |
| C106-7830 | 106.00 | 78.30  |
| C106-8700 | 106.00 | 87.00  |
| C106-9510 | 106.00 | 95.10  |
| C108-1000 | 108.00 | 100.00 |
| C108-1060 | 108.00 | 106.00 |
| C108-7780 | 108.00 | 77.80  |
| C108-7810 | 108.00 | 78.10  |
| C108-7830 | 108.00 | 78.30  |
| C110-1000 | 110.00 | 100.00 |
| C110-1060 | 110.00 | 106.00 |
| C110-7810 | 110.00 | 78.10  |
| C125-1160 | 125.00 | 116.00 |
| C125-1210 | 125.00 | 121.00 |
| C130-1160 | 130.00 | 116.00 |
| C130-1167 | 130.00 | 116.70 |
| C130-1170 | 130.00 | 117.00 |
| C130-1210 | 130.00 | 121.00 |
| C130-1250 | 130.00 | 125.00 |

## Aluminum Hub Rings (4 Pieces per set)




| Part No.  | O.D.  | I.D.  |
|-----------|-------|-------|
| C64-6006A | 64.06 | 60.06 |
| C66-5710A | 66.56 | 57.10 |
| C72-5710A | 72.62 | 57.10 |
| C72-6006A | 72.62 | 60.06 |
| C72-7150A | 72.62 | 71.50 |

| Part No.  | O.D.  | I.D.  |
|-----------|-------|-------|
| C73-5615A | 73.00 | 56.15 |
| C73-5710A | 73.00 | 57.10 |
| C73-5920A | 73.00 | 59.20 |
| C73-6415A | 73.00 | 64.15 |
| C73-6710A | 73.00 | 67.10 |

| Part No.  | O.D.   | I.D.   |
|-----------|--------|--------|
| C73-7030A | 73.00  | 70.30  |
| C73-7150A | 73.00  | 71.50  |
| C74-7256A | 74.10  | 72.56  |
| C108-106A | 108.00 | 106.00 |

# Spacers

- Made of 100% high quality cast aluminum
- Lightweight, durable, easy to install
- Quickly correct the offset of your wheels




| Part No.    | 600       | 601                   | 602                 |
|-------------|-----------|-----------------------|---------------------|
| Application | 4 & 5 Lug | 4 Lug, 4" - 4.5" B.C. | 5 Lug, 4.5"-5" B.C. |
| Thickness   | 3mm       | 5/16"                 | 5/16"               |




| Part No.    | 602T                | 603                          | 603T                         | 604                      |
|-------------|---------------------|------------------------------|------------------------------|--------------------------|
| Application | 5 Lug, 4.5"-5" B.C. | 5 & 6 Lug, 5.5" & 135mm B.C. | 5 & 6 Lug, 5.5" & 135mm B.C. | 8 Lug, 6.5" & 170mm B.C. |
| Thickness   | 1/2"                | 1/4"                         | 1/2"                         | 1/4"                     |



| Part No.    | 605               | 606       | 607                | 628               |
|-------------|-------------------|-----------|--------------------|-------------------|
| Application | 5 Lug, 100mm B.C. | 4 & 5 Lug | 5 Lug, 4"-4.75" BC | 7 Lug, 150mm B.C. |
| Thickness   | 5/16"             | 5mm       | 5mm                | 1/4"              |



| Part No.    | 629                   | 630                 | 631                             | 631T                            |
|-------------|-----------------------|---------------------|---------------------------------|---------------------------------|
| Application | 5 & 7 lug, 150mm B.C. | 4 lug, 4"-4.5" B.C. | 8 Lug, 6.5", 170mm & 180mm B.C. | 8 Lug, 6.5", 170mm & 180mm B.C. |
| Thickness   | 1/4"                  | 1/4"                | 1/4"                            | 1/2"                            |



| Part No.    | 632                       | 632T                      | 633                                             | 633T                                            |
|-------------|---------------------------|---------------------------|-------------------------------------------------|-------------------------------------------------|
| Application | 8 Lug, 200mm & 210mm B.C. | 8 Lug, 200mm & 210mm B.C. | 6 Lug, 114.3mm(4.5")/120mm/127mm(5")/132mm B.C. | 6 Lug, 114.3mm(4.5")/120mm/127mm(5")/132mm B.C. |
| Thickness   | 1/4"                      | 1/2"                      | 1/4"                                            | 1/2"                                            |




## Hub-Centric Spacers

- Made from forged heat-treated 6061-T6 aluminum

### 5 Lug Mercedes-Benz Center Bore 66.56mm

| Part No. | Application | Thickness | Shoulder |
|----------|-------------|-----------|----------|
| C112-12  | 5 x 112mm   | 12mm      | Yes      |
| C112-15  | 5 x 112mm   | 15mm      | Yes      |
| C112-17  | 5 x 112mm   | 17mm      | Yes      |
| C112-20  | 5 x 112mm   | 20mm      | Yes      |

Add BK for Black



### 5 Lug BMW Center Bore 72.56mm

| Part No. | Application | Thickness | Shoulder    |
|----------|-------------|-----------|-------------|
| C120-5N  | 5 x 120mm   | 5mm       | No Shoulder |
| C120-10  | 5 x 120mm   | 10mm      | Yes         |
| C120-12  | 5 x 120mm   | 12mm      | Yes         |
| C120-15  | 5 x 120mm   | 15mm      | Yes         |
| C120-17  | 5 x 120mm   | 17mm      | Yes         |
| C120-20  | 5 x 120mm   | 20mm      | Yes         |


Add BK for Black



### 4 Lug Center Bore 57.10mm


| Part No. | Application | Thickness | Shoulder    |
|----------|-------------|-----------|-------------|
| C4100-5N | 4 x 100mm   | 5mm       | No Shoulder |
| C4100-8N | 4 x 100mm   | 8mm       | No Shoulder |
| C4100-10 | 4 x 100mm   | 10mm      | Yes         |
| C4100-12 | 4 x 100mm   | 12mm      | Yes         |
| C4100-15 | 4 x 100mm   | 15mm      | Yes         |
| C4100-20 | 4 x 100mm   | 20mm      | Yes         |

Add BK for Black



### 5 Lug Center Bore 57.10mm

| Part No.      | Application       | Thickness | Shoulder    |
|---------------|-------------------|-----------|-------------|
| C100/112-3    | 5 x 100 & 5 x 112 | 3mm       | No Shoulder |
| C100/112-5    | 5 x 100 & 5 x 112 | 5mm       | No Shoulder |
| C100/112-8    | 5 x 100 & 5 x 112 | 8mm       | No Shoulder |
| C100/112-10   | 5 x 100 & 5 x 112 | 10mm      | No Shoulder |
| C100/112-15   | 5 x 100 & 5 x 112 | 15mm      | No Shoulder |
| C5100/5112-10 | 5 x 100 & 5 x 112 | 10mm      | Yes         |
| C5100/5112-15 | 5 x 100 & 5 x 112 | 15mm      | Yes         |
| C5100/5112-20 | 5 x 100 & 5 x 112 | 20mm      | Yes         |
| C5100/5112-25 | 5 x 100 & 5 x 112 | 25mm      | Yes         |



# Hub Centric Spacers

5 Lug

Center Bore 66.56mm

| Part No.    | Application       | Thickness | Shoulder    |
|-------------|-------------------|-----------|-------------|
| CA100/112-3 | 5 x 100 & 5 x 112 | 3mm       | No Shoulder |
| CA100/112-5 | 5 x 100 & 5 x 112 | 5mm       | No Shoulder |

5 Lug

Center Bore 65.00mm

| Part No.   | Application       | Thickness | Shoulder    |
|------------|-------------------|-----------|-------------|
| C108/110-3 | 5 x 108 & 5 x 110 | 3mm       | No Shoulder |

5 Lug

Center Bore 67.10mm

| Part No.   | Application         | Thickness | Shoulder    |
|------------|---------------------|-----------|-------------|
| C108/114-3 | 5 x 108 & 5 x 114.3 | 3mm       | No Shoulder |
| C108/114-5 | 5 x 108 & 5 x 114.3 | 5mm       | No Shoulder |

5 Lug

Center Bore 66.56mm

| Part No. | Application | Thickness | Shoulder    |
|----------|-------------|-----------|-------------|
| C112-5N  | 5 x 112mm   | 5mm       | No Shoulder |
| C112-10N | 5 x 112mm   | 10mm      | No Shoulder |

5 Lug

Center Bore 71.60mm

| Part No. | Application | Thickness | Shoulder    |
|----------|-------------|-----------|-------------|
| C130-5N  | 5 x 130mm   | 5mm       | No Shoulder |
| C130-12  | 5 x 130mm   | 12mm      | Yes         |
| C130-15  | 5 x 130mm   | 15mm      | Yes         |
| C130-20  | 5 x 130mm   | 20mm      | Yes         |

5 Lug

Center Bore 71.50mm

| Part No.   | Application       | Thickness | Shoulder    |
|------------|-------------------|-----------|-------------|
| C114/120-5 | 5 x 114 & 5 x 120 | 5mm       | No Shoulder |
| C114/120-8 | 5 x 114 & 5 x 120 | 8mm       | No Shoulder |

5 Lug


Center Bore 74.10mm

| Part No.   | Application | Thickness | Shoulder    |
|------------|-------------|-----------|-------------|
| C120/74-5N | 5 x 120mm   | 5mm       | No Shoulder |
| C120/74-15 | 5 x 120mm   | 15mm      | Yes         |
| C120/74-20 | 5 x 120mm   | 20mm      | Yes         |

5 Lug

Center Bore Conversion, 74.10mm to 72.56mm


| Part No.      | Application | Thickness | Shoulder |
|---------------|-------------|-----------|----------|
| C120/74-72-15 | 5 x 120mm   | 15mm      | Yes      |
| C120/74-72-20 | 5 x 120mm   | 20mm      | Yes      |



# Wheel Adapters

## Metric Converter:

4.25" = 108mm      5.00" = 127mm  
4.50" = 114.3mm    5.50" = 139.7mm  
4.75" = 120.7mm    6.50" = 165mm



Regular

|             | Part #                | Vehicle         | Wheel   | Thickness | ID      | Hub Centric & Lip OD | Stud Thread size | Dual-Drilled | Finish | 2 Piece |
|-------------|-----------------------|-----------------|---------|-----------|---------|----------------------|------------------|--------------|--------|---------|
| 4 LUG & ATV | WA4100/4450-4425A     | 4x100mm/4X4.50" | 4x4.25" | 1"        | 74mm    | -                    | 12mm 1.50        | X            |        |         |
|             | WA4100-4100B          | 4x100mm         | 4x100mm | 1.25"     | 60mm    | -                    | 12mm 1.50        |              |        |         |
|             | WA4110-4110A          | 4x110mm         | 4x110mm | 1"        | 84mm    | -                    | 10mm 1.25        |              |        |         |
|             | WA4110-4110C          | 4x110mm         | 4x110mm | 1.5"      | 84mm    | -                    | 10mm 1.25        |              |        |         |
|             | WA4110-4110E          | 4x110mm         | 4x110mm | 2"        | 84mm    | -                    | 10mm 1.25        |              |        |         |
|             | WA4110-4110G          | 4x110mm         | 4x110mm | 2.5"      | 84mm    | -                    | 10mm 1.25        |              |        |         |
|             | WA4136-4136A          | 4x136mm         | 4x136mm | 1"        | 117.5mm | -                    | 10mm 1.25        |              |        |         |
|             | WA4136-4136C          | 4x136mm         | 4x136mm | 1.5"      | 117.5mm | -                    | 10mm 1.25        |              |        |         |
|             | NEW WA4136-4136C12    | 4x136mm         | 4x136mm | 1.5"      | 110mm   | -                    | 12mm 1.50        |              |        |         |
|             | WA4136-4136E          | 4x136mm         | 4x136mm | 2"        | 117.5mm | -                    | 10mm 1.25        |              |        |         |
|             | NEW WA4136-4136E12    | 4x136mm         | 4x136mm | 2"        | 110mm   | -                    | 12mm 1.50        |              |        |         |
|             | WA4136-4136G          | 4x136mm         | 4x136mm | 2.5"      | 117.5mm | -                    | 10mm 1.25        |              |        |         |
|             | WA4156-4156A          | 4x156mm         | 4x156mm | 1"        | 131mm   | -                    | 3/8"-24          |              |        |         |
|             | NEW WA4156-4156B12    | 4x156mm         | 4x156mm | 1.25"     | 131mm   | -                    | 12mm 1.50        |              |        |         |
|             | WA4156-4156C          | 4x156mm         | 4x156mm | 1.5"      | 131mm   | -                    | 3/8"-24          |              |        |         |
|             | NEW WA4156-4156C12    | 4x156mm         | 4x156mm | 1.5"      | 131mm   | -                    | 12mm 1.50        |              |        |         |
|             | WA4156-4156E          | 4x156mm         | 4x156mm | 2"        | 131mm   | -                    | 3/8"-24          |              |        |         |
|             | WA4156-4156G          | 4x156mm         | 4x156mm | 2.5"      | 131mm   | -                    | 3/8"-24          |              |        |         |
|             | WA4400-4400C          | 4x4.00"         | 4x4.00" | 1.5"      | 77.8mm  | -                    | 1/2"-20          |              |        |         |
|             | WA4425/4100-4450A     | 4x4.25"/4x100mm | 4x4.50" | 1"        | 74mm    | -                    | 12mm 1.50        | X            |        |         |
|             | WA4425-4100B          | 4x4.25"/4x100mm | 4x100mm | 1.25"     | 74mm    | -                    | 12mm 1.50        |              |        |         |
|             | WA4450-4100B          | 4x4.50"         | 4x100mm | 1.25"     | 71mm    | -                    | 12mm 1.50        |              |        |         |
|             | WA4450-4450E          | 4x4.50"         | 4x4.50" | 2"        | 84mm    | -                    | 10mm 1.25        |              |        |         |
| 5 LUG       | WA5100/5425-5450B     | 5x100mm/5x4.25" | 5x4.50" | 1.25"     | 74mm    | -                    | 12mm 1.50        | X            |        |         |
|             | NEW WA5100/5425-5475B | 5x100mm/5x4.25" | 5x4.75" | 1.25"     | 74mm    | -                    | 12mm 1.50        | X            |        |         |
|             | NEW WA5100/5450-15BK  | 5x100mm         | 5x4.50" | 15mm      | 56.1mm  | -                    | 12mm 1.25        | X            | Black  |         |
|             | NEW WA5100/5450-5100B | 5x100mm/5x4.50" | 5x100mm | 1.25"     | 74.1mm  | -                    | 12mm 1.50        | X            |        |         |
|             | WA5100-5450A          | 5X100mm         | 5x4.50" | 1"        | 64mm    | -                    | 12mm 1.50        |              |        |         |
|             | NEW WA5105/5110-5450A | 5x105mm/5x110mm | 5x4.50" | 1"        | 74.1mm  | -                    | 12mm 1.50        | X            |        |         |
|             | WA5110-5110A          | 5x110mm         | 5x110mm | 1"        | 65.1mm  | -                    | 12mm 1.50        |              |        |         |
|             | NEW WA5112/5130-5450B | 5x112mm/5x130mm | 5x4.50" | 1.25"     | 84.1mm  | -                    | 12mm 1.50        | X            |        |         |
|             | NEW WA5112/5130-5475B | 5x112mm/5x130mm | 5x4.75" | 1.25"     | 84.1mm  | -                    | 12mm 1.50        | X            |        |         |
|             | NEW WA5112-5112AH     | 5x112mm         | 5x112mm | 1"        | 66.56mm | 66.56mm              | 12mm 1.50        |              |        |         |
|             | NEW WA5112-5112BH     | 5x112mm         | 5x112mm | 1.25"     | 66.56mm | 66.56mm              | 12mm 1.50        |              |        |         |
|             | NEW WA5115-5115AH     | 5x115mm         | 5x115mm | 1"        | 71.5mm  | 71.5mm               | 14mm 1.50        |              |        |         |
|             | WA5115-5115B          | 5x115mm         | 5x115mm | 1.25"     | 73.1mm  | -                    | 14mm 1.50        |              |        |         |
|             | NEW WA5115-5115BH     | 5x115mm         | 5x115mm | 1.25"     | 71.5mm  | 71.5mm               | 14mm 1.50        |              |        |         |
|             | WA5115-5115E          | 5x115mm         | 5x115mm | 2"        | 73.1mm  | -                    | 14mm 1.50        |              |        |         |
|             | NEW WA5115-5450B      | 5x115mm         | 5x4.5"  | 1.25"     | 71.5mm  | -                    | 14mm 1.50        |              |        |         |
|             | NEW WA5115-5475B      | 5x115mm         | 5x4.75" | 1.25"     | 71.5mm  | -                    | 14mm 1.50        |              |        |         |

# Wheel Adapters

## DISCLAIMER:

THE USE OF WHITE KNIGHT WHEEL ADAPTERS IS AT YOUR OWN RISK  
AND YOU ASSUME ALL LIABILITY FOR SUITABILITY, SIZING, FIT, INSTALLATION AND USE.  
IMPROPER INSTALLATION CAN RESULT IN ACCIDENT AND/OR INJURY.  
DO NOT ATTEMPT INSTALLATION UNLESS YOU ARE A QUALIFIED MECHANIC.

|       | Part #                | Vehicle           | Wheel   | Thickness | ID     | Hub Centric<br>& Lip OD | Stud Thread<br>size | Dual-<br>Drilled | Finish | 2 Piece |
|-------|-----------------------|-------------------|---------|-----------|--------|-------------------------|---------------------|------------------|--------|---------|
| 5 LUG | WA5135/5500-5135C     | 5x135mm/5x5.00"   | 5x135mm | 1.5"      | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5450B     | 5x135mm/5x5.00"   | 5x4.50" | 1.25"     | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5450C     | 5x135mm/5x5.00"   | 5x4.50" | 1.5"      | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5475B     | 5x135mm/5x5.00"   | 5x4.75" | 1.25"     | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5475C     | 5x135mm/5x5.00"   | 5x4.75" | 1.5"      | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5500C     | 5x135mm/5x5.00"   | 5x5.00" | 1.5"      | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5135/5500-5550C     | 5x135mm/5x5.00"   | 5x5.50" | 1.5"      | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | NEW WA5135/5500-6550E | 5x135mm/5x5.00"   | 6x5.50" | 2"        | 87.1mm | -                       | 14mm 1.50           | X                |        | YES     |
|       | NEW WA5135/5500-8650E | 5x135mm/5x5.00"   | 8x6.50" | 2"        | 87.1mm | -                       | 14mm 1.50           | X                |        | YES     |
|       | WA5135/5550-5135B     | 5x135mm/5x5.50"   | 5x135mm | 1.25"     | 87.1mm | -                       | 12mm 1.50           | X                |        |         |
| NEW   | WA5135/5550-5135E142  | 5x135mm/5x5.50"   | 5x135mm | 2"        | 87.1mm | -                       | 14mm 2.00           | X                |        |         |
|       | NEW WA5135/5550-6550E | 5x135mm/5x5.50"   | 6x5.50" | 2"        | 87.1mm | -                       | 14mm 1.50           | X                |        | YES     |
|       | NEW WA5135-5135EH     | 5x135mm           | 5x135mm | 2"        | 87.1mm | 87.1mm                  | 14mm 2.00           |                  |        |         |
|       | WA5135-5450C          | 5x135mm           | 5x4.50" | 1.5"      | 87.1mm | -                       | 12mm 1.50           |                  |        |         |
|       | WA5135-5475B          | 5x135mm           | 5x4.75" | 1.25"     | 87.1mm | -                       | 14mm 2.00           |                  |        |         |
|       | WA5135-5500C          | 5x135mm           | 5x5.00" | 1.5"      | 87.1mm | -                       | 14mm 2.00           |                  |        |         |
|       | WA5135-5550C          | 5x135mm           | 5x5.50" | 1.5"      | 87.1mm | -                       | 14mm 2.00           |                  |        |         |
|       | WA5135-6135E          | 5x135mm           | 6x135mm | 2"        | 87.1mm | -                       | 12mm 1.50           |                  |        | YES     |
|       | NEW WA5150-5150CH     | 5x150mm           | 5x150mm | 1.5"      | 110mm  | 110mm                   | 14mm 1.50           |                  |        |         |
|       | NEW WA5150-5150CHBK   | 5x150mm           | 5x150mm | 1.5"      | 110mm  | 110mm                   | 14mm 1.50           |                  | BLACK  |         |
| NEW   | WA5150-5150EH         | 5x150mm           | 5x150mm | 2"        | 110mm  | 110mm                   | 14mm 1.50           |                  |        |         |
|       | NEW WA5150-5150EHBK   | 5x150mm           | 5x150mm | 2"        | 110mm  | 110mm                   | 14mm 1.50           |                  | BLACK  |         |
|       | NEW WA5150-6550EH     | 5x150mm           | 6x5.50" | 2"        | 110mm  | 78.1mm                  | 14mm 1.50           |                  |        | YES     |
|       | NEW WA5425/5450-5475B | 5x4.25" & 5x4.50" | 5x4.75" | 1.25"     | 78.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5425-5450B          | 5x4.25"           | 5x4.50" | 1.25"     | 73.1mm | -                       | 12mm 1.50           |                  |        |         |
|       | WA5450/5475-5110B     | 5x4.50"/5x4.75"   | 5x110mm | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5112B     | 5x4.50"/5x4.75"   | 5x112mm | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5115B     | 5x4.50"/5x4.75"   | 5x115mm | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5135B     | 5x4.50"/5x4.75"   | 5x135mm | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | NEW WA5450/5475-5425B | 5x4.50" & 5x4.75" | 5x4.25" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
| NEW   | WA5450/5475-5450A     | 5x4.50"/5x4.75"   | 5x4.50" | 1"        | 78.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5450B     | 5x4.50"/5x4.75"   | 5x4.50" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5450BBK   | 5x4.50"/5x4.75"   | 5x4.50" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                | BLACK  |         |
|       | WA5450/5475-5450E     | 5x4.50"/5x4.75"   | 5x4.50" | 2"        | 78.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5475B     | 5x4.50"/5x4.75"   | 5x4.75" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5475BBK   | 5x4.50"/5x4.75"   | 5x4.75" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                | BLACK  |         |
|       | WA5450/5475-5475E     | 5x4.50"/5x4.75"   | 5x4.75" | 2"        | 78.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5500B     | 5x4.50"/5x4.75"   | 5x5.00" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450/5475-5550B     | 5x4.50"/5x4.75"   | 5x5.50" | 1.25"     | 74.1mm | -                       | 12mm 1.50           | X                |        |         |
|       | WA5450-5450A          | 5x4.50"           | 5x4.50" | 1"        | 74.1mm | -                       | 12mm 1.50           |                  |        |         |
| NEW   | WA5450-5450A1/2       | 5x4.50"           | 5x4.50" | 1"        | 74.1mm | -                       | 1/2"-20             |                  |        |         |
|       | WA5450-5450ABK        | 5x4.50"           | 5x4.50" | 1"        | 74.1mm | -                       | 12mm 1.50           |                  | BLACK  |         |



# Wheel Adapters

- Our billet wheel adapters are CNC machined
- Made from forged heat-treated 6061-T6 aluminum
- Pressed-In studs included
- Open-End lug nuts included



Regular



Black Dual-Drilled

|       | Part #                                                                                                      | Vehicle         | Wheel   | Thickness | ID          | Hub Centric & Lip OD | Stud Thread size | Dual-Drilled | Finish | 2 Piece |
|-------|-------------------------------------------------------------------------------------------------------------|-----------------|---------|-----------|-------------|----------------------|------------------|--------------|--------|---------|
| 5 LUG | WA5450-5450AH1/2                                                                                            | 5x4.50"         | 5x4.50" | 1"        | 70.5mm      | 70.5mm               | 1/2"-20          |              |        |         |
|       | WA5450-5450AH14                                                                                             | 5x4.50"         | 5x4.50" | 1"        | 70.5mm      | 70.5mm               | 14mm 1.50        |              |        |         |
|       | WA5450-5450B                                                                                                | 5x4.50"         | 5x4.50" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5450B1/2                                                                                             | 5x4.50"         | 5x4.50" | 1.25"     | 74.1mm      | -                    | 1/2"-20          |              |        |         |
|       | WA5450-5450BBK                                                                                              | 5x4.50"         | 5x4.50" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              | BLACK  |         |
|       | WA5450-5450C                                                                                                | 5x4.50"         | 5x4.50" | 1.5"      | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5450C1/2                                                                                             | 5x4.50"         | 5x4.50" | 1.5"      | 74.1mm      | -                    | 1/2"-20          |              |        |         |
|       | WA5450-5450CBK                                                                                              | 5x4.50"         | 5x4.50" | 1.5"      | 74.1mm      | -                    | 12mm 1.50        |              | BLACK  |         |
|       | WA5450-5450CH                                                                                               | 5x4.50"         | 5x4.50" | 1.5"      | 71.5mm      | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5450-5450CH1/2                                                                                            | 5x4.50"         | 5x4.50" | 1.5"      | 70.5mm      | 70.5mm               | 1/2"-20          |              |        |         |
|       | WA5450-5450E                                                                                                | 5x4.50"         | 5x4.50" | 2"        | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5450E1/2                                                                                             | 5x4.50"         | 5x4.50" | 2"        | 74.1mm      | -                    | 1/2"-20          |              |        |         |
|       | WA5450-5450EH                                                                                               | 5x4.50"         | 5x4.50" | 2"        | 71.5mm      | 71.5mm               | 1/2"-20          |              |        |         |
|       | NEW WA5450-5450V15                                                                                          | 5x4.50"         | 5x4.50" | 15mm      | 60.1/64.1mm | 60.1/64.1mm          | 12mm 1.50        |              |        |         |
|       | Note: Includes C64-6010A aluminum hub ring, provides flexibility to adjust ID and OD between 64.06 to 60.06 |                 |         |           |             |                      |                  |              |        |         |
| NEW   | WA5450-5450V20                                                                                              | 5x4.50"         | 5x4.50" | 20mm      | 60.1/64.1mm | 60.1/64.1mm          | 12mm 1.50        |              |        |         |
|       | Note: Includes C64-6010A aluminum hub ring, provides flexibility to adjust ID and OD between 64.06 to 60.06 |                 |         |           |             |                      |                  |              |        |         |
|       | WA5450-5475A                                                                                                | 5x4.50"         | 5x4.75" | 1"        | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5475AH1/2                                                                                            | 5x4.50"         | 5x4.75" | 1"        | 74.1mm      | 74.1mm               | 1/2"-20          |              |        |         |
|       | WA5450-5475B                                                                                                | 5x4.50"         | 5x4.75" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5500B                                                                                                | 5x4.50"         | 5x5.00" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5450-5500B1/2                                                                                             | 5x4.50"         | 5x5.00" | 1.25"     | 71.5mm      | -                    | 1/2"-20          |              |        |         |
|       | NEW WA5450-5500BH1/2                                                                                        | 5x4.50"         | 5x5.00" | 1.25"     | 71.5mm      | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5450-5500E1/2                                                                                             | 5x4.50"         | 5x5.00" | 2"        | 71.5mm      | -                    | 1/2"-20          |              |        |         |
|       | WA5450-5500EH1/2                                                                                            | 5x4.50"         | 5x5.00" | 2"        | 71.5mm      | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5450-5550A1/2                                                                                             | 5x4.50"         | 5x5.50" | 1"        | 71.5mm      | -                    | 1/2"-20          |              |        |         |
|       | WA5450-6550E                                                                                                | 5x4.50"         | 6x5.50" | 2"        | 74.1mm      | 74.1mm               | 12mm 1.50        |              |        | YES     |
|       | NEW WA5475/5500-5112B                                                                                       | 5x4.75"/5x5.00" | 5x112mm | 1.25      | 78.1mm      | -                    | 12mm 1.50        | X            |        |         |
|       | WA5475/5500-5500B                                                                                           | 5x4.75"/5x5.00" | 5x5.00" | 1.25"     | 78.1mm      | -                    | 12mm 1.50        | X            |        |         |
| NEW   | WA5475/5500-5500C                                                                                           | 5x4.75"/5x5.00" | 5x5.00" | 1.5"      | 78.1mm      | -                    | 12mm 1.50        | X            |        |         |
|       | WA5475-5450B                                                                                                | 5x4.75"         | 5x4.50" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5475-5475A                                                                                                | 5x4.75"         | 5x4.75" | 1"        | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | NEW WA5475-5475AH                                                                                           | 5x4.75"         | 5x4.75" | 1"        | 71.5mm      | 71.5mm               | 12mm 1.50        |              |        |         |
|       | WA5475-5475B                                                                                                | 5x4.75"         | 5x4.75" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5475-5475C                                                                                                | 5x4.75"         | 5x4.75" | 1.5"      | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | NEW WA5475-5475CH                                                                                           | 5x4.75"         | 5x4.75" | 1.5"      | 70.5mm      | 70.5mm               | 12mm 1.50        |              |        |         |
|       | WA5475-5475E                                                                                                | 5x4.75"         | 5x4.75" | 2"        | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5475-5500B                                                                                                | 5x4.75"         | 5x5.00" | 1.25"     | 74.1mm      | -                    | 12mm 1.50        |              |        |         |
|       | WA5475-6550E                                                                                                | 5x4.75"         | 6x5.50" | 2"        | 74.1mm      | 74.1mm               | 12mm 1.50        |              |        | YES     |
|       | WA5500/5550-5135B                                                                                           | 5x5.00"/5x5.50" | 5x135mm | 1.25"     | 87.1mm      | -                    | 12mm 1.50        | X            |        |         |

# Wheel Adapters



Hub-Centric



Dual-Drilled



8 Lug Black

|       | Part #            | Vehicle         | Wheel   | Thickness | ID     | Hub Centric & Lip OD | Stud Thread size | Dual-Drilled | Finish | 2 Piece |
|-------|-------------------|-----------------|---------|-----------|--------|----------------------|------------------|--------------|--------|---------|
| 5 LUG | WA5500/5550-5135C | 5x5.00"/5x5.50" | 5x135mm | 1.5"      | 87.1mm | -                    | 1/2"-20          | X            |        |         |
|       | WA5500/5550-5150C | 5x5.00"/5x5.50" | 5x150mm | 1.5"      | 87.1mm | -                    | 14mm 1.50        | X            |        |         |
|       | WA5500/5550-5450B | 5x5.00"/5x5.50" | 5x4.50" | 1.25"     | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5500/5550-5450C | 5x5.00"/5x5.50" | 5x4.50" | 1.5"      | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5500/5550-5475B | 5x5.00"/5x5.50" | 5x4.75" | 1.25"     | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5500/5550-5475C | 5x5.00"/5x5.50" | 5x4.75" | 1.5"      | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5500/5550-5500B | 5x5.00"/5x5.50" | 5x5.00" | 1.25"     | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5500/5550-5550C | 5x5.00"/5x5.50" | 5x5.50" | 1.5"      | 87.1mm | -                    | 1/2"-20          | X            |        |         |
|       | WA5500-5450B      | 5x5.00"         | 5x4.50" | 1.25"     | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA5500-5450B1/2   | 5x5.00"         | 5x4.50" | 1.25"     | 78.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5500-5475B      | 5x5.00"         | 5x4.75" | 1.25"     | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA5500-5500-20    | 5x5.00"         | 5x5.00" | 20mm      | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA5500-5500A1/2   | 5x5.00"         | 5x5.00" | 1"        | 78.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5500-5500B      | 5x5.00"         | 5x5.00" | 1.25"     | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA5500-5500BH     | 5x5.00"         | 5x5.00" | 1.25"     | 71.5mm | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5500-5500BH14   | 5x5.00"         | 5x5.00" | 1.25"     | 71.5mm | 71.5mm               | 14mm 1.50        |              |        |         |
|       | WA5500-5500C1/2   | 5x5.00"         | 5x5.00" | 1.5"      | 78.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5500-5500CH     | 5x5.00"         | 5x5.00" | 1.5"      | 71.5mm | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5500-5500CH14   | 5x5.00"         | 5x5.00" | 1.5"      | 71.5mm | 71.5mm               | 14mm 1.50        |              |        |         |
|       | WA5500-5500E1/2   | 5x5.00"         | 5x5.00" | 2"        | 78.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5500-5500EH     | 5x5.00"         | 5x5.00" | 2"        | 71.5mm | 71.5mm               | 1/2"-20          |              |        |         |
|       | WA5500-5500EH14   | 5x5.00"         | 5x5.00" | 2"        | 71.5mm | 71.5mm               | 14mm 1.50        |              |        |         |
|       | WA5500-6550E      | 5x5.00"         | 6x5.50" | 2"        | 78.1mm | 78.1mm               | 12mm 1.50        |              |        | YES     |
|       | WA5550/5135-5550B | 5x5.50"/5x135mm | 5x5.50" | 1.25"     | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA5550-5450B      | 5x5.50"         | 5x4.50" | 1.25"     | 78.1mm | -                    | 9/16"-18         |              |        |         |
|       | WA5550-5450C      | 5x5.50"         | 5x4.50" | 1.5"      | 87.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA5550-5550A1/2   | 5x5.50"         | 5x5.50" | 1"        | 87.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5550-5550B      | 5x5.50"         | 5x5.50" | 1.25"     | 87.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA5550-5550B14    | 5x5.50"         | 5x5.50" | 1.25"     | 87.1mm | -                    | 14mm 1.50        |              |        |         |
|       | WA5550-5550C      | 5x5.50"         | 5x5.50" | 1.5"      | 108mm  | -                    | 12mm 1.25        |              |        |         |
|       | WA5550-5550C1/2   | 5x5.50"         | 5x5.50" | 1.5"      | 108mm  | -                    | 1/2"-20          |              |        |         |
|       | WA5550-5550C14    | 5x5.50"         | 5x5.50" | 1.5"      | 77.8mm | -                    | 14mm 1.50        |              |        |         |
|       | WA5550-5550E      | 5x5.50"         | 5x5.50" | 2"        | 108mm  | -                    | 12mm 1.25        |              |        |         |
|       | WA5550-5550E1/2   | 5x5.50"         | 5x5.50" | 2"        | 108mm  | -                    | 1/2"-20          |              |        |         |
|       | WA5550-5550E14    | 5x5.50"         | 5x5.50" | 2"        | 77.8mm | -                    | 14mm 1.50        |              |        |         |
|       | WA5550-6135E      | 5x5.50"         | 6x135mm | 2"        | 108mm  | 108mm                | 1/2"-20          |              |        | YES     |
|       | WA5550-6550E      | 5x5.50"         | 6x5.50" | 2"        | 108mm  | 108mm                | 1/2"-20          |              |        | YES     |
| 6 LUG | WA6120-6120B      | 6x120mm         | 6x120mm | 1.25"     | 67.1mm | -                    | 14mm 1.50        |              |        |         |
|       | WA6120-6120CH14   | 6x120mm         | 6x120mm | 1.5"      | 66.9mm | 66.9mm               | 14mm 1.50        |              |        |         |
|       | WA6135/6500-6135C | 6x135mm/6x5.00" | 6x135mm | 1.5"      | 87.1mm | -                    | 12mm 1.50        | X            |        |         |

# Wheel Adapters



Regular



4 Lug



6 Lug



8 Lug

|       | Part #              | Vehicle         | Wheel   | Thickness | ID     | Hub Centric & Lip OD | Stud Thread size | Dual-Drilled | Finish | 2 Piece |
|-------|---------------------|-----------------|---------|-----------|--------|----------------------|------------------|--------------|--------|---------|
| 6 LUG | WA6135/6500-6550B14 | 6x135mm/6x5.00" | 6x5.50" | 1.25"     | 87.1mm | -                    | 14mm 1.50        | X            |        |         |
|       | WA6135/6550-6500C   | 6x135mm/6X5.50" | 6X5.00" | 1.5"      | 87.1mm | -                    | 12mm 1.50        | X            |        |         |
|       | WA6135/6550-6550C14 | 6x135mm/6x5.50" | 6x5.50" | 1.5"      | 108mm  | -                    | 14mm 1.50        | X            |        |         |
|       | WA6135/6550-6550E14 | 6x135mm/6x5.50" | 6x5.50" | 2"        | 108mm  | -                    | 14mm 1.50        | X            |        |         |
|       | WA6135-6135C        | 6x135mm         | 6x135mm | 1.5"      | 87.1mm | -                    | 14mm 2.00        |              |        |         |
|       | WA6135-6135CBK      | 6x135mm         | 6x135mm | 1.5"      | 87.1mm | -                    | 14mm 2.00        |              | BLACK  |         |
|       | WA6135-6135CH       | 6x135mm         | 6x135mm | 1.5"      | 87.1mm | 87.1mm               | 14mm 2.00        |              |        |         |
|       | WA6135-6135CH14     | 6x135mm         | 6x135mm | 1.5"      | 87.1mm | 87.1mm               | 14mm 1.50        |              |        |         |
|       | WA6135-6135EH       | 6x135mm         | 6x135mm | 2"        | 87.1mm | 87.1mm               | 14mm 2.00        |              |        |         |
|       | WA6135-6135EH14     | 6x135mm         | 6x135mm | 2"        | 87.1mm | 87.1mm               | 14mm 1.50        |              |        |         |
|       | WA6135-6550C        | 6x135mm         | 6x5.50" | 1.5"      | 108mm  | -                    | 14mm 2.00        |              |        |         |
|       | WA6135-6550C14      | 6x135mm         | 6x5.50" | 1.5"      | 108mm  | -                    | 14mm 1.50        |              |        |         |
|       | WA6135-6550CH14     | 6x135mm         | 6x5.50" | 1.5"      | 87.1mm | 78.1mm               | 14mm 1.50        |              |        |         |
|       | WA6450-6450BH25     | 6x4.50"         | 6x4.50" | 1.25"     | 66.1mm | 66.1mm               | 12mm 1.25        |              |        |         |
|       | WA6450-6450CH25     | 6x4.50"         | 6x4.50" | 1.5"      | 66.1mm | 66.1mm               | 12mm 1.25        |              |        |         |
|       | WA6450-6450EH1/2    | 6x4.50"         | 6x4.50" | 2"        | 71.5mm | 71.5mm               | 1/2"-20          | X            |        |         |
|       | WA6450-6450EH25     | 6x4.50"         | 6x4.50" | 2"        | 66.1mm | 66.1mm               | 12mm 1.25        |              |        |         |
|       | WA6450-6550B1/2     | 6x4.50"         | 6x5.50" | 1.25"     | 78.1mm | -                    | 1/2"-20          |              |        |         |
|       | WA6500-6500BH       | 6x5.00"         | 6x5.00" | 1.25"     | 78.1mm | 78.1mm               | 12mm 1.50        |              |        |         |
|       | WA6500-6500C        | 6x5.00"         | 6x5.00" | 1.5"      | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA6500-6550B        | 6x5.00"         | 6x5.50" | 1.25"     | 78.1mm | -                    | 12mm 1.50        |              |        |         |
|       | WA6550/6135-5150E14 | 6x5.50"/6x135mm | 5x150mm | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550/6135-5450E   | 6x5.50"/6x135mm | 5x4.50" | 2"        | 87.1mm | -                    | 1/2"-20          | X            |        | YES     |
|       | WA6550/6135-5500E14 | 6x5.50"/6x135mm | 5x5.00" | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550/6135-5550E14 | 6x5.50"/6x135mm | 5X5.50" | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550/6135-6135B   | 6x5.50"/6x135mm | 6x135mm | 1.25"     | 108mm  | -                    | 14mm 1.50        | X            |        |         |
|       | WA6550/6135-6550B   | 6x5.50"/6x135mm | 6x5.50" | 1.25"     | 108mm  | -                    | 14mm 1.50        | X            |        |         |
|       | WA6550/6135-8170E14 | 6x5.50"/6x135mm | 8x170mm | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550/6135-8180E14 | 6x5.50"/6x135mm | 8x180mm | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550/6135-8650E14 | 6x5.50"/6x135mm | 8x6.50" | 2"        | 87.1mm | -                    | 14mm 1.50        | X            |        | YES     |
|       | WA6550-5150E        | 6x5.50"         | 5x150mm | 2"        | 108mm  | -                    | 12mm 1.50        |              |        | YES     |
|       | WA6550-5450E        | 6x5.50"         | 5x4.50" | 2"        | 108mm  | -                    | 12mm 1.50        |              |        | YES     |
|       | WA6550-5450E14      | 6x5.50"         | 5x4.50" | 2"        | 108mm  | -                    | 14mm 1.50        |              |        | YES     |
|       | WA6550-5475E14      | 6x5.50"         | 5x4.75" | 2"        | 108mm  | -                    | 14mm 1.50        |              |        | YES     |
|       | WA6550-6135C142     | 6x5.50"         | 6x135mm | 1.5"      | 78.1mm | -                    | 14mm 2.00        |              |        |         |
|       | WA6550-6135CH14     | 6x5.50"         | 6x135mm | 1.5"      | 78.1mm | 87.1                 | 14mm 1.50        |              |        |         |
|       | WA6550-6550A14      | 6x5.50"         | 6x5.50" | 1"        | 108mm  | -                    | 14mm 1.50        |              |        |         |
|       | WA6550-6550A25      | 6x5.50"         | 6x5.50" | 1"        | 108mm  | -                    | 12mm 1.25        |              |        |         |
|       | WA6550-6550B        | 6X5.50"         | 6x5.50" | 1.25"     | 108mm  | -                    | 12mm 1.50        |              |        |         |
|       | WA6550-6550B14      | 6X5.50"         | 6X5.50" | 1.25"     | 108mm  | -                    | 14mm 1.50        |              |        |         |

# Wheel Adapters

|       | Part #                                                                                               | Vehicle         | Wheel   | Thickness | ID       | Hub Centric<br>& Lip OD | Stud Thread<br>size | Dual-<br>Drilled | Finish | 2 Piece |
|-------|------------------------------------------------------------------------------------------------------|-----------------|---------|-----------|----------|-------------------------|---------------------|------------------|--------|---------|
| 6 LUG | WA6550-6550B14BK                                                                                     | 6x5.50"         | 6x5.50" | 1.25"     | 108mm    | -                       | 14mm 1.50           |                  | BLACK  |         |
|       |  WA6550-6550B25     | 6x5.50"         | 6x5.50" | 1.25"     | 108mm    | -                       | 12mm 1.25           |                  |        |         |
|       |  WA6550-6550BH      | 6x5.50"         | 6x5.50" | 1.25"     | 106mm    | 106mm                   | 12mm 1.50           |                  |        |         |
|       |  WA6550-6550BH14    | 6x5.50"         | 6x5.50" | 1.25"     | 78.1mm   | 78.1mm                  | 14mm 1.50           |                  |        |         |
|       | WA6550-6550C                                                                                         | 6x5.50"         | 6x5.50" | 1.5"      | 108mm    | -                       | 12mm 1.50           |                  |        |         |
|       |  WA6550-6550C25     | 6x5.50"         | 6x5.50" | 1.5"      | 108mm    | -                       | 12mm 1.25           |                  |        |         |
|       | WA6550-6550CBK                                                                                       | 6x5.50"         | 6x5.50" | 1.5"      | 108mm    | -                       | 12mm 1.50           |                  | BLACK  |         |
|       | WA6550-6550CH                                                                                        | 6x5.50"         | 6x5.50" | 1.5"      | 106mm    | 106mm                   | 12mm 1.50           |                  |        |         |
|       | WA6550-6550CH14                                                                                      | 6x5.50"         | 6x5.50" | 1.5"      | 78.1mm   | 78.1mm                  | 14mm 1.50           |                  |        |         |
|       |  WA6550-6550CH14BK  | 6x5.50"         | 6x5.50" | 1.5"      | 78.1mm   | 78.1mm                  | 14mm 1.50           |                  | BLACK  |         |
|       | WA6550-6550E                                                                                         | 6x5.50"         | 6x5.50" | 2"        | 108mm    | -                       | 12mm 1.50           |                  |        |         |
|       | WA6550-6550E14                                                                                       | 6x5.50"         | 6x5.50" | 2"        | 108mm    | -                       | 14mm 1.50           |                  |        |         |
|       |  WA6550-6550E25     | 6x5.50"         | 6x5.50" | 2"        | 108mm    | -                       | 12mm 1.25           |                  |        |         |
|       | WA6550-6550EH                                                                                        | 6x5.50"         | 6x5.50" | 2"        | 106mm    | 106mm                   | 12mm 1.50           |                  |        |         |
|       | WA6550-6550EH14                                                                                      | 6x5.50"         | 6x5.50" | 2"        | 78.1mm   | 78.1mm                  | 14mm 1.50           |                  |        |         |
|       |  WA6550-6550EH14BK  | 6x5.50"         | 6x5.50" | 2"        | 78.1mm   | 78.1mm                  | 14mm 1.50           |                  | BLACK  |         |
|       |  WA6550-6550I       | 6x5.50"         | 6x5.50" | 3"        | 108mm    | -                       | 12mm 1.50           |                  |        |         |
|       |  WA6550-6550I14     | 6x5.50"         | 6x5.50" | 3"        | 108mm    | -                       | 14mm 1.50           |                  |        |         |
|       | WA6550-8170E                                                                                         | 6x5.50"         | 8x170mm | 2"        | 108mm    | -                       | 14mm 1.50           |                  |        | YES     |
|       | WA6550-8650E                                                                                         | 6x5.50"         | 8x6.50" | 2"        | 108mm    | -                       | 14mm 1.50           |                  |        | YES     |
| 8 LUG |  WA8170-8170C14     | 8x170mm         | 8x170mm | 1.5"      | 125mm    | -                       | 14mm 1.50           |                  |        |         |
|       | WA8170-8170E                                                                                         | 8x170mm         | 8x170mm | 2"        | 125mm    | -                       | 14mm 2.00           |                  |        |         |
|       | WA8170-8170E14                                                                                       | 8x170mm         | 8x170mm | 2"        | 125mm    | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8170-8170E14BK | 8x170mm         | 8x170mm | 2"        | 125mm    | -                       | 14mm 1.50           |                  | BLACK  |         |
|       | WA8170-8170EBK                                                                                       | 8x170mm         | 8x170mm | 2"        | 125mm    | -                       | 14mm 2.00           |                  | BLACK  |         |
|       | WA8170-8170EH                                                                                        | 8x170mm         | 8x170mm | 2"        | 125mm    | 125mm                   | 14mm 2.00           |                  |        |         |
|       | WA8170-8170EH14                                                                                      | 8x170mm         | 8x170mm | 2"        | 125mm    | 125mm                   | 14mm 1.50           |                  |        |         |
|       |  WA8170-8200E14   | 8x170mm         | 8x200mm | 2"        | 125.6mm  | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8170-8650E14   | 8x170mm         | 8x6.50" | 2"        | 130mm    | -                       | 14mm 1.50           |                  |        |         |
|       | WA8180-6550E14                                                                                       | 8x180mm         | 6x5.50" | 2"        | 124.3mm  | -                       | 14mm 1.50           |                  |        | YES     |
|       | WA8180-8180E                                                                                         | 8x180mm         | 8x180mm | 2"        | 124.3mm  | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8180-8180EBK   | 8x180mm         | 8x180mm | 2"        | 124.3mm  | -                       | 14mm 1.50           |                  | BLACK  |         |
|       |  WA8200-8200E     | 8x200mm         | 8x200mm | 2"        | 146mm    | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8200-8200EH    | 8x200mm         | 8x200mm | 2"        | 142mm    | 142mm                   | 14mm 1.50           |                  |        |         |
|       | WA8210-8210E                                                                                         | 8x210mm         | 8x210mm | 2"        | 155mm    | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8210-8210EHBK  | 8x210mm         | 8x210mm | 2"        | 154.2mm  | 154.2mm                 | 14mm 1.50           |                  | BLACK  |         |
|       | WA8650/170-6550E14                                                                                   | 8x6.50"/8x170mm | 6x5.50" | 2"        | 126.15mm | -                       | 14mm 1.50           | X                |        | YES     |
|       |  WA8650-6550E     | 8x6.50"         | 6x5.50" | 2"        | 126.15mm | -                       | 14mm 1.50           |                  |        | YES     |
|       | WA8650-8170C14                                                                                       | 8x6.50"         | 8x170mm | 1.5"      | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8170C916                                                                                      | 8x6.50"         | 8x170mm | 1.5"      | 126.15mm | -                       | 9/16"-18            |                  |        |         |
|       |  WA8650-8170E14   | 8x6.50"         | 8x170mm | 2"        | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       |  WA8650-8180C14   | 8x6.50"         | 8x180mm | 1.5"      | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8180E14                                                                                       | 8x6.50"         | 8x180mm | 2"        | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8180EH14                                                                                      | 8x6.50"         | 8x180mm | 2"        | 124mm    | 124mm                   | 14mm 1.50           |                  |        |         |
|       |  WA8650-8210E14   | 8x6.50"         | 8x210mm | 2"        | 116.7mm  | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8650C                                                                                         | 8x6.50"         | 8x6.50" | 1.5"      | 126.15mm | -                       | 9/16"-18            |                  |        |         |
|       | WA8650-8650C14                                                                                       | 8x6.50"         | 8x6.50" | 1.5"      | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8650E                                                                                         | 8x6.50"         | 8x6.50" | 2"        | 126.15mm | -                       | 9/16"-18            |                  |        |         |
|       |  WA8650-8650E14   | 8x6.50"         | 8x6.50" | 2"        | 126.15mm | -                       | 14mm 1.50           |                  |        |         |
|       | WA8650-8650EBK                                                                                       | 8x6.50"         | 8x6.50" | 2"        | 126.15mm | -                       | 9/16"-18            |                  | BLACK  |         |
|       | WA8650-8650EH14                                                                                      | 8x6.50"         | 8x6.50" | 2"        | 116.7mm  | 116.7mm                 | 14mm 1.50           |                  |        |         |



# Leveling Kits & Accessories



| FRONT LEVELING LIFT KIT |                                                      |                                                           |       |
|-------------------------|------------------------------------------------------|-----------------------------------------------------------|-------|
| Part No                 | Vehicle Applications                                 | Kit Components                                            | Image |
| LK-101-F                | 2004-2019 Ford F150 2WD and 4WD - 2" Front           | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-102-F                | 2004-2019 Ford F150 2WD and 4WD - 2.5" Front         | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-103-F                | 2004-2019 Ford F150 2WD and 4WD - 3" Front           | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-206-C                | 07-19 CHEVY GMC SILVERADO / SIERRA 1500 - 2" Front   | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-207-C                | 07-19 CHEVY GMC SILVERADO / SIERRA 1500 - 2.5" Front | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-208-C                | 07-19 CHEVY GMC SILVERADO / SIERRA 1500 - 3" Front   | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-301-D                | 2006-2019 DODGE RAM 1500 - 2" Front                  | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-302-D                | 2006-2019 DODGE RAM 1500 - 2.5" Front                | 2 front spacers with 6 studs/nuts/washers                 | A     |
| LK-118-F                | 2005-2019 FORD F250 F350 SUPER DUTY 4WD - 2" Front   | 2 front spacers with 2 studs/washers                      | B     |
| LK-119-F                | 2005-2019 FORD F250 F350 SUPER DUTY 4WD - 2.5" Front | 2 front spacers with 2 studs/washers                      | B     |
| LK-203-C                | 07-19 CHEVY GMC SILVERADO / SIERRA 1500 - 2" Front   | 2 front spacers with 4 studs/nuts/washers                 | C     |
| LK-402-T                | 1995-2004 TOYOTA TACOMA 4 RUNNER - 3" Front          | 2 front spacers with 6 studs/washers+6 anti-loose washers | D     |
| LK-403-T                | 2005-2019 TOYOTA TACOMA 4 RUNNER - 2" Front          | 2 front spacers with 6 studs/washers+6 anti-loose washers | D     |
| LK-405-T                | 2005-2019 TOYOTA TACOMA 4 RUNNER - 3" Front          | 2 front spacers with 6 studs/washers+6 anti-loose washers | D     |
| LK-409-T                | 2007-2019 TOYOTA TUNDRA - 2" Front                   | 2 front spacers with 8 studs/washers+8 anti-loose washers | E     |
| LK-411-T                | 2007-2019 TOYOTA TUNDRA - 3" Front                   | 2 front spacers with 8 studs/washers+8 anti-loose washers | E     |



| FRONT AND REAR COMPLETE LIFT |                                                                |                                                           |       |
|------------------------------|----------------------------------------------------------------|-----------------------------------------------------------|-------|
| Part No                      | Vehicle Applications                                           | Kit Components                                            | Image |
| LK-307-D                     | 2009-2019 DODGE RAM 1500 4WD - 3" FRONT 2" REAR                | 2 front spacers with 6 studs/nuts/washers, 2 rear spacers | J     |
| LK-800-J                     | 2007-2018 Jeep Wrangler JK - 3" Full Front Rear Lift Level Kit | visit website for kit details                             | K     |



| REAR LEVELING LIFT KIT |                                                     |                                       |       |
|------------------------|-----------------------------------------------------|---------------------------------------|-------|
| Part No                | Vehicle Applications                                | Kit Components                        | Image |
| LK-107-F               | 2004-2019 FORD F150 2WD and 4WD - 1.5" REAR         | 4 Ubolts, 8 nuts, 8 washers, 2 blocks | F     |
| LK-108-F               | 2004-2019 FORD F150 2WD and 4WD - 2" REAR           | 4 Ubolts, 8 nuts, 8 washers, 2 blocks | F     |
| LK-210-C               | 1999-2019 CHEVY SILVERADO SIERRA 1500 GMC - 2" REAR | 4 Ubolts, 8 nuts, 8 washers, 2 blocks | F     |
| LK-211-C               | 1999-2019 CHEVY SILVERADO SIERRA 1500 GMC - 3" REAR | 4 Ubolts, 8 nuts, 8 washers, 2 blocks | F     |
| LK-412-T               | 1995-2019 TOYOTA TACOMA - 2" REAR                   | 4 Ubolts, 8 nuts, 8 washers, 2 blocks | F     |
| LK-304-D               | 2009-2019 DODGE RAM 1500 4WD & 2WD - 1.5" REAR      | 2 rear spacers                        | G     |
| LK-305-D               | 2009-2019 DODGE RAM 1500 4WD & 2WD - 2" REAR        | 2 rear spacers                        | G     |



| FRONT AND REAR LEVELING LIFT KIT |                                                                  |                                                                                   |       |
|----------------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------|
| Part No                          | Vehicle Applications                                             | Kit Components                                                                    | Image |
| LK-112-F                         | 2004-2019 F150 4WD - 3" Front and 2" Rear                        | 4 Ubolts, 8 nuts, 8 washers, 2 blocks, 2 front spacers with 6 spacer studs & nuts | H     |
| LK-213-C                         | 2007-2019 CHEVY SILVERADO SIERRA 1500 GMC - 3" FRONT AND 2" REAR | 4 Ubolts, 8 nuts, 8 washers, 2 blocks, 2 front spacers with 6 spacer studs & nuts | H     |
| LK-417-T                         | 2005-2019 TOYOTA TACOMA - 3" FRONT AND 2" REAR                   | 4 Ubolts, 8 nuts, 8 washers, 2 blocks, 2 front spacers with 6 spacer studs        | I     |



| ACCESSORIES |                                                                                                |       |
|-------------|------------------------------------------------------------------------------------------------|-------|
| Part No     | Vehicle Applications                                                                           | Image |
| LK-226-C    | 2011-2019 GMC Sierra Chevy Silverado 2500 3500 HD - 1-3" front Leveling lift kit steel (5.4KG) | L     |
| LK-227-C    | 2011-2016 2500HD 3500HD Shock Extenders for Leveling Kit 2-4" Lift                             | M     |

# Spinners & Hardware

## Spinners - 2 Bar



| Part # | Style                          |
|--------|--------------------------------|
| 23     | Thread Mount (Dome Top) Chrome |
| 23F    | Thread Mount (Dome Top) Fluted |
| 25G    | 2-BAR STD MT SPINNER GOLD      |
| 26     | Stud Mount (Dome Top) Chrome   |
| 26G    | Stud Mounted (Dome Top) Gold   |

## Spinners - 3 Bar Straight



| Part # | Style                                      |
|--------|--------------------------------------------|
| 33     | Thr. Mount (Medallion Top) Chr.            |
| 35     | Stud Mt. (Medallion Top) Chr.              |
| 37     | Bolt-on (w/Snap-in Insert) Round Top, Chr. |
| 37G    | Bolt-on (w/Snap-in Insert) Round Top, Gold |

## Spinners - 3 Bar Swept




| Part # | Style                                      |
|--------|--------------------------------------------|
| 43LG   | LH Gold Spinner Stud & Thread (Right Hand) |
| 43RG   | RH Gold Spinner Stud & Thread (Right Hand) |
| 49RF   | Big Spinner RH Fluted w/out Lip            |

## Spinner Adapters



| Part # | Description             | Dia. | Ht.    | Finish |
|--------|-------------------------|------|--------|--------|
| 00     | Int. Set Screw Threaded | 2.75 | 1 3/4" | Zinc   |
| 01     | Int. Set Screw Threaded | 2.44 | 1 1/8" | Zinc   |

## Spinner Adapters/Towers



| Part # | Description                    | Dia. | Ht.    | Finish  |
|--------|--------------------------------|------|--------|---------|
| 51     | Snap-in Stud Mount             | 2.75 | 5/8"   | Plastic |
| 52     | Plate for Portruding Lip Wheel | 2.62 | 7/16"  | Zinc    |
| 53     | Washer Backing Plate           | 2.62 | N/A    | Zinc    |
| 13     | 4 Lug Derby Stud Mount         | 2.67 | 2 3/4" | Chrome  |
| 21     | 4 Lug Tower                    | 2.95 | 3 1/4" | Chrome  |

## Assembly Bolts

- For Multi-piece Wheels
- 10.9 Grade
- Chrome plated



| Part #      | 1892         | 1892BK       | 1800       |
|-------------|--------------|--------------|------------|
| Application | M8-1.25x30mm | M8-1.25x30mm | Flange Nut |

# Lug Wrenches & Adapters

## Lug Wrench Adapters



| Part#     | 804           | 805           | 806           | 807          | 809          |
|-----------|---------------|---------------|---------------|--------------|--------------|
| Outer Hex | 3/4" (19mm)   | 3/4" (19mm)   | 13/16" (21mm) | 3/4", 13/16" | 3/4", 13/16" |
| Inner Hex | 13/16" (21mm) | 11/16" (17mm) | 11/16" (17mm) | 3/4"         | 13/16", 3/4" |



| Part#     | 810         | 815           | 812TW         | 814           |
|-----------|-------------|---------------|---------------|---------------|
| Outer Hex | 7/8" (22mm) | 13/16" & 7/8" | 7/8" (22mm)   | 13/16" (21mm) |
| Inner Hex | 7/8" (22mm) | 3/4"          | 13/16" (21mm) | 13/16" (21mm) |

## Power Wrenches

## 1/2" Drive Socket Adapters

\* Every set comes with individual pouch.




| Part#       | 407                                                                                                                                          | 407TW                                                                                                                             | 813                             | 407TW-SK19                    | 407TW-SK21                      |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------------------|---------------------------------|
| Application | 1/2" Power Wrench w/ two dual hex sockets:<br>17mm (11/16"), 19mm (3/4"),<br>21mm (13/16"), 22mm (7/8")<br>Telescoping handle extends to 20" | 1/2" Power Wrench w/3" extension<br>and two thin wall sockets:<br>19mm (3/4"), 21mm (13/16")<br>Telescoping handle extends to 20" | 17mm (11/16")<br>Socket Adapter | 19mm (3/4")<br>Socket Adapter | 21mm (13/16")<br>Socket Adapter |

\* Thin wall sockets can be purchased separately.

## Lug Wrenches

- Durable heat-treated steel construction
- Corrosion resistant finish
- Provides easy installation and removal of lug nuts

| Part #    | Description                               |
|-----------|-------------------------------------------|
| 409L13/16 | L Wrench 13/16" Hex                       |
| 409L3/4   | L Wrench 3/4" Hex                         |
| 409L7/8   | L Wrench 7/8" Hex                         |
| 402       | Dual 5/8" and 7/8" Hex                    |
| 403       | 4 Way Foldable 11/16", 3/4", 13/16", 7/8" |
| 404       | 20" 4-Way 11/16", 3/4", 13/16", 7/8"      |
| 405       | 25" 4-Way 7/8", 15/16", 1", 1-1/16"       |
| 406       | 14" 4-Way 11/16", 3/4", 13/16", 7/8"      |



# Lug Wrenches & Adapters

## Flip Socket Adapter


**Built to Last:** Drop Forged, Heat Treated Chrome Molybdenum Steel guarantees long service life and durability.

**Dependable:** Heavy-Duty Construction ensures reliable usage over and over again.

**Versatile:** Features a 1/2-Inch Drive in the Center that allows the socket to “flip” from one size to another.

**Practical:** Can be used with an impact wrench, air ratchet, breaker bar, or torque wrench.

**\*All adapters and tool sets are 1/2-inch drive compatible**



| Part#     | 830  | 830T | 831    | 833    |
|-----------|------|------|--------|--------|
| Upper Hex | 19mm | 19mm | 3/4"   | 7/8"   |
| Lower Hex | 21mm | 21mm | 13/16" | 15/16" |

## Tool Sets

Highly durable, color-coded, and non-marring.

Features thin-walled sockets and protective sleeves to protect rims and lug nuts from scratching.

Perfect for any factory or aftermarket painted, clear coated, and chrome lug nuts or bolts.

Drop forged, heat treated, and rust resistant chrome-molybdenum construction.



**Universal Emergency Lug Nut Remover Set with four 1/2" DR Twist Socket**



**Non-Marring Socket Adapter Set**




| Part#    | 8140-5                     | 83-321           |
|----------|----------------------------|------------------|
| Hex Size | 17mm, 18.5mm, 21.5mm, 26mm | 17mm, 19mm, 21mm |

## Soft Inner Plastic Adapter

Patented design prevents scratching and marring

Soft plastic interior protects lug nut finish

Preserves color and finish of painted, clear coated, and chrome lug nuts



| Part#     | 821          | 822          |
|-----------|--------------|--------------|
| Outer Hex | 3/4", 13/16" | 3/4", 13/16" |
| Inner Hex | 3/4"         | 13/16"       |



## Tire Plugs & Patches



TP-004

| Part#       | TP-040                                             | TP-052                                             | TP-122                                   | TP-123                                   | TP-124                                   | TP-004                                       |
|-------------|----------------------------------------------------|----------------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|----------------------------------------------|
| Application | 40mm Round Radial or Bias-Ply Tire Patches, 30/box | 52mm Round Radial or Bias-Ply Tire Patches, 25/box | 72X40mm Tube Tire Repair Patches, 15/box | 50X32mm Tube Tire Repair Patches, 24/box | 32X24mm Tube Tire Repair Patches, 48/box | 4" Brown Self-Vulcanizing Tire Plugs, 50/box |

## Tire Plug Tools



| Part#       | TP-06      | TP-09                | TPM-06                | TPM-09                    |
|-------------|------------|----------------------|-----------------------|---------------------------|
| Application | Tire Probe | Tire Open-Eye Needle | Metal Grip Probe Tool | Metal Grip Split-Eye Tool |

## Miscellaneous Gauges

## Wheel Hangers



TG6000C



TG6002



| Part#       | 8001        | 8002        |
|-------------|-------------|-------------|
| Application | 12mm x 1.50 | 14mm x 1.50 |

| Part #  | Description                                                                                                                                        |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| TG6000C | Thread Gauge Checker<br>Measures the following thread sizes: 7/16", 1/2", 12mm 1.25, 12mm 1.50, 14mm 1.50, 14mm 2.00, 9/16", 12mm 1.75, 14mm 1.25. |
| TG6002  | Patented Bolt Pattern Gauge Checker (U.S. Patent No. 5,412,878)<br>Measures 4-, 5-, 6-, and 8-lug wheel patterns.                                  |
| TG6003  | Tread Depth Gauge<br>Measures remaining tire tread.                                                                                                |
| TG6004  | Lug Nut Hex Gauge                                                                                                                                  |

## Wheel Displays



## Wheel Hooks



WH-001



WH-002



WH-003

| Part # | Description             |
|--------|-------------------------|
| WH-001 | Black Hook              |
| WH-002 | Black Hook w/ Slat Wall |
| WH-003 | Aluminum Wheel Hook     |

| Part#             | 89-0011B / 89-0011C                                                     | 99-0016B / 99-0016C                                                     |
|-------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Color             | Black / Chrome                                                          | Black / Chrome                                                          |
| Dimension (LxWxH) | 26" x 20.5" x 53.5"<br>(26.5" h, per cube)                              | 22" x 20.5" x 67.5"<br>(22.5" h, per cube)                              |
| Description       | 2-Cube wheel display. Accommodates up to 24" wheels, 3/4" steel tubing. | 3-Cube wheel display. Accommodates up to 20" wheels, 3/4" steel tubing. |

# Oil Drain Plugs


30/Box 300/Case




| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-005 | 1/2"-20     | 19mm     |




| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-015 | 1/2"-20     | 19mm     |




| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-033 | 14mm x 1.50 | 17mm     |




| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-034 | 12mm 1.75   | 15mm     |




| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-038 | 12mm x 1.25 | 14mm     |



| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-049 | 12mm x 1.25 | 14mm     |



| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-052 | 1/2"-20     | 14mm     |



| Part#   | Thread Size | Hex Size |
|---------|-------------|----------|
| 961-053 | 14mm x 1.50 | 16mm     |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-058     | 1/2"-20     | 16mm     |
| With Gasket |             |          |




| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-059     | 12mm x 1.75 | 13mm     |
| With Gasket |             |          |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-075     | 14mm x 1.50 | 17mm     |
| With Gasket |             |          |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-079Z    | 12mm x 1.75 | 15mm     |
| With Gasket |             |          |




| Part#                | Thread Size | Hex Size |
|----------------------|-------------|----------|
| 961-091              | 12mm x 1.75 | 13mm     |
| Magnetic With Gasket |             |          |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-098     | 14mm x 1.50 | 17mm     |
| With Gasket |             |          |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-115     | 14mm x 1.50 | 13mm     |
| With Gasket |             |          |



| Part#       | Thread Size | Hex Size |
|-------------|-------------|----------|
| 961-161     | 14mm x 1.50 | 16mm     |
| With Gasket |             |          |

THE USE OF WHITE KNIGHT PRODUCTS ARE AT YOUR OWN RISK AND YOU ASSUME ALL LIABILITY FOR SUITABILITY, SIZING, FIT, INSTALLATION AND USE. IMPROPER INSTALLATION CAN RESULT IN ACCIDENT AND/OR INJURY. DO NOT ATTEMPT INSTALLATION UNLESS YOU ARE A QUALIFIED MECHANIC. UNLESS OTHERWISE PROVIDED, THIS PRODUCT IS SOLD "AS IS", WITHOUT ANY WARRANTY. ALL EXPRESS AND IMPLIED WARRANTIES, WARRANTIES OF MERCHANTABILITY AND OF FITNESS, ARE DISCLAIMED, WAIVED AND EXCLUDED. YOU AGREE THAT WHITE KNIGHT, THE MANUFACTURER, DISTRIBUTOR AND RETAILERS' MAXIMUM LIABILITY, IF ANY IS FOUND, SHALL BE LIMITED TO THE LESSER OF THE ACTUAL PRICE THE END USER PAID FOR THE PRODUCT OR THE VERIFIABLE DAMAGES SUSTAINED.

Except as set forth herein, in no event will White Knight Wheel Accessories, or its affiliates, agents or representatives, be liable for any special, direct, incidental or consequential damages, or any other form of damages whatsoever, including, without limitation, the loss of life, limb, personal injuries, property damage, and loss of use, which damages may arise or result from the design, suitability, sale, installation, or use of this product.

## Terms of Purchase

### Guarantee:

White Knight guarantees all of its items sold to be free of defect in material & workmanship for a period of one year from the date of invoice.

### New Accounts:

Initial order for new accounts is \$1500.

All new accounts must provide company credit information to us prior to shipment of the first order.

### Ordering Guidelines:

Order quantity must be in increments of inner or master box.

### Billing Terms:

Upon credit approval, all invoices will be billed "Net 30 Days" from date of invoice, not date of merchandise received.

Any unpaid invoice after 30 days will be subject to a 1 - 1 1/2% monthly interest charge.

### Freight Policy\*\*:

White Knight pays freight on orders \$1000 or more to the West coast, \$1500 or more to Central and East coast states. Freight for wheel weights will only be covered to 10% of dollar amount.

### Damage In Transit Items:

Our responsibility ends when shipments are signed for in good condition by the carrier. Claims for merchandise lost or damaged in transit must be made with the carrier. White Knight will supply customer with all shipping data.

### Return of Goods:

White Knight will not accept any return without prior written authorization. All returns must be shipped PREPAID to our warehouse and must include purchase date, invoice number and our RGA number. We only accept goods returned within one (1) year of purchase.

Final credit determined only after White Knight warehouse's 100% inspection. All returns are subject to 20% restocking and handling charge. Credit will not be issued to any altered or modified item. Any credit will be applied towards future shipments.

All efforts have been made to avoid printing errors in our catalog.

However, we must disclaim responsibility for any specification, application, or pricing error displayed.

© White Knight  
Wheel Accessories



**White Knight®**

Wheel Accessories

12850 Moore St., Cerritos, CA 90703

Tel: (562) 483-5217

Website: [www.whtknight.com](http://www.whtknight.com)

E-mail: [sales@whtknight.com](mailto:sales@whtknight.com)

**Toll Free: 1-800-343-8313**